

**BOEING CORPORATE REAL ESTATE
FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA****TECHNICAL MEMORANDUM
QUARTERLY REPORT NO. 24
FOURTH QUARTER 2007
FULL-SCALE SVE SYSTEM**

To: Mr. Robert Scott
Boeing Corporate Real Estate
4501 Conant, Building 1
Long Beach, CA 90808

From: Haley & Aldrich, Inc.

Date: 29 January 2007

Subject: Quarterly Report No. 24, Fourth Quarter 2007 Full-Scale SVE System, Boeing Corporate Real Estate, Former C-6 Facility, Building 1/36 Area, Los Angeles, California

Haley & Aldrich, Inc. (Haley & Aldrich) has prepared this technical memorandum to summarize full-scale soil vapor extraction (SVE) activities conducted at the former Boeing Corporate Real Estate (CRE), C-6 Facility, Building 1/36 area (Site) located at the northwest corner of Normandie Avenue and Knox Street in the City of Los Angeles, California. The location of the Site is shown on Figure 1.

This technical memorandum presents the Site background followed by a discussion of SVE operations and has been prepared in response to Regional Water Quality Control Board, Los Angeles Region (LARWQCB) reporting requirements.

BACKGROUND

Laboratory results for soil samples collected at the Site indicated the presence of volatile organic compounds (VOCs) at depth in certain areas of the site requiring remediation. SVE was recommended for the remediation of deep impacted soil (soil deeper than 12 feet below ground surface). Haley & Aldrich was contracted by CRE to install and operate first an SVE pilot test system, and later a full-scale SVE system. Workplans for the SVE systems were submitted and approved by the LARWQCB in June 2001 and December 2001, respectively.

SVE SYSTEM DESCRIPTION AND HISTORY

SVE pilot testing at the Site was conducted between July and October 2001, when the pilot SVE system was shut down and the SVE wells were abandoned to accommodate Site grading. The pilot SVE system was re-installed and re-started in December 2001 and operated through March 2002.

Full scale SVE treatment of deep soils at the Site was started in May 2002. The full-scale SVE system consisted of 53 SVE well screens (17 dual- and 9 single-screened SVE wells), a trailer-mounted 1,000 standard cubic feet per minute (scfm) blower system, three 8,000-lb granular activated carbon (GAC) vapor control vessels (primary, secondary, and stand-by), and associated piping.

In June 2002, unexpected exothermic carbon reactions with 2-Butanone (MEK) required that the SVE system be shut down for repairs and modifications. The system was restarted on 11 March 2003. After equipment modifications, the system was optimized to remove mass and follow a seven-day carbon change-out frequency. Three, single-screened SVE wells were installed in June 2004. Full scale SVE treatment of deep soils at the Site continued through September 2004, when the system was shut down to facilitate Site redevelopment.

Prior to Site redevelopment, the SVE wells were cut, capped, surveyed, and buried at least 3 feet below ground surface (bgs) to protect them from site redevelopment activities. The SVE mechanical equipment, including carbon vessels, was removed and stored at an off-Site location. Between February 2005 and March 2006, during Site redevelopment, the SVE wells were uncovered and connected, via subsurface piping, to manifolds in the remediation compound located at the northeast corner of the Site (Figure 2) and the SVE mechanical equipment was re-mobilized to the Site. Full scale SVE operations resumed on 2 March 2006.

OPERATIONAL SUMMARY, FORUTH QUARTER 2007

Operation and maintenance of the SVE system, monthly sample collection, weekly monitoring, and calculation of mass of VOCs removed, was conducted by Tait Environmental Management (TEM). TEM reported O&M activities on a weekly basis and provided monthly progress reports to CRE and Haley & Aldrich.

Operations for the fourth quarter 2007 covered the period of 1 October 2007 through 31 December 2007. The total mass of VOCs reported removed during SVE operations during the fourth quarter 2007 was approximately 67 pounds. Operational data for the full-scale SVE system is presented in Table 1.

Total hours of operation for this quarter were approximately 1,870. Down time occurred due to rebound monitoring, power outage and maintenance of mechanical equipment. Percent up time based on all hours in the fourth quarter (2,208 hours; 1 October through 31 December 2007) is 85 percent and is presented on Graph 1. The system was operated in compliance with South Coast Air Quality Management District (SCAQMD) permit requirements during this quarter.

A system maintenance activity log is provided in Table 2 and a summary of additional operational data is presented below:

Days of Operation	78 (1,870hours)
Available Days of Operation	92 (2,208 hours)
Operational Time (%)	85%
Estimated Mass Removed during Period	67 pounds of VOCs reported as total non-methane hydrocarbons.
Cumulative Mass Removed (July 2001-December 2007):	33,721 pounds of VOCs

OPERATIONS INFORMATION, FOURTH QUARTER 2007

Key events that occurred during the quarter include:

- 4 October 2007 Collected photoionization detector (PID) measurements from all active SVE wells and shut down system for rebound monitoring and well field performance evaluation.
- 18 October 2007 Re-started SVE system and collected PID measurements from all SVE wells as they were opened. Vapor samples also collected from thirteen select SVE wells for laboratory analysis.
- 23 October 2007 System shut down due to power outage. Restarted system on the same day.
- 7 and 28 November 2007 Closed SVE wells with no rebound or with relatively low PID measurements after rebound monitoring was complete.

Well vapor concentrations of VOCs measured at the end of the fourth quarter 2007 are plotted on Figure 3. The well vapor concentration contours depicted on Figures 4A and 4B illustrate baseline start-up concentrations as well as remediation progress through 31 December 2007.

Well field MEK concentration contours measured in October 2007 are plotted on Figure 5. The MEK vapor concentrations depicted on Figure 6 illustrate baseline MEK concentrations as well as decreasing concentrations through October 2007.

The cumulative mass removed by the full-scale SVE system is shown in Graph 2. Total VOC concentrations reported in grab samples collected from the undiluted influent of the SVE system during start-up and at the end of the quarter are plotted on Graph 3. Exothermic reactions were not observed in the GAC beds during the fourth quarter of 2007.

FIELD MEASUREMENTS, FOURTH QUARTER 2007

In accordance with the SCAQMD permit requirements, flow rate and VOC concentration measurements were collected at the undiluted inlet, diluted inlet, between the GAC vessels, and at the exhaust stack. Flowrates were measured with a direct flow meter or by a hand-held Veloci-calc meter[™]. Additional measurements collected during operation included vacuum readings at each extraction well, at the system inlet, and at the GAC vessels and the blower exhaust temperature. The combined system influent VOC measurements are presented in Table 1. Field measurements of flow, VOC concentration, vacuum, and temperature were also collected at each well during the quarter. These measurements are provided in Table 3.

Individual SVE well flow rates this period ranged from approximately 3 to 95 scfm for a total undiluted flow rate from the wellfield of approximately 470 to 745 scfm. The system operated with inlet vacuums ranging from approximately 48 to 105 inches of water.

VAPOR SAMPLING AND ANALYSIS, FOURTH QUARTER 2007

During the fourth quarter 2007, vapor samples were collected from both the SVE treatment system and the SVE well field as described below.

Treatment System Sampling and Analysis

For this period, nine vapor samples were collected from the process air stream (three from the undiluted inlet to primary GAC vessel, three from the effluent of the primary GAC vessel, and three from the exhaust from the secondary GAC vessel) and delivered to a state-certified laboratory for analysis. These samples were collected for SCAQMD permit compliance as well as system performance evaluation. The vapor samples were collected in SummaTM canisters provided by the analytical laboratory. Laboratory analyses were conducted on vapor grab samples using EPA Method TO-14. The laboratory results of the vapor samples from the system are summarized for detected compounds in Table 4.

Based on the results of the laboratory analysis of system vapor grab samples, maximum undiluted inlet VOC concentrations of speciated compounds in parts per billion by volume (ppbv) for the period are as follows:

■ 1,1,1-Trichloroethane (1,1,1-TCA)	2,100 ppbv
■ 2-Butanone (MEK)	1,100 ppbv
■ Trichloroethene (TCE)	460 ppbv
■ 1,1-Dichloroethene (1,1-DCE)	410 ppbv
■ Acetone	130 ppbv
■ Toluene	96 ppbv
■ Tetrachloroethene (PCE)	26 J ppbv
■ 1,1,2-Trichloroethane (1,1,2-TCA)	17 J ppbv
■ Methylene Chloride (MeCl)	14 J ppbv
■ 1,1-Dichloroethane (1,1 -DCA)	9.7 ppbv
■ Chloroform	6.9 ppbv
■ Trichlorofluoromethane	6.0J ppbv
■ cis-1,2-Dichloroethene (cis 1,2-DCE)	5.6 ppbv
■ Benzene	4.0 J ppbv
■ Xylenes (total)	2.8 J ppbv
■ o-Xylenes	2.8 J ppbv
■ Dichlorodifluoromethane	2.6 J ppbv
■ 1,2-Dichloroethane (1,2-DCA)	2.6 J ppb

J = Estimated value. Analyte detected above method detection limit, but below method reporting limit.

1,1,1-TCA was the VOC detected at the highest concentration in system influent samples collected during the fourth quarter of 2007. Based on laboratory analytical data collected this quarter, the mass of VOCs, measured as total non-methane hydrocarbons was approximately 67 pounds, as shown on Graph 2. The average mass removal rates for this quarter are estimated to be approximately 0.9 lbs/day.

WELL FIELD SAMPLING AND ANALYSIS

In addition to vapor samples collected from the process air stream, vapor samples were collected for PID measurements and laboratory analysis as part of rebound monitoring activities. After collecting initial PID measurements at each well and two weeks of system shutdown, the SVE system was re-started and PID measurements were collected from all SVE wells as they were re-opened. Thirteen vapor samples were also collected from select SVE wells for laboratory analysis by EPA Method 21/TO-14A. PID measurements are presented in Table 3 and the laboratory analytical results are summarized in Table 5.

PID data collected before and after system shut down indicates that rebound of VOCs in SVE wells was greatest in SVE well VEW-24B. PID measurement of VOCs at this well was 0 ppmv on 4 October 2007, prior to system shut-down, and 114 ppmv on 18 October 2007 after system re-start, indicating a two order of magnitude increase of VOC concentrations at this location. Since system re-start, weekly PID measurements at this location have gradually decreased to 80 ppmv as of 27 December 2007 (Table 3).

Rebound of VOCs, as measured by a PID, was also observed in SVE wells immediately adjacent to Well VEW-24B, although to a lesser extent. In general, rebound of VOCs was observed to decrease as distance increased from Well VEW-24B and was limited to deep SVE screens.

Laboratory analytical results of samples collected from select wells indicate that concentrations of MEK above method detection limits ranged from 3.7 parts per billion by volume (ppbv) in sample VEW09_AV101807_0001 to 19,000 ppbv in sample VEW24B_AV101807_0001. Reported MEK concentrations indicate an order of magnitude decrease in MEK concentrations as compared to historical Site data (Figures 5 and 6).

ACTIVITIES FOR FIRST QUARTER 2008

Based on VOC concentration measurements and mass removal rates observed this quarter, SVE operations will continue during the First Quarter 2008. This will include:

- Weekly monitoring of system parameters and well field VOC concentrations;
- Focusing SVE treatment on the portion of the well field near Well VEW-24B, to remove VOC mass from this location; and
- Weekly sampling to assure compliance with SCAQMD permit conditions.

29 January 2008

Page 6

We appreciate the opportunity to provide environmental consulting services on this project. Please do not hesitate to call if you have any questions or comments.


Sincerely yours,
HALEY & ALDRICH, INC.


Patrick A. Keddington, PE
Senior Engineer

c: John Scott, Boeing
File




Richard M. Farson, P.E.
Vice President



Attachments:

- Table 1 – Treatment System Field Data
- Table 2 – Maintenance Log
- Table 3 – Wellhead Field Data
- Table 4 – System Laboratory Analytical Data
- Table 5 – Well Field Laboratory Analytical Data
- Figure 1 – Site Location Map
- Figure 2 – SVE Treatment System Location
- Figure 3 – Building 1/36 VOC Concentration Contour
December 2007
- Figure 4A – Building 1/36 VOC Concentration Contours,
April 2003 through June 2006
- Figure 4B – Building 1/36 VOC Concentration Contours
September 2006 through December 2007
- Figure 5 – Building 1/36 MEK Concentration Contours,
October 2007
- Figure 6 – Building 1/36 MEK Concentration Contours
March 2003 Through October 2007
- Graph 1 – Monthly Percent Operation
- Graph 2 – Cumulative VOC Mass Removed
- Graph 3 – SVE System Influent Concentration

TABLE 1 - TREATMENT SYSTEM FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	HOUR METER	TIME	BLOWER TEMP	DILUTED TEMP	DILUTED FLOW RATE	UNDILUTED FLOW RATE	VACUUM	HEAT EXCHANGER TEMPERATURE IN	HEAT EXCHANGER TEMPERATURE OUT	UNDILUTED SYSTEM INFLUENT PID	DILUTED SYSTEM INFLUENT PID	SYSTEM BREAKTHROUGH PID	SYSTEM EFFLUENT PID
			(deg F)	(deg F)	(scfm)	(scfm)	(inches of H2O)	(deg F)	(deg F)	(ppmv)	(ppmv)	(ppmv)	(ppmv)
3/2/2006	2069.1	8:30	130	130	978	N/A	54.47	N/A	N/A	76.2	76.0	0.0	0.0
3/8/2006	2069.7	16:00	90	80	322	N/A	34.05	90	68	N/A	N/A	N/A	N/A
3/9/2006	2094.9	17:20	82	N/A	327	347	34.05	82	60	51.0	45.0	0.0	0.0
3/10/2006	2115.3	13:55	88	88	301	284	40.86	88	62	42.6	41.0	0.0	0.0
3/12/2006	2162.4	12:55	90	90	310	318	40.86	90	62	41.0	40.5	0.0	0.0
3/13/2006	2189.6	16:00	90	90	280	291	40.86	90	60	43.2	41.0	0.0	0.0
3/14/2006	2213.9	16:30	92	92	300	291	40.86	92	62	42.6	41.0	0.0	0.0
3/15/2006	2229.8	16:30	90	90	291	301	40.86	90	62	46.7	41.0	0.0	0.0
3/16/2006	2256.6	19:00	90	90	296	291	40.86	90	62	46.1	44.2	0.0	0.0
3/21/2006	NM	8:00	90	90	290	289	40.86	90	62	41.0	41.0	0.0	0.0
3/24/2006	2429.5	10:30	90	90	290	287	40.86	90	62	44.0	44.7	0.0	0.0
3/28/2006	2520.1	16:30	90	90	311	310	40.86	90	62	NM	NM	NM	NM
3/29/2006	2538.2	8:30	90	90	296	290	40.86	90	60	NM	NM	NM	NM
3/31/2006	2589.2	11:30	90	90	362	286	40.86	90	62	25.1	20.5	0.0	0.0
4/3/2006	2610.1	12:30	90	90	440	426	40.86	90	62	NM	NM	NM	NM
4/4/2006	2638.2	13:45	90	90	442	410	40.86	90	64	NM	NM	NM	NM
4/5/2006	2656.6	13:45	90	90	410	400	40.86	90	62	40.1	38.1	0.0	0.0
4/12/2006	2821.1	10:00	100	100	410	400	40.86	100	64	40.1	38.2	0.0	0.0
4/19/2006	2986.2	7:00	125	125	680	680	40.86	125	78	46.3	42.1	0.0	0.0
4/26/2006	3103.3	15:40	116	116	660	660	54.47	116	63	31.2	29.1	4.4	0.0
5/3/2006	3267.8	16:10	100	100	645	641	47.66	100	60	26.1	22.0	2.2	0.0
5/11/2006	3458.5	15:00	102	102	640	645	47.66	102	62	18.1	17.9	1.9	0.0
5/15/2006	3555.7	16:20	102	101	N/A	N/A	47.66	102	62	NM	NM	NM	NM
5/17/2006	3555.7	16:40	70	70	625	632	47.66	70	62	NM	NM	NM	NM
5/19/2006	3601.0	7:30	113	113	646	651	47.66	113	62	18.3	17.6	0.0	0.0
5/22/2006	3671.8	7:30	110	110	660	648	47.66	110	62	NM	NM	NM	NM
5/24/2006	3722.9	7:30	115	115	649	655	47.66	115	62	18.6	18.0	0.0	0.0
6/1/2006	3913.0	14:00	115	115	652	660	47.66	115	62	16.9	16.3	0.0	0.0
6/7/2006	4056.0	13:00	115	115	650	659	47.66	115	62	15.9	15.0	0.0	0.0
6/14/2006	4224.0	13:00	118	114	648	668	47.66	118	64	15.8	15.0	0.0	0.0
6/23/2006	4439.8	13:00	116	116	651	660	47.66	116	62	16.2	15.8	0.0	0.0
6/28/2006	4561.3	14:00	130	130	659	654	47.66	130	90	17.1	18.0	0.0	0.0
7/3/2006	4681.6	14:30	132	132	651	659	47.66	132	90	16.9	16.1	0.0	0.0
7/13/2006	4922.8	16:00	140	140	725	730	47.66	140	90	26.1	25.2	1.0	0.0
7/20/2006	5081.8	7:10	110	110	980	968	47.66	110	70	NM	NM	NM	NM
7/21/2006	5119.5	20:45	130	130	745	740	47.66	130	86	26.9	26.8	1.2	0.0
7/31/2006	5210.1	11:00	110	110	726	716	47.66	110	68	NM	NM	NM	NM
8/1/2006	5236.0	13:15	130	130	746	750	47.66	130	80	20.6	20.4	1.0	0.0
8/3/2006	5238.0	11:00	110	110	749	751	47.66	110	72	19.2	18.8	4.1	0.0
8/11/2006	5241.0	15:10	132	132	178	210	47.66	132	91	28.5	28.5	10.2	0.0
8/15/2006	5330.1	13:40	115	NM	NM	NM	27.24	115	85	NM	NM	NM	NM
8/16/2006	5363.7	17:30	125	125	750	755	47.66	125	75	26.1	25.9	0.0	0.0
8/22/2006	5498.8	14:15	130	130	741	726	47.66	130	80	NM	NM	NM	NM
8/23/2006	5523.7	15:15	140	140	705	710	47.66	140	80	19.9	19.4	0.1	0.0
8/29/2006	5669.3	16:30	140	140	725	720	47.66	140	80	21.8	21.1	0.0	0.0

TABLE 1 - TREATMENT SYSTEM FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	HOUR METER	TIME	BLOWER TEMP	DILUTED TEMP	DILUTED FLOW RATE	UNDILUTED FLOW RATE	VACUUM	HEAT EXCHANGER TEMPERATURE IN	HEAT EXCHANGER TEMPERATURE OUT	UNDILUTED SYSTEM INFLUENT PID	DILUTED SYSTEM INFLUENT PID	SYSTEM BREAKTHROUGH PID	SYSTEM EFFLUENT PID
			(deg F)	(deg F)	(scfm)	(scfm)	(inches of H2O)	(deg F)	(deg F)	(ppmv)	(ppmv)	(ppmv)	(ppmv)
9/9/2006	5930.6	14:00	125	125	726	716	47.66	125	80	18.6	18.0	0.0	0.0
9/13/2006	6031.6	19:00	120	120	721	731	47.66	120	80	15.6	15.7	0.0	0.0
9/22/2006	6247.5	19:00	125	125	728	742	47.66	125	80	15.1	14.6	0.0	0.0
9/28/2006	6376.6	16:00	125	125	741	767	47.66	125	80	23.6	27.8	1.0	0.0
10/2/2006	6481.9	13:30	134	134	726	716	47.66	134	80	21.6	20.1	4.0	0.0
10/5/2006	6549.0	8:30	110	110	741	720	47.66	110	80	42.1	40.1	4.9	0.0
10/9/2006	6653.0	16:30	110	110	745	741	47.66	110	80	40.1	39.6	5.0	0.0
10/11/2006	6703.2	17:45	130	130	715	721	47.66	130	75	41.6	40.1	10.0	0.0
10/18/2006	6864.2	12:00	130	130	748	760	47.66	130	80	33.6	32.7	0.0	0.0
10/20/2006	6918.1	18:00	125	125	751	749	47.66	125	82	35.1	35.0	0.0	0.0
10/23/2006	6985.9	16:00	140	140	726	596	47.66	140	82	42.1	40.3	0.0	0.0
10/27/2006	7081.8	16:00	130	130	741	726	47.66	130	82	21.6	20.1	0.0	0.0
10/30/2006	7149.9	7:00	130	130	621	741	47.66	130	82	20.7	20.1	0.0	0.0
11/2/2006	7229.7	17:00	130	130	721	762	47.66	130	82	20.6	20.0	0.0	0.0
11/13/2006	7347.4	13:30	100	100	680	691	0.0	100	85	0.0	0.0	0.0	0.0
11/14/2006	7365.3	7:30	100	100	670	676	0.0	100	80	0.0	0.0	0.0	0.0
11/15/2006	7390.5	15:30	99	99	659	671	0.0	99	80	0.0	0.0	0.0	0.0
11/16/2006	7407.7	9:00	120	120	682	691	27.24	120	72	10.0	9.5	0.0	0.0
11/17/2006	7442.8	19:00	125	125	650	671	54.47	125	80	35.0	34.0	0.0	0.0
11/18/2006	7463.6	17:00	140	140	660	682	54.47	140	82	36.2	35.1	0.0	0.0
11/19/2006	7456.6	10:00	140	140	667	680	54.47	140	80	37.2	36.1	0.0	0.0
11/20/2006	7503.2	8:30	145	145	671	686	54.47	145	86	38.2	36.8	0.0	0.0
11/20/2006	7515.7	21:00	140	140	669	681	54.47	140	80	37.6	37.0	0.0	0.0
11/27/2006	7682.2	19:30	125	125	640	655	54.47	125	80	36.1	35.6	1.0	0.0
11/28/2006	7705.7	19:00	125	125	660	665	54.47	125	80	33.1	33.0	1.8	0.0
12/1/2006	7765.8	7:00	120	120	676	682	54.47	120	72	104.2	102.1	20.2	0.0
12/1/2006	7776.5	18:00	140	140	681	690	54.47	140	80	110.2	106.1	0.0	0.0
12/2/2006	7794.5	13:00	140	140	670	679	54.47	140	81	100.2	99.7	0.0	0.0
12/4/2006	7837.0	6:30	125	125	676	686	54.47	125	80	90.2	89.6	0.0	0.0
12/5/2006	7866.5	12:00	130	130	679	689	54.47	130	81	120.1	118.2	9.2	0.0
12/7/2006	7912.5	10:00	130	130	675	681	54.47	130	82	122.1	119.6	10.3	0.0
12/8/2006	7945.2	18:30	125	125	680	689	54.47	125	80	116.1	115.9	0.0	0.0
12/10/2006	7963.7	13:00	125	125	660	669	54.47	125	85	110.1	108.1	0.0	0.0
12/11/2006	8004.6	6:15	125	125	690	692	54.47	125	81	112.0	110.6	0.0	0.0
12/13/2006	8041.3	17:30	130	130	681	693	54.47	130	81	115.1	114.0	0.0	0.0
12/15/2006	8112.0	17:30	130	130	674	681	54.47	130	80	121.0	116.0	0.0	0.0
12/17/2006	8154.0	13:00	125	125	680	688	54.47	125	80	120.2	119.3	0.6	0.0
12/18/2006	8174.0	7:00	125	125	685	691	54.47	125	80	120.8	119.9	1.0	0.0
12/19/2006	8210.5	19:30	125	125	690	694	54.47	125	80	115.1	114.8	1.1	0.0
12/22/2006	8280.3	18:00	120	120	685	690	54.47	120	70	119.2	118.3	1.6	0.0
12/26/2006	8368.0	9:30	115	115	670	678	54.47	115	70	102.1	100.9	3.6	0.0
12/27/2006	8401.3	19:00	110	110	691	699	54.47	110	70	103.1	101.9	4.8	0.0
12/29/2006	8448.4	18:00	110	110	685	690	54.47	110	71	98.1	97.6	5.0	0.0
1/2/2007	8546.3	18:00	110	110	701	710	54.47	110	70	99.1	96.2	10.8	0.0
1/3/2007	8569.8	17:30	120	120	693	702	54.47	120	71	15.8	13.1	10.8	0.0
1/4/2007	8584.9	10:30	120	120	700	711	54.47	120	70	15.9	14.1	11.0	0.0
1/8/2007	8679.9	9:30	115	115	707	716	54.47	115	72	15.1	12.7	12.1	0.0
1/11/2007	8760.5	18:30	115	115	697	701	54.47	115	64	16.1	15.3	10.8	0.0
1/12/2007	8784.5	18:15	115	115	702	710	54.47	115	64	16.0	15.4	11.1	0.0
1/17/2007	8905.5	19:15	115	115	710	719	54.47	115	65	16.2	15.6	11.2	0.0
1/20/2007	8975.0	17:45	115	115	698	707	54.47	115	65	17.2	15.1	12.1	0.0

TABLE 1 - TREATMENT SYSTEM FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	HOUR METER	TIME	BLOWER TEMP (deg F)	DILUTED TEMP (deg F)	DILUTED FLOW RATE (scfm)	UNDILUTED FLOW RATE (scfm)	VACUUM (inches of H2O)	HEAT EXCHANGER TEMPERATURE IN (deg F)	HEAT EXCHANGER TEMPERATURE OUT (deg F)	UNDILUTED SYSTEM INFLUENT PID (ppmv)	DILUTED SYSTEM INFLUENT PID (ppmv)	SYSTEM BREAKTHROUGH PID (ppmv)	SYSTEM EFFLUENT PID (ppmv)
1/22/2007	9024.3	19:00	120	120	693	702	54.47	120	63	16.9	16.2	15.9	0.0
1/26/2007	9121.6	19:30	115	115	707	709	54.47	115	65	17.2	16.8	14.9	0.0
1/27/2007	9133.8	7:45	110	110	706	711	54.47	110	68	17.6	16.6	14.7	0.0
1/29/2007	9193.6	19:00	110	110	697	702	54.47	110	67	17.1	16.1	14.8	0.0
1/31/2007	9234.6	14:15	118	118	660	670	54.47	118	72	16.1	15.6	5.5	0.0
2/1/2007	9261.9	17:30	115	115	665	675	54.47	115	70	16.4	15.7	5.9	0.0
2/5/2007	9348.4	9:00	110	110	660	670	54.47	110	72	16.8	16.0	7.0	0.0
2/7/2007	9406.0	17:30	122	122	676	682	54.47	122	94	16.9	15.1	6.0	0.0
2/12/2007	9518.5	10:00	125	125	700	706	54.47	125	NM	17.9	16.7	7.2	0.0
2/15/2007	9599.0	18:30	129	129	704	711	54.47	129	100	17.0	16.5	7.6	0.0
2/16/2007	9614.5	10:00	130	130	696	701	54.47	130	100	17.5	16.8	7.7	0.0
2/19/2007	9686.0	9:30	119	119	691	701	54.47	119	90	17.1	16.8	7.4	0.0
2/20/2007	9718.9	18:30	130	130	703	711	54.47	130	100	17.8	17.0	7.8	0.0
2/23/2007	9789.7	17:30	130	130	700	710	61.28	130	105	19.8	19.1	9.9	0.0
2/26/2007	9853.0	8:30	140	140	716	721	61.28	140	110	22.6	22.0	10.0	0.0
2/28/2007	9907.3	14:50	135	135	706	719	54.47	135	100	19.8	19.0	8.9	0.0
3/1/2007	9934.6	18:30	135	135	697	707	54.47	135	100	25.9	25.0	9.3	0.0
3/5/2007	10023.4	17:00	132	132	684	692	54.47	132	100	26.8	26.1	10.2	0.0
3/7/2007	10074.0	19:30	135	135	691	702	54.47	135	100	25.8	25.3	10.2	0.0
3/9/2007	10075.4	13:00	110	110	691	702	54.47	110	75	25.1	24.6	10.3	0.0
3/11/2007	10090.1	16:00	110	110	697	703	54.47	110	75	25.8	25.3	11.2	0.0
3/14/2007	10165.0	20:00	130	130	696	701	54.47	130	78	25.9	21.2	11.0	0.0
3/16/2007	10207.5	14:30	130	130	693	700	54.47	130	90	26.3	25.9	11.2	0.0
3/20/2007	10306.5	18:30	130	130	686	691	54.47	130	78	26.1	24.1	11.6	0.0
3/23/2007	10378.4	17:30	130	130	687	694	54.47	130	82	26.4	24.3	11.6	0.0
3/26/2007	10447.0	18:30	130	130	683	690	54.47	130	82	26.1	25.6	11.7	0.0
3/27/2007	10473.0	19:15	130	130	685	690	54.47	130	84	26.9	25.9	11.8	0.0
3/28/2007	10484.6	19:30	130	130	676	681	54.47	130	80	27.0	26.1	11.8	0.0
4/2/2007	10602.4	17:30	130	130	693	702	54.47	130	80	27.1	27.0	11.7	0.0
4/4/2007	10646.0	13:00	130	130	675	680	54.47	130	85	27.1	26.8	12.0	0.0
4/5/2007	10675.5	18:30	125	125	680	688	54.47	125	80	26.8	26.5	12.0	0.0
4/6/2007	10677.0	17:30	130	130	674	679	61.28	130	80	46.9	46.6	12.0	0.0
4/9/2007	10734.6	20:30	130	130	670	676	61.28	130	80	46.8	46.0	12.0	0.0
4/16/2007	10900.5	18:30	130	130	676	681	61.28	130	81	48.9	47.6	13.1	0.0
4/18/2007	10947.2	17:00	135	135	670	676	61.28	135	87	48.1	47.5	13.2	0.0
4/20/2007	10989.2	11:00	130	130	664	670	61.28	130	79	40.1	39.1	13.2	0.0
4/23/2007	11064.8	14:30	125	125	686	690	61.28	125	85	41.3	39.9	13.4	0.0
4/30/2007	11224.6	17:30	130	130	684	691	61.28	130	80	40.1	39.6	13.4	0.0
5/1/2007	11242.6	11:30	125	125	680	685	61.28	125	81	40.3	39.9	13.5	0.0
5/2/2007	11273.1	18:00	125	125	674	680	61.28	125	80	40.6	39.7	13.3	0.0
5/10/2007	11464.9	17:50	125	125	674	680	61.28	125	80	40.1	40.0	13.6	0.0
5/11/2007	11481.0	10:00	130	130	674	681	61.28	130	80	40.1	39.6	0.0	0.0
5/16/2007	11609.3	18:30	125	125	674	680	61.28	125	80	35.1	34.2	0.0	0.0
5/21/2007	11725.0	14:00	125	125	631	641	61.28	125	74	20.1	19.1	0.0	0.0
5/24/2007	11772.3	9:00	120	120	662	671	61.28	120	80	19.3	18.1	0.0	0.0
5/25/2007	11807.3	20:00	125	125	651	659	61.28	125	80	11.1	10.0	0.0	0.0
5/29/2007	11897.0	14:00	140	140	651	670	61.28	140	83	10.2	10.0	0.0	0.0
5/31/2007	11949.2	18:00	130	130	429	450	74.90	130	80	14.2	14.0	0.0	0.0
6/4/2007	12043.3	16:00	130	130	445	450	74.90	130	80	10.2	10.0	0.0	0.0
6/5/2007	12069.0	17:45	130	130	440	445	74.90	130	80	9.6	9.0	0.0	0.0
6/11/2007	12213.9	18:00	130	130	445	460	74.90	130	80	9.0	8.4	0.0	0.0

TABLE 1 - TREATMENT SYSTEM FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	HOUR METER	TIME	BLOWER TEMP	DILUTED TEMP	DILUTED FLOW RATE	UNDILUTED FLOW RATE	VACUUM	HEAT EXCHANGER TEMPERATURE IN	HEAT EXCHANGER TEMPERATURE OUT	UNDILUTED SYSTEM INFLUENT PID	DILUTED SYSTEM INFLUENT PID	SYSTEM BREAKTHROUGH PID	SYSTEM EFFLUENT PID
			(deg F)	(deg F)	(scfm)	(scfm)	(inches of H2O)	(deg F)	(deg F)	(ppmv)	(ppmv)	(ppmv)	(ppmv)
6/15/2007	12275.0	6:00	125	125	450	460	74.90	125	80	8.7	8.0	0.0	0.0
6/19/2007	12383.5	19:30	130	130	480	485	74.90	130	80	8.1	8.0	0.0	0.0
6/21/2007	12429.5	17:00	130	130	560	562	74.90	130	80	8.0	7.9	0.0	0.0
6/28/2007	12597.8	18:00	130	130	545	553	74.90	130	80	7.9	7.4	0.0	0.0
6/29/2007	12613.8	10:00	130	130	536	540	74.90	130	80	7.8	7.7	0.0	0.0
7/2/2007	12687.7	12:00	130	130	495	505	74.90	130	80	7.3	7.0	0.0	0.0
7/5/2007	12754.1	16:00	130	130	520	530	74.90	130	85	7.0	6.8	0.0	0.0
7/10/2007	12874.0	17:00	130	130	520	530	74.90	130	90	7.0	6.5	0.0	0.0
7/11/2007	12901.0	20:00	130	130	490	500	74.90	130	87	7.2	7.0	0.0	0.0
7/16/2007	13016.0	15:00	140	140	490	495	74.90	140	85	6.9	6.7	0.0	0.0
7/18/2007	13065.0	16:00	130	130	490	495	74.90	130	88	6.5	6.4	0.0	0.0
7/23/2007	13176.0	8:00	130	130	490	495	74.90	130	85	6.0	5.8	0.0	0.0
7/27/2007	13272.0	11:00	130	130	480	485	74.90	130	85	5.2	5.0	0.0	0.0
7/30/2007	13339.7	7:00	135	135	490	495	74.90	135	85	5.7	5.5	0.0	0.0
7/31/2007	13376.3	20:15	130	130	500	505	74.90	130	90	5.0	4.8	0.0	0.0
8/2/2007	13423.9	20:00	130	130	487	490	74.90	130	85	5.1	4.9	0.0	0.0
8/9/2007	13590.7	19:00	130	130	495	501	68.09	130	85	4.8	4.6	0.0	0.0
8/13/2007	13677.8	10:00	135	135	480	485	61.28	135	85	4.6	4.3	0.0	0.0
8/16/2007	13751.6	11:00	130	130	488	490	68.09	130	80	4.7	4.5	0.0	0.0
8/20/2007	13852.8	17:00	135	135	475	480	61.28	135	85	4.5	4.0	0.0	0.0
8/22/2007	13896.0	12:00	135	135	475	480	61.28	135	85	4.3	4.0	0.0	0.0
8/27/2007	14014.4	11:30	135	135	475	480	61.28	135	85	4.0	3.8	0.0	0.0
8/30/2007	14093.8	19:00	130	130	480	485	61.28	130	85	4.0	3.8	0.0	0.0
9/4/2007	14095.6	17:00	130	130	475	480	61.28	130	85	4.0	3.8	0.0	0.0
9/5/2007	14118.0	15:30	135	135	475	480	61.28	135	85	4.0	3.8	0.0	0.0
9/6/2007	14138.0	11:30	135	135	475	485	61.28	135	85	3.9	3.8	0.0	0.0
9/7/2007	14167.0	16:30	135	135	485	490	61.28	135	85	3.9	3.7	0.0	0.0
9/10/2007	14170.0	17:30	135	135	469	480	61.28	135	85	3.9	3.8	0.0	0.0
9/11/2007	14186.5	10:00	135	135	460	468	54.47	135	85	1.0	0.9	0.0	0.0
9/12/2007	14190.0	19:30	135	135	470	480	54.47	135	85	2.0	1.5	0.0	0.0
9/18/2007	14335.1	20:30	130	130	475	480	61.28	130	85	1.0	0.8	0.0	0.0
9/20/2007	14382.0	19:00	130	130	470	480	61.28	130	85	0.8	0.6	0.0	0.0
9/22/2007	14421.0	10:00	135	135	480	490	61.28	135	80	0.9	0.7	0.0	0.0
9/24/2007	14472.2	13:15	135	135	480	485	61.28	135	80	0.8	0.7	0.0	0.0
9/26/2007	14526.0	19:00	130	130	475	480	61.28	130	75	0.5	0.4	0.0	0.0
9/28/2007	14573.2	18:00	135	135	470	475	61.28	135	80	0.5	0.4	0.0	0.0
10/3/2007	14682.6	7:30	135	135	480	485	61.28	135	75	0.7	0.5	0.0	0.0
10/4/2007	14716.1	13:15	130	130	470	475	61.28	130	80	0.5	0.4	0.0	0.0
10/18/2007	14726.3	19:00	130	130	695	730	47.66	130	80	0.4	0.3	0.0	0.0
10/22/2007	14817.6	18:30	130	130	710	730	47.66	130	80	0.2	0.2	0.0	0.0
10/23/2007	14841.6	20:00	130	130	715	725	47.66	130	81	0.3	0.2	0.0	0.0
10/30/2007	14995.6	6:00	130	130	705	715	47.66	130	80	0.3	0.2	0.0	0.0
11/1/2007	15057.6	20:10	130	130	700	710	47.66	130	80	0.2	0.2	0.0	0.0
11/7/2007	15192.6	10:00	130	130	700	705	47.66	130	80	0.2	0.2	0.0	0.0
11/16/2007	15417.7	19:00	135	135	540	548	74.90	135	80	10.2	9.2	0.0	0.0
11/19/2007	15490.5	20:00	135	135	530	540	74.90	135	80	8.5	8.0	0.0	0.0
11/21/2007	15536.2	17:30	135	135	531	540	74.90	135	80	7.5	7.0	0.0	0.0
11/26/2007	15656.7	18:00	135	135	535	540	74.90	135	80	7.0	6.8	0.0	0.0
11/28/2007	15693.7	7:00	135	135	540	545	74.90	135	85	7.0	6.8	0.0	0.0
11/28/2007	15704.5	18:00	135	135	475	480	95.33	135	80	18.1	18.0	0.0	0.0
11/30/2007	15741.0	6:30	135	135	470	480	95.33	135	80	16.9	16.0	0.0	0.0

TABLE 1 - TREATMENT SYSTEM FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	HOUR METER	TIME	BLOWER TEMP	DILUTED TEMP	DILUTED FLOW RATE	UNDILUTED FLOW RATE	VACUUM	HEAT EXCHANGER TEMPERATURE IN	HEAT EXCHANGER TEMPERATURE OUT	UNDILUTED SYSTEM INFLUENT PID	DILUTED SYSTEM INFLUENT PID	SYSTEM BREAKTHROUGH PID	SYSTEM EFFLUENT PID
			(deg F)	(deg F)	(scfm)	(scfm)	(inches of H2O)	(deg F)	(deg F)	(ppmv)	(ppmv)	(ppmv)	(ppmv)
12/3/2007	15817.5	11:00	150	150	740	750	95.33	150	69	21.2	20.1	0.0	0.0
12/7/2007	15915.0	12:30	150	150	741	750	95.33	150	70	20.1	19.1	0.0	0.0
12/11/2007	16016.1	17:30	150	150	731	740	102.14	150	70	19.2	18.6	0.0	0.0
12/15/2007	16100.1	7:30	150	150	716	730	102.14	150	72	15.1	14.9	0.0	0.0
12/18/2007	16156.6	18:45	150	150	NM	NM	102.14	150	80	NM	NM	NM	NM
12/19/2007	16180.9	18:30	150	150	725	730	102.14	150	80	14.1	14.0	0.0	0.0
12/21/2007	16250.9	17:00	150	150	720	730	102.14	150	80	13.0	12.5	0.0	0.0
12/27/2007	16394.8	17:00	150	150	700	715	102.14	150	80	12.0	11.5	0.0	0.0
12/29/2007	16439.6	14:00	150	150	730	740	102.14	150	80	10.7	10.0	0.0	0.0
12/31/2007	16487.8	14:00	150	150	740	745	104.86	150	80	10.1	9.8	0.0	0.0
1/2/2008	16540.7	19:00	150	150	745	750	102.14	150	80	4.2	4.0	0.0	0.0

Notes:
 ppmv: parts per million by volume
 scfm: standard cubic foot per minute
 N/A: not applicable
 NM: not measured

Heat exchanger turned off on February 7, 2007 to maximize carbon adsorption and restarted on March 11, 2007 due to system shut downs.

Information above provided by Tait Environmental Management. Haley & Aldrich has not verified accuracy

TABLE 2 - MAINTENANCE LOG

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	MAINTENANCE ACTIVITY
3/2/2006	Started system. Performed test on system alarms, Vessel V-4 is off line. V-2 Primary, V-3 Secondary
3/8/2006	Checked system for operation, Vessel V-4 is off line, V-2 Primary, V-3 Secondary
3/9/2006	Checked system operation, collected laboratory analysis, Vessel V-4 is off line, V-2 Primary, V-3 Secondary
3/10/2006	Checked system for operation, Vessel V-4 is off line, V-2 Primary, V-3 Secondary
3/12/2006	Checked system for operation, Vessel V-4 is off line, V-2 Primary, V-3 Secondary
3/13/2006	Checked system for operation, Vessel V-4 is off line, repaired high-high switch on sump, changed one thermocouple wire, V-2 Primary, V-3 Secondary
3/14/2006	Checked system for operation, Vessel V-4 is off line, leak on 8" steel stand pipe, V-2 Primary, V-3 Secondary
3/15/2006	System shut down at 12:10AM, restarted system at 8:20AM, V-2 Primary, V-3 Secondary
3/16/2006	Performed weekly O&M at the site, V-2 Primary, V-3 Secondary
3/21/2006	Performed weekly O&M at the site. System shut down at 11:00 PM due to high level in sump from rains, V-2 Primary, V-3 Secondary
3/24/2006	Performed weekly O&M at the site. Collected laboratory analysis of the system, V-2 Primary, V-3 Secondary
3/28/2006	System down due to High water. Setup Sump pump and pumped out rain water. V-2 Primary, V-3 Secondary
3/29/2006	Pumped rain water out of compound. V-2 Primary, V-3 Secondary
3/31/2006	System operating upon arrival, performed weekly O&M, V-2 Primary, V-3 Secondary
4/3/2006	System down upon arrival due to berm full of rain water, checked for leaks on the system, no leaks, pumped water out of berm. Washed down compound. Breaker tripped on unit reset and restarted system. Performed monthly alarm check, V-2 Primary, V-3 Secondary
4/4/2006	System down upon arrival due to berm full of rain water, checked for leaks on the system, no leaks, pumped water out of berm. Restarted system. V-2 Primary, V-3 Secondary
4/5/2006	System operating upon arrival, berm filled with rain water checked for leaks on the system, no leaks, pumped water out of berm. Performed system O&M on the system, collected lab samples on the system. V-2 Primary, V-3 Secondary
4/12/2006	System running at arrival, collected system readings: flow, vacuum, and temp. Collected PID readings. V-2 Primary, V-3 Secondary
4/18/2006	Opened wells VEW-7, VEW-9, VEW-10A, VEW-10B, VEW-11A, VEW-11B, VEW-19A, VEW-19B, VEW-20A, VEW-20B, VEW-21A, VEW-21B, VEW-22A, VEW-22B, VEW-23A, VEW-23B, VEW-24A, and VEW-24B 25% and set the SVE unit to extract at a rate around 650scfm. V-2 Primary, V-3 Secondary
4/19/2006	Returned to collect seven vapor samples from wells VEW-9, VEW-10B, VEW-19A, VEW-19B, VEW-21A, VEW-23B, and VEW-21B. Collected effluent, mid, and influent samples. Temp after heat exchanger 78°F. V-2 Primary, V-3 Secondary
4/26/2006	Arrived onsite at 0830, dropped off inverter at west ramp for Alex, collected temp., flow and vacuum readings; PID lamp is bad, replaced with 11.7 lamp from EnviroSupply and collected PID readings. V-2 Primary, V-3 Secondary
4/28/2006	Received lab analysis and it indicated breakthrough on the primary vessel (V-2). Went to site. Shut down system, quenched primary vessel, brought spare vessel online and restarted the system. Vessel V-3 Primary, V-4 Secondary
5/3/2006	Collected monthly samples and performed monthly alarm checks. Vessel V-3 Primary, V-4 Secondary
5/11/2006	System running at arrival, collected system readings: flow, vacuum, and temp. Collected PID readings. Vessel V-3 Primary, V-4 Secondary
5/15/2006	Received lab analysis and it indicated breakthrough on the primary and effluent vessels. Went to site. Shut down system, quenched both vessels. Left system off until carbon change out can take place. Vessel V-3 Primary, V-4 Secondary
5/16/2006	Drained vessels in preparation of carbon change out in vessels V-2, V-3 and V-4.
5/17/2006	Performed carbon change out on all three vessels. Each vessel has approximately 7,000 lbs of carbon in each. System restarted with vessel V-3 as primary and V-4 as secondary, vessel V-2 is off line as a spare.
5/18/2006	Lowered flow and vacuum on well VEW-19A per Greg's request; well open ~5%, vacuum at 10".
5/19/2006	System running at arrival, collected system readings: flow, vacuum, temp., and PID.
5/22/2006	System running at arrival, collected system readings: flow, vacuum, temp., and PID; backflow valve leaking, took apart no visible problem - still leaking at departure.
5/23/2006	On site to fix leak at backflow valve, opened all valves to bleed the line, no luck; lowered flow on system until problem is fixed, temperature is the same as on 5/22/06.
5/24/2006	System running at arrival, collected system readings: flow, vacuum, temp., and PID; fixed backflow valve leaking problem.
6/1/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID, cleaned compound.
6/7/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID, collected monthly samples and performed monthly alarm checks.
6/14/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID.
6/23/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID; backflow valve leaking again, reprimed valve, working fine at departure.
6/28/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID; cleaned compound area.
7/3/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; monthly samples will be collected next week.
7/13/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; collected monthly samples and performed monthly alarm checks; adjusted % open status of individual wells per CDM's email - will continue to adjust wells as system permits.
7/20/2006	Onsite for influent sample collection, system running at arrival and departure.
7/21/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
7/25/2006	System running at arrival, collected system data and shut down system due to styrene breakthrough; quenched vessels.
7/26/2006	Checked system - vessels temp ok.
7/28/2006	Onsite to perform system maintenance while it is down; trained Kevin on system data collection; system ready for restart.
7/31/2006	Started system at 10:30, collected system readings after 30 minutes of operation; replaced lamp in PID.
8/1/2006	Onsite to collect system data; shut down system at departure; will restart and sample on August 3, 2006.
8/3/2006	System off at arrival; backflow valve leaking- disassembled and cleaned, reassembled and valve is working fine; restarted the system for split vapor sampling; performed monthly checks and shut down system at departure.
8/11/2006	System restarted temporarily using the spare vessel as the second vessel; collected system data and 3 individual wells data, system running at departure; hour meter at 12:10 p.m. = 5238.0, V-2 is #2 and V-3 is #1, V-4 is offline.
8/15/2006	Stan Jackson onsite to oversee carbon change out in vessels V-3 and V-4; restarted system at 13:40 and collected partial O&M parameters. Left site with system running.
8/16/2006	Lester onsite to perform O&M; vessel 1 (V-2), vessel 2 (V-3) and V-4 is offline; calibrated PID, collected system readings: flow, vacuum, temp., and individual well concentrations.
8/22/2006	Onsite to oversee water meter leak repair; DWP not able to repair leak today but will come back tomorrow; collected minor system data.
8/23/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. DWP fixed leak at water meter. Performed monthly alarm checks - all operational.
8/29/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
9/1/2006	Onsite to post the updated sign on the gate; system running at arrival and departure.
9/6/2006	System running at arrival. Collected monthly samples for laboratory analysis.
9/9/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Performed monthly alarm checks - all operational.
9/13/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
9/22/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
9/28/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
10/2/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Collected monthly system samples; made adjustments to extraction wells (% open) and collected samples from VEW-19B, 23B and 24B (after 1.5 hours of runtime); performed monthly alarm checks - all operational.

TABLE 2 - MAINTENANCE LOG

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	MAINTENANCE ACTIVITY
10/5/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
10/9/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Adjusted following wells to 100% open: VEW-14A, 13B, 10A, 19A, 24A, 23A, 07, 22A, 22B, 25B, 27, 08A, 08A, 23B.
10/11/2006	System running at arrival, vacuumed water from manifold sump; installed sight tube on storage tank
10/17/2006	Onsite to adjust backflow valve per Dennis' request; repurged and reprimed valves, everything ok; preparation of vessel for carbon change out next day.
10/18/2006	System running at arrival; onsite for carbon change out in vessel V-2 (offline), V-3 is primary carbon vessel and V-4 is secondary vessel.
10/20/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
10/23/2006	System running at arrival, collected system readings: flow, vacuum, temp., and concentrations; meeting with Dennis C. to check on system, fixed air and water leak, installed magnehelic gage on 8 inch pipe.
10/25/2006	Onsite meeting with Dennis C. and Bill P. regarding permits and ACMD paperwork QA/QC; checked flow meter and vessels, all ok.
10/27/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; vacuumed 18.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
10/30/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; cleaned compound area.
11/2/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp. Collected monthly samples. Performed monthly alarm checks - all operational. Closed wells: VEW-13A, VEW-13B, VEW-14A, VEW-14B, VEW-15A, VEW-15B, VEW-17A, VEW-17B, VEW-18A, VEW-18B, & VEW-29. Cleaned-up site.
11/7/2006	System shut down at 6:30 p.m. due to heat exchanger motor malfunction; quenched vessels V-2 and V-3;
11/8/2006	System berm area flooded due to quenching system operating continuously overnight and leak in the 6 inch elbow connection; main power shut down to repair the heat exchanger motor de-energized the solenoid which controls the quenching system, causing continuous water to run through the vessels; minor incident reported to project team.
11/10/2006	Removed motor from heat exchanger and dropped it off at Yardley Pumps for repair; system off at departure.
11/13/2006	Restarted system on ambient air to attempt to dry off wet carbon from vessels V-2 (secondary) and V-3 (primary).
11/14/2006	Onsite to install new motor for the heat exchanger; system still operating on ambient air at departure.
11/15/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Replaced fan blades and installed motor.
11/16/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; PTS onsite to vacuum storage tank; opened valve to well manifold 100%, dilution left open 100%.
11/17/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Closed dilution valve.
11/18/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
11/19/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
11/20/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
11/27/2006	System running at arrival, calibrated PID, collected system readings and some individual well readings: flow, vacuum, temp., and concentrations.
11/28/2006	System running at arrival, calibrated PID, collected system readings and remainder of individual well readings: flow, vacuum, temp., and concentrations.
12/1/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; influent concentrations increased, will monitor again after in a few hours.
12/1/2006	System running at arrival; shut system down to switch vessels and quench spent carbon vessel; V-2 is primary, V-4 is secondary and V-3 is offline being quenched; quenched for 1 hour and monitored vessel temperatures.
12/2/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; system temperatures ok.
12/4/2006	System running at arrival, collected system readings: flow, vacuum, temp., and concentrations. Performed monthly alarm checks - all operational.
12/5/2006	System running at arrival, collected system readings: flow, vacuum, temp., and concentrations, drained vessel V-2 of water accumulated in flex hose between V-2 and V-4; breakthrough concentration increased after water removal. Performed monthly alarm checks - all operational. Collected monthly samples.
12/7/2006	System running at arrival, water was shut down at backflow valve due to leaking hose, replaced hose; collected system readings: flow, vacuum, temp., and concentrations.
12/8/2006	Carbon change out in vessel V-3, V-2 is primary and V-4 is secondary; restarted system and collected system readings: flow, vacuum, temp. and concentrations; collected individual well data.
12/10/2006	On site to check on system after heavy rain; system running at arrival, collected system readings: flow, vacuum, temp., and concentrations.
12/11/2006	On site to check on system; system running at arrival, collected system readings: flow, vacuum, temp., and concentrations, changed oil and greased blower.
12/13/2006	On site to check on system; system running at arrival, collected system readings: flow, vacuum, temp., and concentrations; backflow valve leak needs to be fixed.
12/15/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp. Vacuumed 19.0 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
12/17/2006	On site to check on system after heavy rain; system running at arrival, collected system readings: flow, vacuum, temp., and concentrations.
12/18/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp.
12/19/2006	System running at arrival, calibrated PID, collected system and individual well readings: flow, vacuum, PID and temp.
12/22/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp.
12/26/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp. Fixed leaking backflow valve inside compound area. Spoke with Bavco and technician will be onsite to fix on 12/29/06.
12/27/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; rained on 12/26/06, no problem with storage tank. Vacuumed 17.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
12/29/2006	System running at arrival, Bavco technician onsite to check both leaking valves; will come back next week with proper parts; fixed canopy blown away by wind, fixed computer display; collected system readings: flow, vacuum, PID and temp.
1/2/2007	System running at arrival, high winds over the weekend -fixed canopy blown away by wind, fixed computer display; collected system readings: flow, vacuum, PID and temp.
1/3/2007	System running at arrival, rented PID while Boeing PID is being serviced, collected system readings: flow, vacuum, PID and temp; installed undiluted influent sample port; collected partial well readings. Performed monthly alarm checks - all operational.
1/4/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected remainder of individual well data. Collected monthly samples for laboratory analysis.
1/8/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; fixed canopy which was down due to high winds over the weekend, fixed computer screen, left a message with Bavco re backflow valves, washed compound.
1/11/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected partial well data.
1/12/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected remainder of well data.
1/17/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected partial well data.
1/19/2007	Mitch from Bavco onsite to install new backflow valve on Knot St.; valve installed and tested; tested valve in compound, valve inside building and valve outside building; could not find additional valve inside the building;
1/20/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected remainder of well data.
1/22/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
1/26/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected partial well data.
1/27/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected remainder of well data.
1/29/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
1/31/2007	System running at arrival, calibrated PID, collected system readings and well data: flow, vacuum, PID and temperature. Vacuumed 14 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
2/1/2007	System running at arrival; collected system readings: flow, vacuum, PID and temperature. Collected monthly samples for laboratory analysis. Performed monthly alarm checks all operational.
2/5/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; checked oil, greased motor and blower, replaced air flow hose.

TABLE 2 - MAINTENANCE LOG

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	MAINTENANCE ACTIVITY
2/7/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; turned off heat exchanger to increase carbon temperatures and efficiency.
2/12/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; turned off system temporarily to drain water from flex hoses between carbon vessels, drained condensate from vessels, restarted system.
2/15/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected partial well data.
2/16/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; removed broken canopy, collected remainder of well data.
2/17/2007	System running, vacuumed 14 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
2/19/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
2/20/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected individual well readings, closed wells VEW-10A, VEW-06, and VEW-05 prior to departure.
2/23/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, slight increase in vacuum after 3 wells closed.
2/26/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
2/28/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; vacuumed 13 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
3/1/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected individual well readings; collected monthly system samples for laboratory analysis.
3/2/2007	Onsite to dispose of water in 3,000 gallon storage tank; system went down while disposing of storage water; no power to computer panel, replaced 10 amp fuse at computer panel and restarted system, system down for approximately 5.5 hours; system running at departure.
3/5/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
3/7/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected well data.
3/9/2007	System down at arrival; system shut down 1.5 hours after site visit on 3/7/07; checked fuses in panel, all ok; rebooted computer screen, pressed reset button and restarted system; system running at departure.
3/11/2007	System down at arrival - auto dilution valve open alarm; pushed reset button at computer panel and restarted the system; turned heat exchanger on - high temp may cause the system shut down; collected system data: flow, vacuum, PID and temperature.
3/14/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected well data. Performed monthly alarm checks - all operational.
3/16/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature. Vacuumed 15 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
3/20/2007	System running at arrival, calibrated PID, collected system readings and well data: flow, vacuum, PID and temperature. Closed wells VEW-12 and VEW-20B prior to departure.
3/23/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, greased blower and motor, checked blower oil - all ok.
3/26/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, cleaned up compound area.
3/27/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected partial well data. KM onsite to vacuum storage tank: 3,000 gallons of groundwater.
3/28/2007	System down at arrival, restarted system -pushed reset button, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected remainder of well data.
4/2/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational.
4/4/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; vacuumed 14 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
4/5/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected individual well readings, closed wells VEW-19A, VEW-19B, VEW-20A, VEW-24A, VEW-16B, and VEW-11B prior to departure.
4/6/2007	System down at arrival; auto dilution valve open; reset and restarted system, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
4/9/2007	System down at arrival; reset and restarted system, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected well data.
4/16/2007	System running at arrival; greased motor and blower, calibrated PID, collected system data. Computer down - thermocouple readings not available, system safety shut-downs still operational.
4/18/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; vacuumed 12.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
4/20/2007	System running at arrival, greased motor and blower, changed tubing to magnehelic gage, calibrated PID, collected system readings: flow, vacuum, PID and temperature;
4/21/2007	Onsite to check on system, system running ok.
4/22/2007	Onsite to check on system, system running ok.
4/23/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; PC screen down; collected individual well data.
4/24/2007	Onsite to check on system, system running ok.
4/25/2007	Onsite to check on system, system running ok.
4/26/2007	Onsite to check on system, system running ok.
4/27/2007	Onsite to check on system, system running ok.
4/28/2007	Onsite to check on system, system running ok.
4/29/2007	Onsite to check on system, system running ok.
4/30/2007	System down at arrival - power outage due to plane hitting the power lines in the area the night before; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
5/1/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational.
5/2/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
5/10/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; installed computer screen back inside the panel and taped "out of order" sign on the screen; quenched vessel V-2 due to breakthrough - results from lab sample collected on May 1st.
5/11/2007	System running at arrival, shut down system to switch vessels; V-4 is the primary vessel and V-3 is now the secondary vessel, quenched V-2 vessel.
5/14/2007	System running at arrival, shut down system for carbon change out in vessel V-2, V-4 is primary and V-3 is secondary; restarted system and collected system readings: flow, vacuum, temp, and concentrations.
5/15/2007	Dropped off Boeing PID for repair/new bulb
5/16/2007	System running at arrival, calibrated PID (Tait PID), collected system readings: flow, vacuum, PID and temperature; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28; collected individual well data.
5/21/2007	System running at arrival, calibrated PID (Tait PID), collected system readings: flow, vacuum, PID and temperature; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28; collected individual well data.
5/24/2007	Turned system off to perform blower oil change, greased blower and motor, tightened belts, reassembled blower enclosure and restarted the system; belts making noise, checked belts and one belt has many ruptures, turned system off to install new belts. Installed belts and restarted the system.
5/25/2007	System running at arrival, calibrated PID (Tait PID), collected system readings: flow, vacuum, PID and temperature.
5/29/2007	System running at arrival, calibrated PID (back to Boeing PID), collected system readings: flow, vacuum, PID and temperature; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28; collected individual well data. Well VEW-26A has moisture.
5/31/2007	System running at arrival; closed wells VEW-08B, VEW-11A, VEW-22B, and VEW-28; opened from 75% to 100% wells VEW-16A, VEW-25A, VEW-26A, and VEW-26B. Collected system data 45 minutes after well optimization.

TABLE 2 - MAINTENANCE LOG

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	MAINTENANCE ACTIVITY
6/4/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected monthly system samples for laboratory analysis.
6/5/2007	Performed monthly alarm checks - all operational.
6/11/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
6/15/2007	System running at arrival; collected system readings: flow, vacuum, PID and temperature; electrician working on addition of system.
6/19/2007	System off at arrival due to system addition work onsite; collected system readings: flow, vacuum, PID and temperature and individual well data.
6/21/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; note- last week's flow data was collected using 6" pipe diameter, however, the actual pipe diameter is 3", flow adjusted to correct pipe size.
6/21/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
6/28/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; moisture present in sumps, will come back and vacuum water from wells.
6/29/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; vacuumed 10.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
7/2/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, and temperature; collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational.
7/5/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, and temperature; checked oil and belts - ok, greased blower and motor.
7/6/2007	Rewired sump pump since it was previously controlled by the PLC which is now inoperative.
7/10/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; vacuumed 9.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28. Performed monthly alarm checks - all operational.
7/11/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
7/16/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; blower temperature is higher than last time, checked oil, will change oil later this week.
7/18/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
7/23/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
7/27/2007	System running at arrival; shut system down to change oil, greased motor and blower, tightened belts; restarted system, calibrated PID and collected system readings: flow, vacuum, PID and temperature.
7/30/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature.
7/31/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; vacuumed 9.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28. Labeled carbon vessels and placed HASP in black job box inside compound area.
8/2/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data, collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational. Removed expired fire extinguisher and installed new fire extinguisher.
8/9/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data. Collected additional readings on wells: VEW-1, VEW-2, VEW-3, VEW-4, VEW-5, VEW-6, VEW-13A, VEW-13B, VEW-14A, VEW-14B, VEW-28, and VEW-29; closed wells: VEW-07, VEW-08A, VEW-10B, VEW-25A, VEW-25B, VEW-26A, and VEW-26B.
8/13/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature. Checked oil and greased blower; Eric from Value Engineering onsite to work on laptop connection system to obtain system temperatures, temperatures range between 71 °F and 92 °F.
8/16/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; vacuumed 9.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
8/20/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature. Cleaned compound area.
8/22/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
8/23/2007	KM onsite to vacuum 3,000 gallon groundwater storage tank.
8/27/2007	System turned off temporarily by Jacob and Hefner technician; restarted system, calibrated PID and collected system readings: flow, vacuum, PID and temperature.
8/30/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
9/4/2007	System down at arrival; checked fuses - all ok, restarted system; calibrated PID and collected system readings: flow, vacuum, PID and temperature. Performed monthly alarm checks - all operational.
9/5/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational. Checked system oil and grease.
9/6/2007	System running at arrival; collected system readings: flow, vacuum, PID and temperature, and individual well data.
9/7/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature.
9/10/2007	System down at arrival; checked fuses - all ok, system did not quench (water valves to carbon are closed), restarted system; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
9/11/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature. Optimized system by closing wells: VEW-01, 02, 03, 04, 09, 16A, 22A, 27, 28, and 29. Removed slip caps from wells: VEW-22A, 22B, 25A, 25B, and 27. Opened wells: VEW-11A, 11B, 12, 15A, 15B, 17A, 17B, 18A, 18B, 19A, 19B, 20A, 20B, and 24A.
9/12/2007	System down at arrival; replaced burnt fuse and restarted system. Collected system data.
9/18/2007	Onsite to turn the quench system back on; quench system is activated when emergency switch is used, loss of power to the computer panel occurs or loss of main power occurs; quench system is not activated when blower is shut off manually. Also, high temperature from carbon vessels activates the quench system.
9/20/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; tested quench system - operational.
9/22/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; cleaned compound, checked oil and greased blower, heavy rains added to the water volume inside the onsite storage tank.
9/24/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature.
9/26/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
3/28/2007	System down at arrival, restarted system -pushed reset button, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected remainder of well data.
4/2/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational.
4/4/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; vacuumed 14 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
4/5/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected individual well readings, closed wells VEW-19A, VEW-19B.
4/6/2007	System down at arrival; auto dilution valve open; reset and restarted system, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
4/9/2007	System down at arrival; reset and restarted system, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected well data.
4/16/2007	System running at arrival; greased motor and blower, calibrated PID, collected system data. Computer down - thermocouple readings not available, system safety shut-downs still operational.
4/18/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; vacuumed 12.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
4/20/2007	System running at arrival, greased motor and blower, changed tubing to magnehelic gage, calibrated PID, collected system readings: flow, vacuum, PID and temperature; Onsite to check on system, system running ok.
4/21/2007	Onsite to check on system, system running ok.
4/22/2007	Onsite to check on system, system running ok.
4/23/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; PC screen down; collected individual well data.

TABLE 2 - MAINTENANCE LOG

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	MAINTENANCE ACTIVITY
4/24/2007	Onsite to check on system, system running ok.
4/25/2007	Onsite to check on system, system running ok.
4/26/2007	Onsite to check on system, system running ok.
4/27/2007	Onsite to check on system, system running ok.
4/28/2007	Onsite to check on system, system running ok.
4/29/2007	Onsite to check on system, system running ok.
4/30/2007	System down at arrival - power outage due to plane hitting the power lines in the area the night before; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
5/1/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational.
5/2/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
5/10/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; installed computer screen back inside the panel and taped "out of order" sign on the screen; quenched vessel V-2 due to breakthrough -results from lab sample collected on May 1st.
5/11/2007	System running at arrival, shut down system to switch vessels; V-4 is the primary vessel and V-3 is now the secondary vessel, quenched V-2 vessel.
5/14/2007	System running at arrival, shut down system for carbon change out in vessel V-2, V-4 is primary and V-3 is secondary; restarted system and collected system readings: flow, vacuum, temp, and concentrations.
5/15/2007	Dropped off Boeing PID for repair/new bulb
5/16/2007	System running at arrival, calibrated PID (Tait PID), collected system readings: flow, vacuum, PID and temperature; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28; collected individual well data.
5/21/2007	System running at arrival, calibrated PID (Tait PID), collected system readings: flow, vacuum, PID and temperature; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28; collected individual well data.
5/24/2007	Turned system off to perform blower oil change, greased blower and motor, tightened belts, reassembled blower enclosure and restarted the system; belts making noise, checked belts and one belt has many ruptures, turned system off to install new belts. Installed belts and restarted the system.
5/25/2007	System running at arrival, calibrated PID (Tait PID), collected system readings: flow, vacuum, PID and temperature.
5/29/2007	System running at arrival, calibrated PID (back to Boeing PID), collected system readings: flow, vacuum, PID and temperature; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28; collected individual well data. Well VEW-26A has moisture.
5/31/2007	System running at arrival; closed wells VEW-08B, VEW-11A, VEW-22B, and VEW-28; opened from 75% to 100% wells VEW-16A, VEW-25A, VEW-26A, and VEW-26B. Collected system data 45 minutes after well optimization.
6/4/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational.
6/5/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
6/11/2007	System running at arrival; collected system readings: flow, vacuum, PID and temperature; electrician working on addition of system.
6/15/2007	System off at arrival due to system addition work onsite; collected system readings: flow, vacuum, PID and temperature and individual well data.
6/19/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; note- last week's flow data was collected using 6" pipe diameter, however, the actual pipe diameter is 3", flow adjusted to correct pipe size.
6/21/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; vacuumed 12 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
6/28/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; moisture present in sumps, will come back and vacuum water from wells.
6/29/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; vacuumed 10.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
7/2/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, and temperature; collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational.
7/5/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, and temperature; checked oil and belts - ok, greased blower and motor.
7/6/2007	Rewired sump pump since it was previously controlled by the PLC which is now inoperative.
7/10/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; vacuumed 9.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28. Performed monthly alarm checks - all operational.
7/11/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
7/16/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; blower temperature is higher than last time, checked oil, will change oil later this week.
7/18/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
7/23/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
7/27/2007	System running at arrival; shut system down to change oil, greased motor and blower, tightened belts; restarted system, calibrated PID and collected system readings: flow, vacuum, PID and temperature.
7/30/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature.
7/31/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; vacuumed 9.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28. Labeled carbon vessels and placed HASP in black job box inside compound area.
8/2/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data, collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational. Removed expired fire extinguisher and installed new fire extinguisher.
8/9/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data. Collected additional readings on wells: VEW-1, VEW-2, VEW-3, VEW-4, VEW-5, VEW-6, VEW-13A, VEW-13B, VEW-14A, VEW-14B, VEW-28, and VEW-29; closed wells: VEW-07, VEW-08A, VEW-10B, VEW-25A, VEW-25B, VEW-26A, and VEW-26B.
8/13/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature. Checked oil and greased blower; Eric from Value Engineering onsite to work on laptop connection to system to obtain system temperatures, temperatures range between 71 °F and 92 °F.
8/16/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; vacuumed 9.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
8/20/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature. Cleaned compound area.
8/22/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
8/23/2007	KM onsite to vacuum 3,000 gallon groundwater storage tank.
8/27/2007	System turned off temporarily by Jacob and Hefner technician; restarted system, calibrated PID and collected system readings: flow, vacuum, PID and temperature.
8/30/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
9/4/2007	System down at arrival; checked fuses - all ok, restarted system; calibrated PID and collected system readings: flow, vacuum, PID and temperature. Performed monthly alarm checks - all operational.
9/5/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational. Checked system oil and grease.
9/6/2007	System running at arrival; collected system readings: flow, vacuum, PID and temperature, and individual well data.
9/7/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature.
9/10/2007	System down at arrival; checked fuses - all ok, system did not quench (water valves to carbon are closed), restarted system; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.

TABLE 2 - MAINTENANCE LOG

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

DATE	MAINTENANCE ACTIVITY
9/11/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature. Optimized system by closing wells: VEW-01, 02, 03, 04, 09, 16A, 22A, 27, 28, and 29. Removed slip caps from wells: VEW-22A, 22B, 25A, 25B, and 27. Opened wells: VEW-11A, 11B, 12, 15A, 15B, 17A, 17B, 18A, 18B, 19A, 19B, 20A, 20B, and 24A.
9/12/2007	System down at arrival; replaced burnt fuse and restarted system. Collected system data.
9/18/2007	Onsite to turn the quench system back on; quench system is activated when emergency switch is used, loss of power to the computer panel occurs or loss of main power occurs; quench system is not activated when blower is shut off manually. Also, high temperature from carbon vessels activates the quench system.
9/20/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data; tested quench system - operational.
9/22/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; cleaned compound, checked oil and greased blower, heavy rains added to the water volume inside the onsite storage tank.
9/24/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature.
9/26/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data.
9/28/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature.
10/3/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected monthly system samples for laboratory analysis.
10/4/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data. Closed all ball valves to each well, placed caps on sumps, tested quench system - working fine. System shut down at departure for rebound monitoring.
10/12/2007	System off for rebound monitoring; onsite to vacuum well sumps, vacuumed 7.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28; placed water in onsite storage tank.
10/18/2007	Restarted system; opened manual dilution valve to 50%, adjusted flow rates for key wells and collected system readings: flow, vacuum, PID and temperature, and individual well data; vacuumed 2,700 gallons from onsite storage tank. Performed monthly alarm checks - all operational. Checked quench system -ok.
10/22/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature.
10/23/2007	System down at arrival - power outage, system did not quench; restarted system and collected system readings: flow, vacuum, PID and temperature, and individual well data.
10/30/2007	System running at arrival; calibrated PID and collected system readings: flow, vacuum, PID and temperature.
11/1/2007	System running at arrival; collected system monthly samples; calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected individual well data. Performed monthly alarm checks - all operational.
11/5/2007	Changed oil, cleaned valves and greased the system.
11/7/2007	System running at arrival, calibrated PID and collected system and individual well readings: flow, vacuum, PID and temperature; vacuumed 6 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28. Closed the following wells: VEW-01, VEW-02, VEW-03, VEW-04, VEW-05, VEW-06, VEW-07, VEW-08A and -08B, VEW-10A, VEW-11A, VEW-12, VEW-13A and -13B, VEW-14A and -14B, VEW-15A and 15B, VEW-16A and -16B, VEW-17A and -17B, VEW-18A and -18B, VEW-19A and -19B, VEW-20A, VEW-21A, VEW-22A, VEW-26A and -26B, VEW-28, VEW-29. Opened remainder wells to 100%.
11/16/2007	System running at arrival, calibrated PID and collected system and individual well readings: flow, vacuum, PID and temperature.
11/19/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature.
11/21/2007	System running at arrival, calibrated PID and collected system and individual well readings: flow, vacuum, PID and temperature. Vacuumed 8.5 gallons of water from sumps at VEW-25A, VEW-25B, and VEW-27.
11/26/2007	System running at arrival, calibrated PID and collected system and individual well readings: flow, vacuum, PID and temperature.
11/28/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature. Closed wells: VEW-09, 10B, 11B, 13B, 20B, 22B, 25A, 25B.
11/30/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature.
12/3/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; collected system monthly samples. Performed monthly alarm checks - all operational.
12/7/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature; vacuumed 7.5 gallons of water from sumps at VEW-25B and VEW-27. Water accumulating in the storage tank is mostly rain water.
12/11/2007	System running at arrival, calibrated PID and collected system and individual well readings: flow, vacuum, PID and temperature.
12/15/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature.
12/18/2007	System running at arrival, tested sump pump, system was turned off temporarily for bioremediation system testing, collected system readings: vacuum and temperature.
12/19/2007	System running at arrival, calibrated PID and collected system and individual well readings: flow, vacuum, PID and temperature.
12/21/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature.
12/27/2007	System running at arrival, calibrated PID and collected system and individual well readings: flow, vacuum, PID and temperature.
12/29/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature.
12/31/2007	System running at arrival, calibrated PID and collected system readings: flow, vacuum, PID and temperature.

Note: Information above provided by Tait Environmental Management. Haley & Aldrich has not verified accuracy

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
VEW-01	3/2/2006	14:24	68.1	23.2	20.64	45	11.2	100%
	3/12/2006	12:15	62.1	12.8	11.95	27	21.6	50%
	3/17/2006	7:10	59.9	12.8	11.95	27	19.9	50%
	3/24/2006	10:14	61.8	13.9	12.98	27	18.9	50%
	3/31/2006	12:10	60.7	14.6	13.52	30	19.7	50%
	4/5/2006	13:00	56.7	18.4	17.04	30	20.9	50%
	4/12/2006	11:45	61.3	15.4	14.27	30	18.3	50%
	4/19/2006	13:00	71.8	39.6	36.00	37	19.2	50%
	4/26/2006	15:20	61.7	39.5	36.10	35	1.2	50%
	5/3/2006	16:06	68.7	14.1	13.23	25	0.9	50%
	5/11/2006	14:18	64.2	16.0	14.82	30	0.8	50%
	5/19/2006	13:38	66.1	15.4	14.34	28	0.7	50%
	5/24/2006	12:42	68.4	15.3	14.21	29	0.6	50%
	6/1/2006	13:26	69.8	15.5	14.40	29	0.4	50%
	6/7/2006	13:00	60.7	15.6	14.49	29	0.8	50%
	6/14/2006	12:53	60.6	14.9	13.84	29	1.0	50%
	6/23/2006	12:38	62.9	15.1	14.02	29	0.7	50%
	6/28/2006	13:35	65.4	16.1	14.99	28	0.4	50%
	7/3/2006	14:00	65.7	16.8	15.56	30	0.3	50%
	7/13/2006	15:53	97.8	19.2	17.74	31	0.7	75%
	7/21/2006	20:30	82.1	19.8	18.29	31	0.5	75%
	8/16/2006	17:20	80.4	6.2	5.74	30	0.4	75%
	8/23/2006	14:50	91.0	17.7	16.31	32	0.4	75%
	8/29/2006	13:51	86.9	17.9	16.49	32	0.3	75%
	9/9/2006	10:10	85.8	18.6	17.14	32	0.1	75%
	9/13/2006	18:30	76.1	18.7	17.23	32	0.6	75%
	9/22/2006	18:20	74.8	18.6	17.09	33	0.7	75%
	9/28/2006	15:25	76.9	18.8	17.32	32	0.6	75%
	10/2/2006	NM	NM	NM	NM	6	NM	0%
	10/9/2006	NM	NM	NM	NM	7	NM	0%
	10/20/2006	NM	NM	NM	NM	6	NM	0%
	10/27/2006	NM	NM	NM	NM	7	NM	0%
	11/2/2006	NM	NM	NM	NM	7	NM	0%
	11/17/2006	NM	NM	NM	NM	5	NM	0%
	11/20/2006	NM	NM	NM	NM	6	NM	0%
	11/28/2006	NM	NM	NM	NM	6	NM	0%
	12/8/2006	NM	NM	NM	NM	6	NM	0%
	12/15/2006	NM	NM	NM	NM	7	NM	0%
	12/19/2006	NM	NM	NM	NM	7	NM	0%
	12/27/2006	NM	NM	NM	NM	7	NM	0%
	1/4/2007	NM	NM	NM	NM	7	NM	0%
	1/12/2007	NM	NM	NM	NM	6	NM	0%
	1/20/2007	NM	NM	NM	NM	7	NM	0%
	1/27/2007	NM	NM	NM	NM	6	NM	0%
	1/31/2007	NM	NM	NM	NM	5	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	2/7/2007		NM	NM	NM	6	NM	0%
	2/16/2007		NM	NM	NM	6	NM	0%
	2/20/2007		NM	NM	NM	6	NM	0%
	3/1/2007		NM	NM	NM	6	NM	0%
	3/7/2007		NM	NM	NM	6	NM	0%
	3/14/2007		NM	NM	NM	5	NM	0%
	3/20/2007		NM	NM	NM	7	NM	0%
	3/28/2007		NM	NM	NM	7	NM	0%
	4/5/2007		NM	NM	NM	7	NM	0%
	4/9/2007		NM	NM	NM	6	NM	0%
	4/18/2007		NM	NM	NM	6	NM	0%
	4/23/2007		NM	NM	NM	6	NM	0%
	5/2/2007		NM	NM	NM	6	NM	0%
	5/10/2007		NM	NM	NM	5	NM	0%
	5/16/2007		NM	NM	NM	6	NM	0%
	5/21/2007		NM	NM	NM	6	NM	0%
	5/29/2007		NM	NM	NM	6	NM	0%
	6/5/2007		NM	NM	NM	8	NM	0%
	6/15/2007		NM	NM	NM	3	NM	0%
	6/19/2007		NM	NM	NM	5	NM	0%
	6/28/2007		NM	NM	NM	5	NM	0%
	7/5/2007		NM	NM	NM	5	NM	0%
	7/11/2007		NM	NM	NM	5	NM	0%
	7/18/2007		NM	NM	NM	5	NM	0%
	7/23/2007		NM	NM	NM	5	NM	0%
	8/2/2007		NM	NM	NM	5	NM	0%
	8/9/2007		NM	NM	NM	5	NM	0%
	8/9/2007	16:40	72.1	28.6	25.37	46	0.0	50%
	8/16/2007	8:00	85.6	28.6	25.37	46	0.0	50%
	8/22/2007	11:00	70.3	28.9	25.35	50	0.1	50%
	8/30/2007	18:10	88.2	28.7	25.18	50	0.2	50%
	9/6/2007	11:20	74.6	28.9	25.35	50	0.1	50%
	9/10/2007	17:00	76.2	28.6	25.09	50	0.1	50%
	9/20/2007	NM	NM	NM	NM	5	NM	0%
	9/26/2007	NM	NM	NM	NM	0	NM	0%
	10/4/2007	NM	NM	NM	NM	4	NM	0%
	10/18/2007	18:31	74.9	17.5	16.21	30	0.0	50%
	10/23/2007	19:50	84.2	17.5	16.21	30	0.0	50%
	11/1/2007	20:00	82.1	17.6	16.30	30	0.0	50%
	11/7/2007	12:00	72.1	17.6	16.13	34	0.0	50%
	11/16/2007	NM	NM	NM	NM	0	NM	0%
VEW-02	3/2/2006	14:08	68.2	30.8	27.47	44	27.6	100%
	3/12/2006	12:00	62.7	19.2	17.97	26	16.7	50%
	3/17/2006	6:50	59.7	19.6	18.35	26	17.6	50%
	3/24/2006	9:58	61.3	19.3	18.02	27	16.9	50%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/31/2006	11:50	60.6	15.4	14.27	30	27.9	50%
	4/5/2006	12:50	56.5	13.7	12.69	30	26.6	50%
	4/12/2006	11:30	61.4	12.1	11.21	30	24.6	50%
	4/19/2006	12:45	71.7	28.7	26.16	36	21.9	50%
	4/26/2006	15:10	61.9	28.7	26.30	34	1.3	50%
	5/3/2006	15:58	68.7	11.8	11.08	25	1.3	50%
	5/11/2006	14:03	63.9	12.9	11.95	30	1.0	50%
	5/19/2006	13:21	66.2	12.4	11.52	29	0.9	50%
	5/24/2006	12:30	68.3	12.7	11.76	30	0.8	50%
	6/1/2006	13:14	69.3	12.8	11.83	31	0.6	50%
	6/7/2006	12:48	61.0	12.1	11.24	29	0.6	50%
	6/14/2006	12:37	60.8	13.9	12.91	29	0.6	50%
	6/23/2006	12:24	63.2	12.6	11.70	29	0.5	50%
	6/28/2006	13:21	65.7	12.6	11.70	29	0.1	50%
	7/3/2006	13:46	65.4	12.6	11.70	29	0.4	50%
	7/13/2006	15:38	97.5	16.6	15.34	31	0.5	75%
	7/21/2006	20:20	82.5	16.4	15.11	32	0.6	75%
	8/16/2006	17:08	80.6	12.8	11.79	32	0.5	75%
	8/23/2006	14:36	91.7	25.0	23.04	32	0.4	75%
	8/29/2006	13:36	87.2	25.6	23.59	32	0.4	75%
	9/9/2006	9:56	85.6	26.7	24.54	33	0.3	75%
	9/13/2006	18:18	76.4	27.1	24.90	33	0.1	75%
	9/22/2006	18:06	74.5	28.3	26.01	33	0.3	75%
	9/28/2006	15:11	76.9	28.6	26.28	33	0.5	75%
	10/2/2006	NM	NM	NM	NM	9	NM	0%
	10/9/2006	NM	NM	NM	NM	9	NM	0%
	10/20/2006	NM	NM	NM	NM	8	NM	0%
	10/27/2006	NM	NM	NM	NM	10	NM	0%
	11/2/2006	NM	NM	NM	NM	10	NM	0%
	11/17/2006	NM	NM	NM	NM	9	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/28/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	9	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	9	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%
	1/12/2007	NM	NM	NM	NM	10	NM	0%
	1/20/2007	NM	NM	NM	NM	9	NM	0%
	1/27/2007	NM	NM	NM	NM	9	NM	0%
	1/31/2007	NM	NM	NM	NM	7	NM	0%
	2/7/2007	NM	NM	NM	NM	9	NM	0%
	2/16/2007	NM	NM	NM	NM	9	NM	0%
	2/20/2007	NM	NM	NM	NM	9	NM	0%
	3/1/2007	NM	NM	NM	NM	7	NM	0%
	3/7/2007	NM	NM	NM	NM	7	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/14/2007	NM	NM	NM	NM	8	NM	0%
	3/20/2007	NM	NM	NM	NM	8	NM	0%
	3/28/2007	NM	NM	NM	NM	8	NM	0%
	4/5/2007	NM	NM	NM	NM	8	NM	0%
	4/9/2007	NM	NM	NM	NM	9	NM	0%
	4/18/2007	NM	NM	NM	NM	7	NM	0%
	4/23/2007	NM	NM	NM	NM	8	NM	0%
	5/2/2007	NM	NM	NM	NM	8	NM	0%
	5/10/2007	NM	NM	NM	NM	8	NM	0%
	5/16/2007	NM	NM	NM	NM	8	NM	0%
	5/21/2007	NM	NM	NM	NM	9	NM	0%
	5/29/2007	NM	NM	NM	NM	9	NM	0%
	6/5/2007	NM	NM	NM	NM	7	NM	0%
	6/15/2007	NM	NM	NM	NM	6	NM	0%
	6/19/2007	NM	NM	NM	NM	7	NM	0%
	6/28/2007	NM	NM	NM	NM	7	NM	0%
	7/5/2007	NM	NM	NM	NM	7	NM	0%
	7/11/2007	NM	NM	NM	NM	7	NM	0%
	7/18/2007	NM	NM	NM	NM	7	NM	0%
	7/23/2007	NM	NM	NM	NM	7	NM	0%
	8/2/2007	NM	NM	NM	NM	7	NM	0%
	8/9/2007	NM	NM	NM	NM	7	NM	0%
	8/9/2007	16:50	72.6	23.0	20.23	49	0.0	50%
	8/16/2007	8:10	85.7	23.6	20.82	48	0.0	50%
	8/22/2007	10:50	70.4	23.5	20.56	51	0.0	50%
	8/30/2007	18:00	88.0	23.8	20.82	51	0.0	50%
	9/6/2007	11:10	74.4	23.4	20.53	50	0.0	50%
	9/10/2007	16:50	76.3	23.6	20.70	50	0.0	50%
	9/20/2007	NM	NM	NM	NM	7	NM	0%
	9/26/2007	NM	NM	NM	NM	0	NM	0%
	10/4/2007	NM	NM	NM	NM	7	NM	0%
	10/18/2007	18:17	74.2	24.0	22.29	29	0.0	75%
	10/23/2007	19:30	84.3	24.4	22.66	29	0.0	75%
	11/1/2007	19:40	82.9	24.5	22.76	29	0.0	75%
	11/7/2007	12:10	72.7	24.5	22.33	36	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-03	3/2/2006	14:15	67.9	17.8	15.79	46	29.9	100%
	3/12/2006	12:08	62.3	15.3	14.25	28	11.2	50%
	3/17/2006	6:57	59.8	15.7	14.62	28	12.7	50%
	3/24/2006	10:06	61.7	15.4	14.30	29	10.9	50%
	3/31/2006	12:00	60.8	17.0	15.66	32	16.1	50%
	4/5/2006	12:55	56.2	14.6	13.49	31	15.3	50%
	4/12/2006	11:35	61.5	13.2	12.23	30	12.8	50%
	4/19/2006	12:55	71.7	36.4	33.00	38	14.3	50%
	4/26/2006	15:15	61.8	36.8	33.55	36	1.0	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/3/2006	16:02	68.9	10.3	9.64	26	1.1	50%
	5/11/2006	14:10	63.8	12.8	11.79	32	0.9	50%
	5/19/2006	13:30	66.4	12.5	11.58	30	0.9	50%
	5/24/2006	12:36	68.0	12.0	11.12	30	0.8	50%
	6/1/2006	13:20	69.9	12.6	11.64	31	0.7	50%
	6/7/2006	12:54	60.8	12.8	11.86	30	0.7	50%
	6/14/2006	12:44	60.6	13.0	12.04	30	0.4	50%
	6/23/2006	12:31	63.0	12.6	11.67	30	0.7	50%
	6/28/2006	13:28	65.8	13.8	12.78	30	0.3	50%
	7/3/2006	13:54	65.7	13.7	12.69	30	0.4	50%
	7/13/2006	15:46	97.4	12.9	11.89	32	0.4	75%
	7/21/2006	20:25	82.7	12.1	11.15	32	0.5	75%
	8/16/2006	17:14	80.3	19.1	17.60	32	0.4	75%
	8/23/2006	14:43	91.8	12.9	11.85	33	0.5	75%
	8/29/2006	13:44	86.7	12.1	11.12	33	0.4	75%
	9/9/2006	10:03	85.4	12.1	11.12	33	0.3	75%
	9/13/2006	18:24	76.9	12.9	11.85	33	0.4	75%
	9/22/2006	18:13	74.2	13.8	12.65	34	0.7	75%
	9/28/2006	15:17	76.2	13.7	12.56	34	0.8	75%
	10/2/2006	NM	NM	NM	NM	10	NM	0%
	10/9/2006	NM	NM	NM	NM	10	NM	0%
	10/20/2006	NM	NM	NM	NM	9	NM	0%
	10/27/2006	NM	NM	NM	NM	10	NM	0%
	11/2/2006	NM	NM	NM	NM	10	NM	0%
	11/17/2006	NM	NM	NM	NM	10	NM	0%
	11/20/2006	NM	NM	NM	NM	9	NM	0%
	11/28/2006	NM	NM	NM	NM	9	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	10	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%
	1/12/2007	NM	NM	NM	NM	10	NM	0%
	1/20/2007	NM	NM	NM	NM	10	NM	0%
	1/27/2007	NM	NM	NM	NM	10	NM	0%
	1/31/2007	NM	NM	NM	NM	9	NM	0%
	2/7/2007	NM	NM	NM	NM	10	NM	0%
	2/16/2007	NM	NM	NM	NM	10	NM	0%
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	10	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	10	NM	0%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
	4/9/2007	NM	NM	NM	NM	7	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/18/2007	NM	NM	NM	NM	9	NM	0%
	4/23/2007	NM	NM	NM	NM	10	NM	0%
	5/2/2007	NM	NM	NM	NM	8	NM	0%
	5/10/2007	NM	NM	NM	NM	9	NM	0%
	5/16/2007	NM	NM	NM	NM	10	NM	0%
	5/21/2007	NM	NM	NM	NM	10	NM	0%
	5/29/2007	NM	NM	NM	NM	10	NM	0%
	6/5/2007	NM	NM	NM	NM	8	NM	0%
	6/15/2007	NM	NM	NM	NM	7	NM	0%
	6/19/2007	NM	NM	NM	NM	9	NM	0%
	6/28/2007	NM	NM	NM	NM	9	NM	0%
	7/5/2007	NM	NM	NM	NM	9	NM	0%
	7/11/2007	NM	NM	NM	NM	10	NM	0%
	7/18/2007	NM	NM	NM	NM	10	NM	0%
	7/23/2007	NM	NM	NM	NM	11	NM	0%
	8/2/2007	NM	NM	NM	NM	8	NM	0%
	8/9/2007	NM	NM	NM	NM	7	NM	0%
	8/9/2007	17:00	72.9	31.9	28.37	45	0.0	50%
	8/16/2007	8:20	85.9	32.1	28.55	45	0.0	50%
	8/22/2007	10:40	70.6	32.6	28.60	50	0.3	50%
	8/30/2007	17:50	88.3	32.5	28.43	51	0.3	50%
	9/6/2007	11:00	74.0	32.6	28.76	48	0.2	50%
	9/10/2007	16:40	76.0	32.5	28.59	49	0.0	50%
	9/20/2007	NM	NM	NM	NM	5	NM	0%
	9/26/2007	NM	NM	NM	NM	0	NM	0%
	10/4/2007	NM	NM	NM	NM	7	NM	0%
	10/18/2007	18:24	74.3	15.5	14.36	30	0.0	75%
	10/23/2007	19:40	84.6	15.6	14.45	30	0.0	75%
	11/1/2007	19:50	82.6	15.9	14.73	30	0.0	75%
	11/7/2007	12:20	72.2	15.6	14.30	34	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-04	3/2/2006	14:00	67.1	7.5	6.71	44	10.6	100%
	3/12/2006	11:52	61.7	8.4	7.86	26	40.6	50%
	3/17/2006	6:43	59.6	8.5	7.91	26	41.9	50%
	3/24/2006	9:50	61.4	8.2	7.68	26	36.9	50%
	3/31/2006	11:40	60.5	19.3	17.88	30	38.8	50%
	4/5/2006	12:45	56.8	13.6	12.60	30	33.2	50%
	4/12/2006	11:25	60.8	11.3	10.47	30	31.6	50%
	4/19/2006	12:40	71.4	29.6	27.06	35	31.3	50%
	4/26/2006	15:00	61.4	29.8	26.95	39	5.6	50%
	5/3/2006	15:54	68.3	10.9	10.23	25	4.8	50%
	5/11/2006	13:55	64.5	11.1	10.28	30	4.4	50%
	5/19/2006	13:14	66.0	11.0	10.24	28	4.1	50%
	5/24/2006	12:24	68.1	11.3	10.52	28	4.0	50%
	6/1/2006	13:08	69.9	11.0	10.24	28	3.5	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	6/7/2006	12:42	61.5	11.6	10.77	29	3.3	50%
	6/14/2006	12:30	61.0	11.1	10.31	29	3.0	50%
	6/23/2006	12:17	62.9	11.8	10.96	29	3.6	50%
	6/28/2006	13:14	65.4	11.8	10.99	28	2.7	50%
	7/3/2006	13:39	65.3	11.7	10.92	27	2.6	50%
	7/13/2006	15:32	97.6	4.8	4.43	31	2.2	75%
	7/21/2006	20:15	82.6	4.8	4.43	31	2.1	75%
	8/16/2006	17:02	80.3	16.0	14.78	31	2.0	75%
	8/23/2006	14:29	90.7	6.2	5.73	31	1.6	75%
	8/29/2006	13:29	87.5	6.0	5.53	32	1.3	75%
	9/9/2006	9:49	85.7	6.7	6.17	32	1.2	75%
	9/13/2006	18:12	76.7	6.8	6.25	33	1.0	75%
	9/22/2006	17:59	74.7	6.1	5.62	32	1.3	75%
	9/28/2006	15:05	76.6	6.1	5.61	33	1.5	75%
	10/2/2006	NM	NM	NM	NM	10	NM	0%
	10/9/2006	NM	NM	NM	NM	10	NM	0%
	10/20/2006	NM	NM	NM	NM	10	NM	0%
	10/27/2006	NM	NM	NM	NM	11	NM	0%
	11/2/2006	NM	NM	NM	NM	12	NM	0%
	11/17/2006	NM	NM	NM	NM	10	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/28/2006	NM	NM	NM	NM	11	NM	0%
	12/8/2006	NM	NM	NM	NM	11	NM	0%
	12/15/2006	NM	NM	NM	NM	11	NM	0%
	12/19/2006	NM	NM	NM	NM	12	NM	0%
	12/27/2006	NM	NM	NM	NM	11	NM	0%
	1/4/2007	NM	NM	NM	NM	11	NM	0%
	1/12/2007	NM	NM	NM	NM	11	NM	0%
	1/20/2007	NM	NM	NM	NM	11	NM	0%
	1/27/2007	NM	NM	NM	NM	11	NM	0%
	1/31/2007	NM	NM	NM	NM	8	NM	0%
	2/7/2007	NM	NM	NM	NM	11	NM	0%
	2/16/2007	NM	NM	NM	NM	10	NM	0%
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	8	NM	0%
	3/7/2007	NM	NM	NM	NM	9	NM	0%
	3/14/2007	NM	NM	NM	NM	9	NM	0%
	3/20/2007	NM	NM	NM	NM	9	NM	0%
	3/28/2007	NM	NM	NM	NM	9	NM	0%
	4/5/2007	NM	NM	NM	NM	9	NM	0%
	4/9/2007	NM	NM	NM	NM	8	NM	0%
	4/18/2007	NM	NM	NM	NM	10	NM	0%
	4/23/2007	NM	NM	NM	NM	10	NM	0%
	5/2/2007	NM	NM	NM	NM	10	NM	0%
	5/10/2007	NM	NM	NM	NM	10	NM	0%
	5/16/2007	NM	NM	NM	NM	10	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/21/2007	NM	NM	NM	NM	10	NM	0%
	5/29/2007	NM	NM	NM	NM	11	NM	0%
	6/5/2007	NM	NM	NM	NM	10	NM	0%
	6/15/2007	NM	NM	NM	NM	9	NM	0%
	6/19/2007	NM	NM	NM	NM	10	NM	0%
	6/28/2007	NM	NM	NM	NM	10	NM	0%
	7/5/2007	NM	NM	NM	NM	10	NM	0%
	7/11/2007	NM	NM	NM	NM	10	NM	0%
	7/18/2007	NM	NM	NM	NM	10	NM	0%
	7/23/2007	NM	NM	NM	NM	11	NM	0%
	8/2/2007	NM	NM	NM	NM	10	NM	0%
	8/9/2007	NM	NM	NM	NM	9	NM	0%
	8/9/2007	17:10	72.4	21.5	18.97	48	0.0	50%
	8/16/2007	8:30	85.7	21.6	19.11	47	0.0	50%
	8/22/2007	10:30	70.8	21.9	19.21	50	0.0	50%
	8/30/2007	17:40	88.4	21.8	19.12	50	0.0	50%
	9/6/2007	10:50	74.7	21.6	18.95	50	0.0	50%
	9/10/2007	16:30	76.5	21.0	18.42	50	0.0	50%
	9/20/2007	NM	NM	NM	NM	6	NM	0%
	9/26/2007	NM	NM	NM	NM	0	NM	0%
	10/4/2007	NM	NM	NM	NM	7	NM	0%
	10/18/2007	18:10	74.8	6.25	5.84	27	0.0	75%
	10/23/2007	19:20	84.1	6.31	5.88	28	0.0	75%
	11/1/2007	19:30	82.4	6.33	5.88	29	0.0	75%
	11/7/2007	12:30	72.6	6.39	5.84	35	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-05	3/2/2006	12:40	74.1	45.1	40.23	44	92.1	100%
	3/10/2006	13:27	59.4	30.2	28.27	26	48.6	50%
	3/16/2006	18:11	56.0	31.1	29.11	26	48.6	50%
	3/24/2006	8:26	60.3	30.2	28.27	26	46.8	50%
	3/31/2006	9:50	60.2	22.2	20.56	30	29.4	50%
	4/5/2006	11:50	56.1	20.1	18.62	30	28.7	50%
	4/12/2006	9:55	60.9	19.7	18.25	30	25.3	50%
	4/19/2006	11:35	71.5	24.3	22.21	35	26.8	50%
	4/26/2006	13:55	61.6	30.8	28.23	34	1.0	50%
	5/3/2006	15:02	67.5	38.5	36.14	25	0.7	50%
	5/11/2006	12:30	63.3	40.1	37.15	30	0.6	50%
	5/19/2006	11:36	65.7	39.7	36.87	29	2.2	50%
	5/24/2006	10:58	68.0	39.8	36.97	29	2.0	50%
	6/1/2006	11:44	69.8	40.2	37.24	30	1.9	50%
	6/7/2006	11:21	61.0	41.0	38.08	29	1.8	50%
	6/14/2006	11:05	61.2	40.6	37.61	30	1.8	50%
	6/23/2006	10:46	62.5	41.6	38.64	29	1.6	50%
	6/28/2006	11:43	65.8	41.4	38.65	27	8.9	50%
	7/3/2006	11:48	65.3	41.6	38.84	27	8.7	50%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	7/13/2006	14:13	97.3	31.4	29.09	30	7.9	75%
	7/21/2006	19:10	82.9	31.5	29.18	30	3.8	50%
	8/16/2006	15:44	79.9	30.6	28.35	30	3.1	50%
	8/23/2006	12:58	90.9	29.9	27.70	30	3.3	50%
	8/29/2006	11:58	87.0	30.3	28.07	30	3.1	50%
	9/9/2006	8:18	85.8	31.0	28.72	30	3.0	50%
	9/13/2006	16:54	76.3	31.6	29.19	31	2.9	50%
	9/22/2006	16:28	74.7	33.6	30.96	32	3.2	50%
	9/28/2006	13:08	76.1	33.0	30.49	31	3.6	50%
	10/2/2006	11:52	79.5	34.1	31.25	34	3.6	50%
	10/9/2006	14:38	73.2	34.6	31.63	35	3.7	50%
	10/20/2006	15:38	78.4	34.4	31.78	31	3.9	50%
	10/27/2006	13:52	78.9	34.6	31.80	33	3.6	50%
	11/2/2006	15:23	76.8	34.2	31.43	33	3.1	50%
	11/17/2006	17:30	76.6	33.8	30.65	38	6.2	50%
	11/20/2006	20:15	70.8	33.9	30.74	38	6.1	50%
	11/28/2006	17:10	68.1	32.6	29.48	39	5.5	50%
	12/8/2006	17:15	76.3	34.6	30.86	44	5.0	50%
	12/15/2006	10:40	67.5	34.0	30.24	45	4.5	50%
	12/19/2006	18:00	76.4	34.4	30.51	46	4.3	50%
	12/27/2006	17:40	74.4	34.8	30.78	47	4.0	50%
	1/4/2007	7:40	64.2	34.4	30.43	47	0.0	50%
	1/12/2007	16:40	61.7	34.9	30.87	47	0.0	50%
	1/20/2007	16:30	69.5	35.8	31.84	45	0.0	50%
	1/27/2007	6:30	62.8	35.2	31.40	44	0.0	50%
	1/31/2007	13:00	67.6	36.7	32.73	44	0.1	50%
	2/7/2007	16:00	68.9	38.1	33.98	44	0.0	50%
	2/16/2007	6:30	67.9	38.8	34.51	45	0.0	50%
	2/20/2007	16:50	69.3	38.1	33.98	44	0.0	50%
	3/1/2007	NM	NM	NM	NM	7	NM	0%
	3/7/2007	NM	NM	NM	NM	8	NM	0%
	3/14/2007	NM	NM	NM	NM	9	NM	0%
	3/20/2007	NM	NM	NM	NM	9	NM	0%
	3/28/2007	NM	NM	NM	NM	9	NM	0%
	4/5/2007	NM	NM	NM	NM	9	NM	0%
	4/9/2007	NM	NM	NM	NM	11	NM	0%
	4/18/2007	NM	NM	NM	NM	10	NM	0%
	4/23/2007	NM	NM	NM	NM	9	NM	0%
	5/2/2007	NM	NM	NM	NM	10	NM	0%
	5/10/2007	NM	NM	NM	NM	9	NM	0%
	5/16/2007	NM	NM	NM	NM	9	NM	0%
	5/21/2007	NM	NM	NM	NM	10	NM	0%
	5/29/2007	NM	NM	NM	NM	10	NM	0%
	6/5/2007	NM	NM	NM	NM	10	NM	0%
	6/15/2007	NM	NM	NM	NM	7	NM	0%
	6/19/2007	NM	NM	NM	NM	10	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	6/28/2007	NM	NM	NM	NM	10	NM	0%
	7/5/2007	NM	NM	NM	NM	10	NM	0%
	7/11/2007	NM	NM	NM	NM	11	NM	0%
	7/18/2007	NM	NM	NM	NM	12	NM	0%
	7/23/2007	NM	NM	NM	NM	12	NM	0%
	8/2/2007	NM	NM	NM	NM	10	NM	0%
	8/9/2007	NM	NM	NM	NM	10	NM	0%
	8/9/2007	17:20	72.8	74.6	66.54	44	0.5	50%
	8/16/2007	8:40	85.4	74.7	66.44	45	1.0	50%
	8/22/2007	10:00	70.8	74.9	66.07	48	0.8	50%
	8/30/2007	17:20	88.0	74.6	65.81	48	0.7	50%
	9/6/2007	10:30	74.5	74.6	66.36	45	0.5	50%
	9/10/2007	16:10	76.1	74.5	66.27	45	0.5	50%
	9/20/2007	17:20	74.2	74.6	66.91	42	0.4	50%
	9/26/2007	17:20	78.6	73.7	65.56	45	0.3	50%
	10/4/2007	16:20	71.2	73.6	65.47	45	0.2	50%
	10/18/2007	16:46	74.5	41.0	38.18	28	0.0	75%
	10/23/2007	17:10	84.3	41.6	38.74	28	0.0	75%
	11/1/2007	17:30	82.7	41.0	38.18	28	0.0	75%
	11/7/2007	17:30	72.8	41.6	37.92	36	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VIEW-06	3/2/2006	11:40	73.6	46.5	41.93	40	4.9	100%
	3/10/2006	12:36	55.9	26.4	24.78	25	6.7	50%
	3/16/2006	17:18	57.0	27.1	25.50	24	6.9	50%
	3/31/2006	9:20	60.2	29.8	27.60	30	17.2	50%
	4/5/2006	8:55	56.3	30.1	27.96	29	17.4	50%
	4/12/2006	8:45	60.8	25.6	23.71	30	15.3	50%
	4/19/2006	9:00	71.3	31.7	28.98	35	15.3	50%
	4/26/2006	9:22	61.2	31.8	29.07	35	6.2	50%
	5/3/2006	13:46	65.7	29.6	28.00	22	5.1	50%
	5/11/2006	10:10	63.3	30.9	28.78	28	4.9	50%
	5/19/2006	9:12	65.5	30.8	28.76	27	4.5	50%
	5/24/2006	8:55	67.0	30.7	28.59	28	4.3	50%
	6/1/2006	9:42	69.7	31.0	28.79	29	4.0	50%
	6/7/2006	9:10	60.6	29.6	27.56	28	3.6	50%
	6/14/2006	9:00	60.6	29.0	27.01	28	3.1	50%
	6/23/2006	8:33	61.4	29.7	27.73	27	3.1	50%
	6/28/2006	8:10	63.8	23.8	22.22	27	3.0	50%
	7/3/2006	9:03	64.9	24.2	22.60	27	2.8	50%
	7/13/2006	12:06	97.5	33.3	31.09	27	2.1	75%
	7/21/2006	17:35	82.5	33.6	31.37	27	2.0	75%
	8/16/2006	12:45	79.5	33.8	31.56	27	1.5	75%
	8/23/2006	8:50	90.8	32.3	29.92	30	2.1	75%
	8/29/2006	8:10	86.3	32.4	30.01	30	2.0	75%
	9/9/2006	11:52	84.2	33.6	31.12	30	1.6	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	9/13/2006	15:00	76.9	33.3	30.93	29	1.3	75%
	9/22/2006	14:10	73.7	33.9	31.40	30	1.8	75%
	9/28/2006	10:55	76.4	36.8	34.18	29	2.0	75%
	10/2/2006	8:21	78.4	37.9	35.01	31	2.2	75%
	10/9/2006	12:11	72.3	38.1	35.11	32	2.2	75%
	10/20/2006	13:10	79.9	38.4	35.48	31	2.0	75%
	10/27/2006	11:20	77.9	39.0	35.74	34	2.2	75%
	11/2/2006	13:10	76.9	36.8	33.73	34	2.0	75%
	11/17/2006	14:20	76.4	38.0	34.36	39	1.6	75%
	11/20/2006	17:05	70.8	38.9	35.08	40	1.5	75%
	11/27/2006	16:40	71.6	36.6	32.74	43	1.8	75%
	12/8/2006	14:05	76.2	37.8	33.72	44	1.4	75%
	12/15/2006	7:20	67.5	37.1	33.00	45	1.0	75%
	12/19/2006	14:20	73.7	37.9	33.62	46	0.9	75%
	12/27/2006	14:30	74.8	37.8	33.53	46	0.7	75%
	1/3/2007	14:20	76.0	37.5	33.08	48	0.5	75%
	1/11/2007	15:35	68.7	37.0	32.82	46	0.4	75%
	1/17/2007	16:20	67.9	37.6	33.35	46	0.3	75%
	1/26/2007	16:35	69.8	33.8	29.90	47	0.0	75%
	1/31/2007	9:50	67.9	45.9	41.28	41	0.0	75%
	2/7/2007	12:20	68.8	45.6	40.34	47	0.0	75%
	2/15/2007	15:50	71.4	45.9	40.71	46	0.0	75%
	2/20/2007	13:30	69.3	45.5	40.47	45	0.0	75%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	11	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	10	NM	0%
	3/27/2007	NM	NM	NM	NM	11	NM	0%
	4/5/2007	NM	NM	NM	NM	11	NM	0%
	4/9/2007	NM	NM	NM	NM	10	NM	0%
	4/18/2007	NM	NM	NM	NM	8	NM	0%
	4/23/2007	NM	NM	NM	NM	8	NM	0%
	5/2/2007	NM	NM	NM	NM	10	NM	0%
	5/10/2007	NM	NM	NM	NM	9	NM	0%
	5/16/2007	NM	NM	NM	NM	10	NM	0%
	5/21/2007	NM	NM	NM	NM	10	NM	0%
	5/29/2007	NM	NM	NM	NM	9	NM	0%
	6/5/2007	NM	NM	NM	NM	10	NM	0%
	6/15/2007	NM	NM	NM	NM	7	NM	0%
	6/19/2007	NM	NM	NM	NM	10	NM	0%
	6/28/2007	NM	NM	NM	NM	10	NM	0%
	7/5/2007	NM	NM	NM	NM	11	NM	0%
	7/11/2007	NM	NM	NM	NM	10	NM	0%
	7/18/2007	NM	NM	NM	NM	10	NM	0%
	7/23/2007	NM	NM	NM	NM	10	NM	0%
	8/2/2007	NM	NM	NM	NM	10	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	8/9/2007	NM	NM	NM	NM	10	NM	0%
	8/9/2007	17:30	72.6	51.6	45.77	46	0.3	50%
	8/16/2007	8:50	85.1	51.9	46.16	45	0.3	50%
	8/22/2007	8:00	70.1	52.0	45.61	50	0.5	50%
	8/30/2007	15:50	88.8	52.2	45.79	50	0.6	50%
	9/6/2007	8:30	74.9	51.9	45.91	47	0.3	50%
	9/10/2007	14:20	76.5	52.6	46.40	48	0.3	50%
	9/20/2007	15:40	74.6	52.0	46.51	43	0.1	50%
	9/26/2007	15:40	79.9	51.5	46.06	43	0.1	50%
	10/4/2007	14:50	71.3	51.4	45.85	44	0.1	50%
	10/18/2007	14:29	74.1	34.3	32.11	26	0.3	75%
	10/23/2007	14:00	84.1	34.6	32.31	27	0.2	75%
	11/1/2007	14:30	82.9	34.8	32.49	27	0.1	75%
	11/7/2007	14:40	72.4	34.1	31.17	35	0.1	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-07*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	8	NM	0%
	4/19/2006	10:20	71.4	29.7	27.44	31	24.3	25%
	4/26/2006	9:54	61.2	27.1	25.04	31	15.9	25%
	5/3/2006	14:18	66.2	24.0	22.82	20	11.9	25%
	5/11/2006	11:09	63.3	25.1	23.56	25	11.4	25%
	5/19/2006	10:13	65.2	25.5	23.93	25	10.9	25%
	5/24/2006	9:43	67.8	25.9	24.25	26	10.5	25%
	6/1/2006	10:30	69.2	25.6	24.03	25	9.8	25%
	6/7/2006	10:03	60.0	25.6	24.03	25	9.7	25%
	6/14/2006	9:52	60.1	25.0	23.40	26	8.1	25%
	6/23/2006	9:29	61.9	25.0	23.47	25	9.0	25%
	6/28/2006	10:19	63.7	33.8	31.31	30	8.1	25%
	7/3/2006	9:59	64.6	33.0	30.57	30	8.2	25%
	7/13/2006	12:59	97.2	44.0	40.87	29	7.6	50%
	7/21/2006	18:15	82.9	44.1	40.85	30	7.0	50%
	8/16/2006	13:33	79.3	46.1	42.70	30	6.5	50%
	8/23/2006	9:46	91.0	35.7	33.07	30	11.3	50%
	8/29/2006	9:06	86.4	35.9	33.26	30	11.0	50%
	9/9/2006	12:48	84.2	36.1	33.44	30	11.7	50%
	9/13/2006	15:48	76.4	36.7	34.00	30	11.9	50%
	9/22/2006	15:06	73.8	36.1	33.44	30	12.6	50%
	9/28/2006	11:51	76.8	37.6	34.83	30	12.8	50%
	10/2/2006	10:35	78.4	38.8	35.66	33	13.0	50%
	10/9/2006	13:07	72.4	38.9	35.65	34	13.2	100%
	10/20/2006	14:06	79.6	39.6	36.49	32	13.1	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	10/27/2006	12:24	77.6	40.1	36.75	34	7.9	100%
	11/2/2006	14:06	76.8	40.6	37.21	34	7.6	100%
	11/17/2006	15:40	76.9	39.8	35.89	40	6.1	100%
	11/20/2006	18:25	70.8	38.3	34.54	40	5.5	100%
	11/27/2006	18:00	71.5	41.2	36.75	44	5.2	100%
	12/8/2006	15:25	76.7	42.8	38.07	45	4.9	100%
	12/15/2006	8:40	67.8	42.1	37.45	45	4.4	100%
	12/19/2006	15:40	73.9	42.8	38.07	45	4.0	100%
	12/27/2006	15:50	74.7	43.2	38.21	47	2.9	100%
	1/3/2007	15:40	76.3	44.2	38.99	48	1.0	100%
	1/11/2007	16:55	68.7	45.0	39.70	48	0.9	100%
	1/17/2007	17:40	67.4	45.1	39.67	49	0.7	100%
	1/26/2007	17:55	69.7	46.8	41.28	48	0.6	100%
	1/31/2007	11:10	67.2	44.7	39.98	43	4.4	100%
	2/7/2007	13:40	68.5	44.0	38.92	47	4.0	100%
	2/15/2007	17:10	71.6	44.9	39.61	48	4.4	100%
	2/20/2007	14:50	69.9	44.8	39.74	46	4.6	100%
	3/1/2007	15:40	68.5	45.4	39.83	50	4.2	100%
	3/7/2007	16:10	67.1	46.0	40.35	50	4.4	100%
	3/14/2007	11:16	74.8	43.9	38.83	47	4.0	100%
	3/20/2007	15:20	68.1	43.6	38.46	48	3.5	100%
	3/27/2007	18:45	70.9	42.3	37.31	48	3.3	100%
	4/5/2007	14:50	71.8	42.3	37.31	48	3.5	100%
	4/9/2007	17:40	74.4	42.9	37.00	56	3.3	100%
	4/18/2007	14:40	74.3	43.6	37.71	55	3.0	100%
	4/23/2007	15:40	75.5	43.0	37.19	55	2.5	100%
	5/2/2007	15:40	72.6	42.9	37.11	55	2.7	100%
	5/10/2007	15:40	76.4	43.2	37.37	55	2.6	100%
	5/16/2007	12:40	71.3	43.4	37.32	57	2.0	100%
	5/21/2007	11:40	73.1	49.6	42.54	58	0.5	100%
	5/29/2007	11:10	80.7	45.5	39.13	57	0.0	100%
	6/5/2007	15:40	72.5	46.1	38.51	67	0.0	100%
	6/15/2007	8:40	79.5	61.5	51.83	64	0.0	100%
	6/19/2007	17:20	76.0	45.1	37.90	65	0.0	100%
	6/28/2007	15:40	74.6	49.2	41.35	65	0.0	100%
	7/5/2007	13:50	77.6	51.2	43.03	65	0.0	100%
	7/11/2007	18:10	72.8	51.7	43.45	65	0.0	100%
	7/18/2007	13:10	74.7	51.6	43.36	65	0.0	100%
	7/23/2007	8:40	68.5	50.1	42.10	65	0.0	100%
	8/2/2007	17:30	69.9	50.6	42.65	64	0.0	100%
	8/9/2007	15:10	72.0	50.1	42.72	60	0.0	100%
	8/16/2007	NM	NM	NM	NM	10	NM	0%
	8/22/2007	NM	NM	NM	NM	14	NM	0%
	8/30/2007	NM	NM	NM	NM	14	NM	0%
	9/7/2007	NM	NM	NM	NM	13	NM	0%
	9/10/2007	NM	NM	NM	NM	13	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	9/20/2007	NM	NM	NM	NM	10	NM	0%
	9/26/2007	NM	NM	NM	NM	10	NM	0%
	10/4/2007	NM	NM	NM	NM	10	NM	0%
	10/18/2007	15:26	74.8	34.9	32.59	27	0.2	50%
	10/27/2007	15:20	84.9	34.6	32.22	28	0.2	50%
	11/1/2007	15:50	82.6	34.5	32.21	27	0.2	50%
	11/7/2007	16:00	72.3	34.6	31.63	35	0.1	50%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-08A	3/2/2006	13:20	72.9	15.3	13.65	44	98.1	100%
	3/12/2006	11:15	61.0	13.7	12.83	26	26.7	50%
	3/17/2006	6:10	59.0	13.9	13.01	26	26.9	50%
	3/24/2006	9:13	60.6	13.2	12.32	27	21.5	50%
	3/31/2006	10:50	60.8	19.8	18.34	30	38.9	50%
	4/5/2006	12:20	56.6	17.8	16.53	29	35.6	50%
	4/12/2006	10:55	60.9	15.3	14.17	30	31.9	50%
	4/19/2006	12:05	71.4	26.9	24.59	35	31.3	50%
	4/26/2006	14:25	61.8	26.1	23.92	34	7.6	50%
	5/3/2006	15:26	68.7	8.65	8.12	25	5.7	50%
	5/11/2006	13:05	64.0	9.75	9.06	29	4.6	50%
	5/19/2006	12:22	65.9	9.4	8.78	27	4.4	50%
	5/24/2006	11:37	68.0	9.6	8.94	28	4.3	50%
	6/1/2006	12:22	69.7	9.5	8.85	28	4.2	50%
	6/7/2006	11:59	60.9	9.6	8.94	28	3.8	50%
	6/14/2006	11:46	60.8	8.7	8.08	29	3.9	50%
	6/23/2006	11:28	63.2	9.5	8.87	27	3.5	50%
	6/28/2006	12:25	65.7	9.7	9.08	26	3.1	50%
	7/3/2006	12:50	65.0	9.8	9.15	27	3.3	50%
	7/13/2006	14:44	97.0	10.4	9.63	30	3.1	75%
	7/21/2006	19:40	82.3	10.8	9.98	31	3.1	75%
	8/16/2006	16:20	80.1	10.9	10.10	30	2.7	75%
	8/23/2006	13:40	91.4	12.7	11.76	30	7.6	75%
	8/29/2006	12:40	86.9	12.9	11.95	30	7.4	75%
	9/9/2006	9:00	85.0	12.1	11.24	29	7.3	75%
	9/13/2006	17:30	76.8	12.9	11.95	30	7.0	75%
	9/22/2006	17:10	74.6	13.8	12.75	31	7.7	75%
	9/28/2006	13:50	76.3	13.1	12.13	30	7.5	75%
	10/2/2006	12:40	79.0	13.6	12.50	33	8.8	75%
	10/9/2006	15:21	73.3	13.9	12.77	33	8.2	100%
	10/20/2006	16:21	78.3	14.6	13.45	32	7.9	100%
	10/27/2006	14:40	78.9	14.9	13.66	34	7.7	100%
	11/2/2006	16:05	76.3	15.1	13.84	34	7.5	100%
	11/17/2006	18:10	76.0	13.9	12.53	40	7.6	100%
	11/20/2006	20:55	70.2	12.8	11.54	40	7.0	100%
	11/28/2006	17:50	68.7	13.0	11.69	41	6.5	100%
	12/8/2006	17:55	76.7	14.6	12.99	45	6.0	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/15/2006	11:20	67.9	14.5	12.86	46	5.5	100%
	12/19/2006	18:40	76.2	14.9	13.18	47	5.0	100%
	12/27/2006	18:20	74.6	14.0	12.42	46	4.4	100%
	1/4/2007	8:30	64.7	12.8	11.32	47	1.1	100%
	1/12/2007	17:20	61.9	12.1	10.67	48	0.7	100%
	1/20/2007	17:10	69.7	12.3	10.91	46	0.7	100%
	1/27/2007	7:10	62.5	12.7	11.27	46	0.6	100%
	1/31/2007	13:40	67.5	17.0	15.20	43	4.6	100%
	2/7/2007	16:40	68.7	17.8	15.79	46	4.8	100%
	2/16/2007	7:10	67.8	17.1	15.21	45	4.4	100%
	2/20/2007	17:30	69.0	17.4	15.52	44	4.8	100%
	3/1/2007	18:00	68.6	18.0	15.83	49	4.7	100%
	3/7/2008	18:30	67.6	18.2	15.97	50	4.8	100%
	3/14/2007	19:25	74.9	18.4	16.32	46	4.9	100%
	3/20/2007	17:40	68.3	18.9	16.76	46	4.6	100%
	3/28/2007	19:35	69.8	18.6	16.45	47	4.2	100%
	4/5/2007	17:20	71.4	18.6	16.41	48	4.4	100%
	4/9/2007	19:30	74.9	19.8	17.27	52	4.0	100%
	4/18/2007	16:30	74.8	20.3	17.61	54	4.1	100%
	4/23/2007	17:30	75.4	20.2	17.52	54	3.9	100%
	5/2/2007	17:40	72.4	21.0	18.22	54	3.6	100%
	5/10/2007	17:30	76.8	21.6	18.74	54	3.3	100%
	5/16/2007	14:30	71.4	21.9	18.94	55	3.1	100%
	5/21/2007	13:30	73.0	17.2	14.83	56	1.1	100%
	5/29/2007	13:00	80.6	20.5	17.68	56	0.6	100%
	6/5/2007	17:10	72.5	21.6	18.10	66	0.4	100%
	6/15/2007	10:00	79.6	28.8	24.34	63	0.5	100%
	6/19/2007	18:50	76.4	20.6	17.36	64	0.4	100%
	6/28/2007	17:00	74.6	21.6	18.26	63	0.3	100%
	7/5/2007	15:10	77.0	22.9	19.30	64	0.2	100%
	7/11/2007	19:30	72.0	22.8	19.22	64	0.0	100%
	7/18/2007	15:30	74.7	22.9	19.30	64	0.0	100%
	7/23/2007	10:30	68.7	22.1	18.63	64	0.0	100%
	8/2/2007	19:10	69.8	22.6	19.16	62	0.0	100%
	8/9/2007	16:30	72.3	22.9	19.58	59	0.0	100%
	8/16/2007	NM	NM	NM	NM	10	NM	0%
	8/22/2007	NM	NM	NM	NM	5	NM	0%
	8/30/2007	NM	NM	NM	NM	4	NM	0%
	9/6/2007	NM	NM	NM	NM	6	NM	0%
	9/10/2007	NM	NM	NM	NM	6	NM	0%
	9/20/2007	NM	NM	NM	NM	6	NM	0%
	9/26/2007	NM	NM	NM	NM	7	NM	0%
	10/4/2007	NM	NM	NM	NM	6	NM	0%
	10/18/2007	17:21	74.4	13.0	12.17	26	0.0	75%
	10/23/2007	18:10	84.6	13.2	12.36	26	0.0	75%
	11/1/2007	18:30	82.4	13.8	12.88	27	0.0	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	11/7/2007	18:20	72.7	13.8	12.48	39	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-08B	3/2/2006	13:14	72.6	70.1	62.35	45	79.6	100%
	3/12/2006	11:08	60.7	40.6	37.71	29	42.7	50%
	3/16/2006	18:45	57.3	41.6	38.64	29	46.7	50%
	3/24/2006	9:05	60.7	40.9	37.99	29	40.6	50%
	3/31/2006	10:40	60.4	27.6	25.36	33	16.6	50%
	4/5/2006	12:15	64.1	126.1	115.88	33	15.4	50%
	4/12/2006	10:45	61.3	118.0	108.73	32	12.8	50%
	4/19/2006	12:00	71.7	38.7	35.09	38	17.4	50%
	4/26/2006	14:20	61.3	38.8	35.37	36	3.6	50%
	5/3/2006	15:22	68.0	40.9	37.99	29	3.1	50%
	5/11/2006	13:07	64.3	41.7	38.32	33	5.0	50%
	5/19/2006	12:14	65.8	39.8	36.77	31	4.8	50%
	5/24/2006	11:31	67.7	39.5	36.49	31	5.0	50%
	6/1/2006	12:15	69.5	39.0	36.03	31	4.8	50%
	6/7/2006	11:53	60.7	38.6	35.66	31	4.9	50%
	6/14/2006	11:39	60.8	40.0	37.05	30	4.8	50%
	6/23/2006	11:21	63.0	38.9	35.94	31	4.6	50%
	6/28/2006	12:18	65.8	38.3	35.38	31	4.0	50%
	7/3/2006	12:43	65.4	38.3	35.48	30	3.6	50%
	7/13/2006	14:36	97.1	55.6	50.96	34	3.7	75%
	7/21/2006	19:35	82.5	54.9	50.32	34	23.0	75%
	8/16/2006	16:04	80.3	53.9	49.40	34	20.6	75%
	8/23/2006	13:33	91.7	51.1	46.71	35	16.9	75%
	8/29/2006	12:33	86.6	52.8	48.13	36	16.6	75%
	9/9/2006	8:53	85.9	56.6	51.60	36	16.4	75%
	9/13/2006	17:24	76.1	56.0	51.19	35	16.6	75%
	9/22/2006	17:03	74.4	57.2	52.28	35	16.8	75%
	9/28/2006	13:43	76.0	58.6	53.56	35	17.2	75%
	10/2/2006	12:32	78.9	58.0	52.87	36	16.9	75%
	10/9/2006	15:14	73.0	58.1	52.96	36	16.5	100%
	10/20/2006	16:14	78.5	58.0	52.87	36	16.3	100%
	10/27/2006	14:32	78.6	59.1	53.58	38	14.6	100%
	11/2/2006	15:58	76.7	60.7	55.18	37	14.4	100%
	11/17/2006	18:00	76.9	71.0	63.50	43	14.8	100%
	11/20/2006	20:45	70.8	70.8	63.15	44	14.4	100%
	11/28/2006	17:40	68.9	71.1	63.24	45	14.0	100%
	12/8/2006	17:45	76.1	72.6	64.04	48	12.6	100%
	12/15/2006	11:10	67.6	72.0	63.51	48	12.1	100%
	12/19/2006	18:30	76.6	73.8	65.10	48	12.0	100%
	12/27/2006	18:10	74.8	73.0	64.04	50	10.5	100%
	1/4/2007	8:20	64.1	71.6	62.81	50	4.4	100%
	1/12/2007	17:10	61.3	70.1	61.49	50	2.6	100%
	1/20/2007	17:00	69.6	69.2	60.70	50	2.0	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/27/2007	7:00	62.7	67.3	59.04	50	1.5	100%
	1/31/2007	13:30	67.7	72.0	63.69	47	2.2	100%
	2/7/2007	16:30	68.6	72.9	63.95	50	2.0	100%
	2/16/2007	7:00	69.5	72.4	63.87	48	2.2	100%
	2/20/2007	17:20	69.2	72.1	63.60	48	2.3	100%
	3/1/2007	17:50	68.4	73.9	64.46	52	2.2	100%
	3/7/2007	18:20	67.9	74.8	65.25	52	2.3	100%
	3/14/2007	19:18	74.4	73.1	64.12	50	2.3	100%
	3/20/2007	17:30	68.9	73.8	64.56	51	2.0	100%
	3/28/2007	19:25	69.3	73.8	64.38	52	1.8	100%
	4/5/2007	17:10	71.5	73.0	63.68	52	1.8	100%
	4/9/2007	19:20	74.1	73.8	64.56	51	1.6	100%
	4/18/2007	16:20	74.4	74.1	63.91	56	1.1	100%
	4/23/2007	17:20	75.3	74.4	64.17	56	1.0	100%
	5/2/2007	17:30	72.0	74.0	63.64	57	1.1	100%
	5/10/2007	17:20	76.3	73.1	62.87	57	1.0	100%
	5/16/2007	14:20	71.8	73.0	62.78	57	0.9	100%
	5/21/2007	13:20	72.3	39.0	33.54	57	0.0	100%
	5/29/2007	12:50	80.5	87.5	75.25	57	0.0	100%
	6/5/2007	NM	NM	NM	NM	14	NM	0%
	6/15/2007	NM	NM	NM	NM	13	NM	0%
	6/19/2007	NM	NM	NM	NM	14	NM	0%
	6/28/2007	NM	NM	NM	NM	13	NM	0%
	7/5/2007	NM	NM	NM	NM	13	NM	0%
	7/11/2007	NM	NM	NM	NM	10	NM	0%
	7/18/2007	NM	NM	NM	NM	10	NM	0%
	7/23/2007	NM	NM	NM	NM	10	NM	0%
	8/2/2007	NM	NM	NM	NM	13	NM	0%
	8/9/2007	NM	NM	NM	NM	12	NM	0%
	8/16/2007	NM	NM	NM	NM	12	NM	0%
	8/22/2007	NM	NM	NM	NM	11	NM	0%
	8/30/2007	NM	NM	NM	NM	10	NM	0%
	9/6/2007	NM	NM	NM	NM	10	NM	0%
	9/10/2007	NM	NM	NM	NM	10	NM	0%
	9/20/2007	NM	NM	NM	NM	13	NM	0%
	9/26/2007	NM	NM	NM	NM	12	NM	0%
	10/4/2007	NM	NM	NM	NM	14	NM	0%
	10/18/2007	17:14	74.6	52.0	48.04	31	0.0	75%
	10/23/2007	18:00	84.3	52.9	48.87	31	0.0	75%
	11/1/2007	18:20	82.0	52.4	48.54	30	0.0	75%
	11/7/2007	18:30	72.9	52.6	48.08	35	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-09*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	10:10	71.5	41.1	37.47	36	29.3	25%
	4/26/2006	9:50	61.3	40.6	37.01	36	58.6	25%
	5/3/2006	14:14	66.1	19.1	17.93	25	46.9	25%
	5/11/2006	11:02	63.7	20.9	19.31	31	47.1	25%
	5/19/2006	10:05	65.7	20.8	19.27	30	46.1	25%
	5/24/2006	9:37	67.4	20.9	19.36	30	47.1	25%
	6/1/2006	10:24	69.5	21.2	19.64	30	40.8	25%
	6/7/2006	9:56	60.2	20.6	19.08	30	39.6	25%
	6/14/2006	9:45	60.3	20.1	18.67	29	34.0	25%
	6/23/2006	9:22	61.7	20.8	19.27	30	31.1	25%
	6/28/2006	10:12	63.8	25.9	24.06	29	36.8	25%
	7/3/2006	9:52	64.5	25.6	23.78	29	37.1	25%
	7/13/2006	12:52	97.6	23.6	21.80	31	31.7	100%
	7/21/2006	18:10	82.1	23.8	21.99	31	32.6	100%
	8/16/2006	13:27	79.6	23.7	21.90	31	30.6	100%
	8/23/2006	9:39	90.6	22.9	20.99	34	35.6	100%
	8/29/2006	8:59	86.0	22.8	20.95	33	36.7	100%
	9/9/2006	12:41	84.6	22.6	20.77	33	37.1	100%
	9/13/2006	15:42	76.0	26.6	24.44	33	38.3	100%
	9/22/2006	14:59	73.1	27.1	24.84	34	40.2	100%
	9/28/2006	11:44	76.1	28.6	26.21	34	44.2	100%
	10/2/2006	10:28	78.4	30.2	27.60	35	45.6	100%
	10/9/2006	13:00	72.6	30.6	27.97	35	45.0	100%
	10/20/2006	13:59	79.8	30.8	28.23	34	46.2	100%
	10/27/2006	12:16	77.9	31.4	28.62	36	48.1	100%
	11/2/2006	13:59	76.3	31.0	28.34	35	49.2	100%
	11/17/2006	15:30	76.4	27.6	24.69	43	44.6	100%
	11/20/2006	18:15	70.6	27.8	24.80	44	44.1	100%
	11/27/2006	17:50	71.7	27.8	24.66	46	40.7	100%
	12/8/2006	15:15	76.0	27.9	24.68	47	39.1	100%
	12/15/2006	8:30	67.3	28.7	25.25	49	36.1	100%
	12/19/2006	15:30	73.5	28.8	25.26	50	37.1	100%
	12/27/2006	15:40	74.6	27.8	24.39	50	30.2	100%
	1/3/2007	15:30	76.9	27.8	24.32	51	19.2	100%
	1/11/2007	16:45	68.2	25.1	22.02	50	16.1	100%
	1/17/2007	17:30	67.1	25.4	22.28	50	14.2	100%
	1/26/2007	17:45	69.8	26.5	23.25	50	10.2	100%
	1/31/2007	11:00	67.8	35.2	31.31	45	9.9	100%
	2/7/2007	13:30	68.4	36.2	32.20	45	9.6	100%
	2/15/2007	17:00	71.3	36.0	31.58	50	9.0	100%
	2/20/2007	14:40	69.6	36.9	32.55	48	8.8	100%
	3/1/2007	15:30	68.4	37.4	32.62	52	8.7	100%
	3/7/2007	16:00	67.9	37.8	32.97	52	8.8	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/14/2007	17:40	74.3	38.2	33.51	50	8.6	100%
	3/20/2007	15:10	68.7	37.9	33.15	51	8.4	100%
	3/27/2007	18:35	70.3	38.6	33.77	51	8.0	100%
	4/5/2007	14:40	71.4	38.1	33.33	51	7.8	100%
	4/9/2007	17:20	74.1	38.8	33.75	53	7.7	100%
	4/18/2007	14:30	74.1	39.0	33.54	57	7.6	100%
	4/23/2007	15:30	75.0	39.1	33.63	57	7.6	100%
	5/2/2007	15:30	72.8	40.0	34.40	57	7.4	100%
	5/10/2007	15:30	76.3	39.8	34.13	58	7.7	100%
	5/16/2007	12:30	71.2	39.4	33.59	60	7.2	100%
	5/21/2007	11:30	72.3	47.4	40.42	60	3.1	100%
	5/29/2007	11:00	80.3	49.2	41.95	60	2.1	100%
	6/5/2007	15:30	72.0	50.2	41.57	70	2.0	100%
	6/15/2007	8:30	78.6	69.5	58.24	66	2.0	100%
	6/19/2007	17:10	76.4	48.6	40.48	68	1.5	100%
	6/28/2007	15:30	74.8	44.7	37.24	68	1.4	100%
	7/5/2007	13:40	77.4	44.4	36.99	68	1.1	100%
	7/11/2007	18:00	72.0	44.0	36.76	67	0.8	100%
	7/18/2007	12:00	74.2	44.2	37.04	66	0.7	100%
	7/23/2007	8:30	68.8	42.6	35.70	66	0.6	100%
	8/2/2007	17:20	69.3	42.0	35.09	67	0.5	100%
	8/9/2007	15:00	72.5	42.3	35.86	62	0.3	100%
	8/16/2007	9:00	85.3	42.6	37.37	50	0.3	100%
	8/22/2007	9:10	70.3	37.6	32.52	55	0.3	100%
	8/30/2007	18:20	88.3	37.5	32.53	54	0.4	100%
	9/6/2007	9:40	74.0	37.1	32.36	52	0.2	100%
	9/10/2007	14:40	76.5	37.8	32.88	53	0.2	100%
	9/20/2007	NM	NM	NM	NM	14	NM	0%
	9/26/2007	NM	NM	NM	NM	14	NM	0%
	10/4/2007	NM	NM	NM	NM	14	NM	0%
	10/18/2007	15:19	74.3	24.0	22.53	25	0.0	100%
	10/23/2007	15:10	84.7	24.4	22.90	25	0.0	100%
	11/1/2007	15:40	82.6	24.6	23.09	25	0.0	100%
	11/7/2007	15:50	72.5	24.7	22.64	34	0.0	100%
	11/16/2007	17:30	70.2	41.2	34.12	70	0.0	100%
	11/21/2007	15:00	68.2	40.2	33.19	71	0.0	100%
	11/26/2007	15:30	65.4	39.5	32.61	71	0.0	100%
	11/28/2007	NM	NM	NM	NM	NM	NM	0%
VEW-10A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	8:20	71.4	30.4	28.01	32	28.3	25%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/26/2006	9:06	61.7	30.8	28.38	32	2.4	25%
	5/3/2006	13:20	67.5	8.05	7.63	21	2.0	25%
	5/11/2006	9:40	63.2	9.01	8.43	26	1.4	25%
	5/19/2006	8:37	65.1	9.11	8.6	25	1.7	25%
	5/24/2006	8:31	67.8	9.20	8.6	25	1.5	25%
	6/1/2006	9:16	69.3	9.4	8.8	26	1.4	25%
	6/7/2006	8:43	60.3	9.2	8.6	25	1.3	25%
	6/14/2006	8:33	60.3	9.8	9.2	26	1.0	25%
	6/23/2006	8:05	61.7	9.5	8.9	25	1.8	25%
	6/28/2006	7:35	63.8	9.0	8.4	25	1.0	25%
	7/3/2006	8:35	64.5	8.6	8.1	25	0.9	25%
	7/13/2006	11:07	97.0	8.3	7.8	26	0.4	25%
	7/21/2006	17:10	82.9	8.6	8.0	27	0.4	25%
	8/16/2006	12:15	79.7	8.7	8.1	28	0.3	25%
	8/23/2006	8:15	90.1	7.5	7.0	27	0.4	25%
	8/29/2006	7:35	86.0	7.7	7.2	28	0.3	25%
	9/9/2006	11:17	84.6	7.9	7.4	28	0.3	25%
	9/13/2006	14:30	76.3	7.7	7.2	28	0.6	25%
	9/22/2006	13:35	73.4	7.8	7.2	29	0.9	25%
	9/28/2006	10:20	76.7	7.6	7.1	28	1.1	25%
	10/2/2006	7:45	78.9	8.1	7.5	30	1.0	25%
	10/9/2006	11:35	72.5	8.3	7.7	30	1.1	100%
	10/20/2006	12:35	79.2	8.5	7.9	30	1.3	100%
	10/27/2006	10:40	77.7	8.7	8.0	31	1.1	100%
	11/2/2006	12:35	76.3	8.1	7.5	32	1.0	100%
	11/17/2006	13:30	76.0	11.6	10.5	37	0.2	100%
	11/20/2006	16:15	70.1	11.6	10.5	38	0.2	100%
	11/27/2006	15:50	71.2	12.9	11.6	40	0.3	100%
	12/8/2006	13:15	76.0	13.1	11.7	42	0.2	100%
	12/15/2006	6:30	67.2	13.3	11.9	43	0.3	100%
	12/19/2006	13:30	73.9	13.4	12.0	44	0.2	100%
	12/27/2006	13:40	74.1	13.0	11.6	45	0.2	100%
	1/3/2007	13:30	76.1	12.8	11.4	45	0.2	100%
	1/11/2007	14:45	68.2	13.0	11.6	45	0.0	100%
	1/17/2007	15:30	67.2	13.3	11.8	46	0.0	100%
	1/26/2007	15:45	69.2	11.3	10.1	44	0.0	100%
	1/31/2007	9:00	67.8	17.5	15.9	37	0.0	100%
	2/7/2007	11:30	68.2	17.9	16.0	44	0.0	100%
	2/15/2007	15:00	71.6	17.6	15.7	44	0.0	100%
	2/20/2007	12:40	69.1	17.1	15.3	44	0.0	100%
	3/1/2007	NM	NM	NM	NM	14	NM	0%
	3/7/2007	NM	NM	NM	NM	14	NM	0%
	3/14/2007	NM	NM	NM	NM	15	NM	0%
	3/20/2007	NM	NM	NM	NM	15	NM	0%
	3/27/2007	NM	NM	NM	NM	15	NM	0%
	4/5/2007	NM	NM	NM	NM	15	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/9/2007	NM	NM	NM	NM	15	NM	0%
	4/18/2007	NM	NM	NM	NM	15	NM	0%
	4/23/2007	NM	NM	NM	NM	15	NM	0%
	5/2/2007	NM	NM	NM	NM	14	NM	0%
	5/10/2007	NM	NM	NM	NM	15	NM	0%
	5/16/2007	NM	NM	NM	NM	15	NM	0%
	5/21/2007	NM	NM	NM	NM	15	NM	0%
	5/29/2007	NM	NM	NM	NM	16	NM	0%
	6/5/2007	NM	NM	NM	NM	16	NM	0%
	6/15/2007	NM	NM	NM	NM	13	NM	0%
	6/19/2007	NM	NM	NM	NM	16	NM	0%
	6/28/2007	NM	NM	NM	NM	17	NM	0%
	7/5/2007	NM	NM	NM	NM	16	NM	0%
	7/11/2007	NM	NM	NM	NM	17	NM	0%
	7/18/2007	NM	NM	NM	NM	18	NM	0%
	7/23/2007	NM	NM	NM	NM	18	NM	0%
	8/2/2007	NM	NM	NM	NM	17	NM	0%
	8/9/2007	NM	NM	NM	NM	14	NM	0%
	8/16/2007	NM	NM	NM	NM	14	NM	0%
	8/22/2007	NM	NM	NM	NM	16	NM	0%
	8/30/2007	NM	NM	NM	NM	15	NM	0%
	9/6/2007	NM	NM	NM	NM	15	NM	0%
	9/10/2007	NM	NM	NM	NM	15	NM	0%
	9/20/2007	NM	NM	NM	NM	14	NM	0%
	9/26/2007	NM	NM	NM	NM	14	NM	0%
	10/4/2007	NM	NM	NM	NM	14	NM	0%
	10/18/2007	13:55	74.7	5.05	4.76	23	0.0	25%
	10/23/2007	13:10	84.4	5.11	4.81	24	0.0	25%
	11/1/2007	13:40	82.2	5.21	4.89	25	0.0	25%
	11/7/2007	13:50	72.1	5.26	4.78	37	0.0	25%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-10B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	6	NM	0%
	4/19/2006	8:30	71.2	28.6	26.49	30	26.8	25%
	4/26/2006	9:10	61.5	26.7	24.60	32	155.0	25%
	5/3/2006	13:24	67.6	10.9	10.39	19	120.2	25%
	5/11/2006	9:48	63.7	11.6	10.92	24	116.9	25%
	5/19/2006	8:44	65.6	11.6	10.97	22	110.8	25%
	5/24/2006	8:37	67.9	11.8	11.13	23	112.8	25%
	6/1/2006	9:24	69.7	11.7	11.01	24	110.0	25%
	6/7/2006	8:50	60.5	11.4	10.78	22	106.9	25%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	6/14/2006	8:40	60.6	12.0	11.29	24	104.0	25%
	6/23/2006	8:12	61.8	11.6	10.97	22	104.6	25%
	6/28/2006	7:42	63.9	11.6	11.00	21	104.6	25%
	7/3/2006	8:42	64.7	11.8	11.16	22	102.1	25%
	7/13/2006	11:13	97.8	9.1	8.61	22	91.2	50%
	7/21/2006	17:15	82.4	9.3	8.77	23	90.6	50%
	8/11/2006	17:00	82.0	10.4	9.79	24	14.9	50%
	8/16/2006	12:21	79.8	9.6	9.03	24	91.6	50%
	8/23/2006	8:22	90.7	7.6	7.13	25	62.7	50%
	8/29/2006	7:42	85.7	7.9	7.38	27	62.8	50%
	9/9/2006	11:24	84.8	4.7	4.38	28	62.9	50%
	9/13/2006	14:36	76.8	4.9	4.60	25	60.1	50%
	9/22/2006	13:42	73.8	5.2	4.88	25	59.3	50%
	9/28/2006	10:27	76.8	6.0	5.63	25	60.6	50%
	10/2/2006	7:52	78.2	10.1	9.43	27	66.7	100%
	10/9/2006	11:42	72.6	10.6	9.87	28	66.1	100%
	10/20/2006	12:42	79.7	10.8	10.08	27	66.4	100%
	10/27/2006	10:48	77.3	11.0	10.22	29	65.9	100%
	11/2/2006	12:42	76.9	10.6	9.85	29	64.1	100%
	11/17/2006	13:40	76.6	12.0	11.00	34	60.1	100%
	11/20/2006	16:25	70.3	12.4	11.36	34	55.2	100%
	11/27/2006	16:00	71.4	9.8	8.74	44	55.1	100%
	12/8/2006	13:25	76.4	9.8	8.84	40	52.1	100%
	12/15/2006	6:40	67.4	9.7	8.75	40	50.2	100%
	12/19/2006	13:40	73.6	10.0	9.02	40	45.1	100%
	12/27/2006	13:50	74.6	10.1	9.08	41	40.1	100%
	1/3/2007	13:40	76.4	10.5	9.39	43	31.3	100%
	1/11/2007	14:55	68.1	10.6	9.40	46	29.1	100%
	1/17/2007	15:40	67.8	10.7	9.49	46	24.2	100%
	1/26/2007	15:55	69.4	9.6	8.52	46	20.6	100%
	1/31/2007	9:10	67.7	21.6	19.69	36	7.2	100%
	2/7/2007	11:40	68.4	21.1	18.72	46	7.0	100%
	2/15/2007	15:10	71.7	21.9	19.64	42	6.5	100%
	2/20/2007	12:50	69.8	22.3	20.11	40	6.7	100%
	3/1/2007	6:50	63.1	14.6	13.02	44	6.8	100%
	3/7/2007	14:20	67.6	14.1	12.54	45	6.9	100%
	3/14/2007	16:30	74.1	14.7	13.18	42	6.1	100%
	3/20/2007	13:30	68.2	14.1	12.65	42	6.0	100%
	3/27/2007	17:05	70.1	14.6	13.06	43	6.1	100%
	4/5/2007	13:00	71.0	14.6	13.02	44	6.0	100%
	4/9/2007	16:20	74.0	15.1	13.25	50	6.1	100%
	4/18/2007	13:10	74.5	15.0	13.16	50	5.9	100%
	4/23/2007	14:30	76.5	15.1	13.28	49	6.0	100%
	5/2/2007	14:30	72.9	15.4	13.51	50	5.0	100%
	5/10/2007	14:30	76.1	15.0	13.20	49	4.5	100%
	5/16/2007	11:30	71.1	14.6	12.77	51	4.0	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/21/2007	10:30	71.6	47.7	41.73	51	0.9	100%
	5/29/2007	10:00	79.9	14.2	12.46	50	0.7	100%
	6/5/2007	14:30	72.1	15.2	12.92	61	0.7	100%
	6/15/2007	7:30	71.1	61.5	52.89	57	0.5	100%
	6/19/2007	16:15	76.2	60.0	57.83	14.7	0.4	100%
	6/28/2007	14:30	74.4	14.4	12.31	59	0.3	100%
	7/5/2007	12:30	77.6	14.0	11.94	60	0.2	100%
	7/11/2007	17:00	72.1	14.3	12.16	61	0.1	100%
	7/18/2007	11:00	74.1	14.2	12.04	62	0.0	100%
	7/23/2007	7:30	68.2	14.3	12.09	63	0.0	100%
	8/2/2007	16:20	69.9	14.7	12.57	59	0.0	100%
	8/9/2007	14:00	72.8	14.0	12.18	53.0	0.0	100%
	8/16/2007	NM	NM	NM	NM	12	NM	0%
	8/22/2007	NM	NM	NM	NM	14	NM	0%
	8/30/2007	NM	NM	NM	NM	15	NM	0%
	9/6/2007	NM	NM	NM	NM	13	NM	0%
	9/10/2007	NM	NM	NM	NM	13	NM	0%
	9/20/2007	NM	NM	NM	NM	10	NM	0%
	9/26/2007	NM	NM	NM	NM	10	NM	0%
	10/4/2007	NM	NM	NM	NM	11	NM	0%
	10/18/2007	14:02	74.2	9.7	9.22	20	0.3	50%
	10/23/2007	13:20	84.7	9.8	9.29	21	0.2	50%
	11/1/2007	13:50	82.5	9.6	9.10	21	0.2	50%
	11/7/2007	14:00	72.6	9.7	8.99	30	0.0	50%
	11/16/2007	NM	NM	NM	NM	NM	NM	100%
	11/21/2007	13:30	67.1	31.6	26.79	62.0	0.0	100%
	11/26/2007	14:00	65.1	31.0	26.28	62.0	0.0	100%
	11/28/2007	NM	NM	NM	NM	NM	NM	0%
VEW-11A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/12/2006	NM	NM	NM	NM	NM	NM	0%
	3/17/2006	NM	NM	NM	NM	NM	NM	0%
	3/24/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	6	NM	0%
	4/19/2006	12:10	71.3	20.1	18.62	30	28.7	25%
	4/26/2006	14:30	61.7	43.1	39.40	35	2.2	25%
	5/3/2006	15:30	68.2	23.9	22.67	21	2.0	25%
	5/11/2006	13:12	63.9	25.2	23.59	26	1.7	25%
	5/19/2006	12:30	66.2	25.5	23.93	25	1.7	25%
	5/24/2006	11:43	68.2	25.0	23.47	25	1.5	25%
	6/1/2006	12:29	69.3	25.5	23.93	25	2.3	25%
	6/7/2006	12:05	61.5	22.6	21.21	25	2.2	25%
	6/14/2006	11:53	61.3	21.9	20.50	26	2.1	25%
	6/23/2006	11:35	63.3	22.9	21.49	25	2.1	25%
	6/28/2006	12:32	65.1	22.8	21.40	25	2.0	25%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	7/3/2006	12:57	65.3	22.0	20.65	25	1.9	25%
	7/13/2006	14:50	97.3	28.1	26.44	24	1.6	25%
	7/21/2006	19:45	82.8	28.0	26.28	25	3.6	25%
	8/16/2006	16:26	80.7	27.6	25.84	26	3.3	25%
	8/23/2006	13:47	91.5	28.8	27.03	25	3.3	25%
	8/29/2006	12:47	87.3	28.1	26.31	26	3.3	25%
	9/9/2006	9:07	85.1	28.4	26.52	27	3.0	25%
	9/13/2006	17:36	76.1	30.1	28.25	25	3.3	25%
	9/22/2006	17:17	74.9	31.1	29.11	26	3.9	25%
	9/28/2006	13:58	76.9	32.3	30.32	25	4.1	25%
	10/2/2006	12:48	79.4	32.6	30.52	26	4.4	25%
	10/9/2006	15:28	73.1	33.2	31.00	27	4.0	25%
	10/20/2006	16:28	78.9	33.6	31.37	27	4.2	25%
	10/27/2006	14:48	78.5	34.3	31.86	29	3.9	25%
	11/2/2006	16:12	76.9	34.6	32.05	30	3.8	25%
	11/17/2006	18:20	76.6	34.2	31.60	31	4.6	25%
	11/20/2006	21:05	70.0	30.6	28.20	32	4.9	25%
	11/28/2006	18:00	68.8	31.7	28.98	35	4.6	25%
	12/8/2006	18:05	76.5	32.0	29.25	35	4.4	25%
	12/15/2006	11:30	67.1	31.6	28.73	37	4.1	25%
	12/19/2006	18:50	76.8	32.0	29.09	37	3.7	25%
	12/27/2006	18:30	74.7	33.2	30.18	37	3.3	25%
	1/4/2007	8:40	64.5	31.3	28.46	37	0.9	25%
	1/12/2007	17:30	61.3	32.8	29.82	37	0.7	25%
	1/20/2007	17:20	69.1	32.4	29.54	36	0.6	25%
	1/27/2007	7:20	62.1	33.4	30.37	37	0.4	25%
	1/31/2007	13:50	67.3	32.4	29.77	33	1.1	25%
	2/7/2007	16:50	68.5	33.8	30.73	37	1.0	25%
	2/16/2007	7:20	67.9	33.4	30.28	38	1.1	25%
	2/20/2007	17:40	69.7	33.1	30.17	36	1.8	25%
	3/1/2007	18:10	68.7	34.6	31.29	39	2.1	25%
	3/7/2007	18:40	69.8	34.8	31.38	40	2.2	25%
	3/14/2007	19:32	74.8	34.1	31.09	36	2.3	25%
	3/20/2007	17:50	68.9	34.8	31.64	37	2.8	25%
	3/28/2007	19:45	69.4	34.1	30.92	38	3.0	25%
	4/5/2007	17:30	71.9	33.6	30.63	36	3.3	25%
	4/9/2007	19:40	74.8	34.7	30.18	53	3.0	25%
	4/18/2007	16:40	74.1	35.8	32.37	39	2.8	25%
	4/23/2007	17:40	75.1	35.6	32.19	39	2.1	25%
	5/2/2007	17:50	72.6	35.0	31.65	39	1.6	25%
	5/10/2007	17:40	76.5	35.6	32.28	38	1.4	25%
	5/16/2007	14:40	71.3	35.8	32.28	40	1.3	25%
	5/21/2007	13:40	72.6	39.2	33.42	60	0.4	25%
	5/29/2007	13:10	80.2	39.1	35.26	40	0.0	25%
	6/5/2007	NM	NM	NM	NM	4	NM	0%
	6/15/2007	NM	NM	NM	NM	3	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	6/19/2007	NM	NM	NM	NM	4	NM	0%
	6/28/2007	NM	NM	NM	NM	4	NM	0%
	7/5/2007	NM	NM	NM	NM	4	NM	0%
	7/11/2007	NM	NM	NM	NM	4	NM	0%
	7/18/2007	NM	NM	NM	NM	4	NM	0%
	7/23/2007	NM	NM	NM	NM	5	NM	0%
	8/2/2007	NM	NM	NM	NM	4	NM	0%
	8/9/2007	NM	NM	NM	NM	3	NM	0%
	8/16/2007	NM	NM	NM	NM	3	NM	0%
	8/22/2007	NM	NM	NM	NM	5	NM	0%
	8/30/2007	NM	NM	NM	NM	5	NM	0%
	9/6/2007	NM	NM	NM	NM	3	NM	0%
	9/10/2007	NM	NM	NM	NM	3	NM	0%
	9/11/2007	7:10	70.3	36.7	33.46	36	0.4	100%
	9/20/2007	17:50	74.1	37.3	33.45	42	0.3	100%
	9/26/2007	17:50	78.2	37.1	33.27	42	0.1	100%
	10/4/2007	16:50	71.8	37.4	33.36	44	0.0	100%
	10/18/2007	17:28	74.9	26.6	25.42	18	0.0	25%
	10/23/2007	18:20	84.3	26.1	24.88	19	0.0	25%
	11/1/2007	18:40	82.7	26.6	25.36	19	0.0	25%
	11/7/2007	18:40	72.5	26.8	24.89	29	0.0	25%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-11B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/12/2006	NM	NM	NM	NM	NM	NM	0%
	3/17/2006	NM	NM	NM	NM	NM	NM	0%
	3/24/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	12:15	71.4	26.6	24.25	36	30.2	25%
	4/26/2006	14:35	61.9	36.1	32.82	37	3.9	25%
	5/3/2006	15:34	68.3	7.85	7.35	26	3.3	25%
	5/11/2006	13:19	63.8	7.97	7.34	32	3.0	25%
	5/19/2006	12:37	66.0	7.5	6.95	30	2.8	25%
	5/24/2006	11:50	68.1	7.3	6.76	30	2.4	25%
	6/1/2006	12:35	69.4	7.0	6.48	30	2.0	25%
	6/7/2006	12:11	61.0	7.2	6.67	30	1.8	25%
	6/14/2006	12:00	60.9	6.9	6.39	30	1.4	25%
	6/23/2006	11:42	63.1	7.0	6.48	30	1.7	25%
	6/28/2006	12:39	65.8	7.0	6.48	30	1.0	25%
	7/3/2006	13:04	65.4	6.9	6.39	30	0.6	25%
	7/13/2006	14:57	97.5	9.4	8.68	31	0.5	25%
	7/21/2006	19:50	82.6	9.5	8.78	31	1.1	25%
	8/16/2006	16:32	79.6	9.6	8.85	32	0.9	25%
	8/23/2006	13:54	91.3	11.4	10.56	30	2.6	25%
	8/29/2006	12:54	87.1	14.0	12.97	30	2.4	25%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	9/9/2006	9:14	85.3	14.6	13.52	30	2.2	25%
	9/13/2006	17:42	76.5	15.1	14.10	27	2.7	25%
	9/22/2006	17:24	74.3	15.8	14.48	34	2.6	25%
	9/28/2006	14:05	76.2	15.6	14.34	33	2.8	25%
	10/2/2006	12:56	78.9	15.9	14.53	35	3.0	25%
	10/9/2006	15:35	72.8	16.7	15.26	35	2.6	25%
	10/20/2006	16:35	78.0	16.9	15.45	35	2.9	25%
	10/27/2006	14:56	78.7	17.6	16.04	36	1.4	25%
	11/2/2006	16:19	76.4	17.9	16.32	36	1.2	25%
	11/17/2006	18:30	76.1	12.4	11.15	41	1.2	25%
	11/20/2006	21:15	70.5	12.0	10.76	42	1.1	25%
	11/28/2006	18:10	68.1	12.2	10.91	43	0.9	25%
	12/8/2006	18:15	76.1	14.2	12.60	46	0.9	25%
	12/15/2006	11:40	67.7	14.4	12.67	49	0.4	25%
	12/19/2006	19:00	76.7	14.8	12.98	50	0.4	25%
	12/27/2006	18:40	74.1	15.9	13.95	50	0.5	25%
	1/4/2007	8:50	64.6	16.9	14.82	50	0.0	25%
	1/12/2007	17:40	61.7	17.1	14.92	52	0.0	25%
	1/20/2007	17:30	69.2	17.7	15.48	51	0.0	25%
	1/27/2007	7:30	62.7	17.8	15.61	50	0.0	25%
	1/31/2007	14:00	67.7	13.1	11.65	45	0.9	25%
	2/7/2007	17:00	68.9	13.9	12.19	50	0.5	25%
	2/16/2007	7:30	67.4	14.2	12.49	49	0.4	25%
	2/20/2007	17:50	69.8	14.9	13.18	47	0.5	25%
	3/1/2007	18:20	68.7	15.3	13.38	51	0.4	25%
	3/7/2007	18:50	67.1	15.9	13.91	51	0.3	25%
	3/14/2007	19:37	74.4	15.8	13.86	50	0.5	25%
	3/20/2007	18:00	68.8	16.1	14.12	50	0.4	25%
	3/28/2007	19:55	69.5	16.7	14.65	50	0.5	25%
	4/5/2007	17:50	71.8	16.8	14.74	50	0.6	25%
	4/9/2007	NM	NM	NM	NM	11	NM	0%
	4/18/2007	NM	NM	NM	NM	16	NM	0%
	4/23/2007	NM	NM	NM	NM	16	NM	0%
	5/2/2007	NM	NM	NM	NM	16	NM	0%
	5/10/2007	NM	NM	NM	NM	17	NM	0%
	5/16/2007	NM	NM	NM	NM	18	NM	0%
	5/21/2007	NM	NM	NM	NM	18	NM	0%
	5/29/2007	NM	NM	NM	NM	18	NM	0%
	6/5/2007	NM	NM	NM	NM	10	NM	0%
	6/15/2007	NM	NM	NM	NM	9	NM	0%
	6/19/2007	NM	NM	NM	NM	10	NM	0%
	6/28/2007	NM	NM	NM	NM	10	NM	0%
	7/5/2007	NM	NM	NM	NM	10	NM	0%
	7/11/2007	NM	NM	NM	NM	10	NM	0%
	7/18/2007	NM	NM	NM	NM	10	NM	0%
	7/23/2007	NM	NM	NM	NM	10	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H ₂ O)	WELLHEAD PID (ppmv)	% Open
	8/2/2007	NM	NM	NM	NM	10	NM	0%
	8/9/2007	NM	NM	NM	NM	7	NM	0%
	8/16/2007	NM	NM	NM	NM	8	NM	0%
	8/22/2007	NM	NM	NM	NM	8	NM	0%
	8/30/2007	NM	NM	NM	NM	8	NM	0%
	9/6/2007	NM	NM	NM	NM	7	NM	0%
	9/10/2007	NM	NM	NM	NM	7	NM	0%
	9/11/2007	7:00	70.2	12.1	11.09	34	0.3	100%
	9/20/2007	18:00	74.8	41.3	36.63	46	0.2	100%
	9/26/2007	18:00	78.4	41.8	37.18	45	0.1	100%
	10/4/2007	17:00	71.4	41.7	36.58	50	0.1	100%
	10/18/2007	17:35	74.3	10.6	9.85	29	0.0	25%
	10/23/2007	18:30	84.7	10.4	9.66	29	0.0	25%
	11/1/2007	18:50	82.9	10.8	10.03	29	0.0	25%
	11/7/2007	18:50	72.1	10.4	9.40	39	0.0	25%
	11/16/2007	18:45	70.6	30.9	25.66	69	0.0	100%
	11/21/2007	16:30	68.3	49.6	41.07	70	0.0	100%
	11/26/2007	17:00	65.0	49.0	40.58	70	0.0	100%
	11/28/2007	NM	NM	NM	NM	NM	NM	0%
VEW-12	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	11	NM	0%
	4/19/2006	NM	NM	NM	NM	14	NM	0%
	4/26/2006	NM	NM	NM	NM	14	NM	0%
	5/3/2006	NM	NM	NM	NM	8	NM	0%
	5/11/2006	NM	NM	NM	NM	9	NM	0%
	5/19/2006	9:05	NM	NM	NM	14	NM	0%
	5/24/2006	NM	NM	NM	NM	13	NM	0%
	6/1/2006	NM	NM	NM	NM	12	NM	0%
	6/7/2006	NM	NM	NM	NM	14	NM	0%
	6/14/2006	NM	NM	NM	NM	15	NM	0%
	6/23/2006	NM	NM	NM	NM	14	NM	0%
	6/28/2006	8:03	NM	NM	NM	14	NM	0%
	7/3/2006	NM	NM	NM	NM	14	NM	0%
	7/13/2006	12:00	97.7	16.4	15.2	30	21.1	75%
	7/21/2006	17:30	82.7	16.2	15.0	30	20.1	75%
	8/16/2006	12:39	79.8	16.3	15.1	30	19.1	75%
	8/23/2006	8:43	90.9	14.1	13.0	31	14.9	75%
	8/29/2006	8:03	86.7	13.8	12.7	31	14.1	75%
	9/9/2006	11:45	84.7	14.1	13.0	31	13.6	75%
	9/13/2006	14:54	76.5	15.0	13.9	31	13.9	75%
	9/22/2006	14:03	73.5	15.9	14.7	31	14.8	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	9/28/2006	10:48	76.3	16.3	15.1	31	14.6	75%
	10/2/2006	8:14	78.9	17.2	15.8	33	14.9	75%
	10/9/2006	12:04	72.8	17.0	15.6	33	14.6	75%
	10/20/2006	13:03	79.6	17.4	16.0	33	14.3	75%
	10/27/2006	11:12	77.1	17.9	16.4	35	14.8	75%
	11/2/2006	13:03	76.2	16.1	14.7	35	14.4	75%
	11/17/2006	14:10	76.3	17.5	15.8	40	14.4	75%
	11/20/2006	16:55	70.4	17.6	15.8	41	14.0	75%
	11/27/2006	16:30	71.4	39.6	35.2	45	14.0	75%
	12/8/2006	13:55	76.9	40.1	35.6	46	12.1	75%
	12/15/2006	7:10	67.1	40.3	35.7	46	10.2	75%
	12/19/2006	14:10	73.6	41.6	37.0	45	9.0	75%
	12/27/2006	14:20	74.4	41.4	36.6	47	6.9	75%
	1/3/2007	14:10	76.5	41.0	36.3	47	6.0	75%
	1/11/2007	15:25	68.5	40.6	35.9	47	5.1	75%
	1/17/2007	16:10	67.5	40.1	35.5	47	5.0	75%
	1/26/2007	16:25	69.1	38.1	33.7	47	4.0	75%
	1/31/2007	9:40	67.6	17.2	15.3	45	0.4	75%
	2/7/2007	12:10	68.3	17.6	15.6	47	0.2	75%
	2/15/2007	15:40	71.5	17.0	15.0	47	0.0	75%
	2/20/2007	13:20	69.9	16.5	14.7	45	0.0	75%
	3/1/2007	7:20	63.6	16.8	14.8	48	0.0	75%
	3/7/2007	14:50	67.1	16.6	14.6	48	0.0	75%
	3/14/2007	16:51	74.1	16.8	14.8	48	0.0	75%
	3/20/2007	14:00	68.7	16.1	14.2	48	0.0	75%
	3/27/2007	NM	NM	NM	NM	14	NM	0%
	4/5/2007	NM	NM	NM	NM	12	NM	0%
	4/9/2007	NM	NM	NM	NM	11	NM	0%
	4/18/2007	NM	NM	NM	NM	14	NM	0%
	4/23/2007	NM	NM	NM	NM	14	NM	0%
	5/2/2007	NM	NM	NM	NM	15	NM	0%
	5/10/2007	NM	NM	NM	NM	15	NM	0%
	5/16/2007	NM	NM	NM	NM	15	NM	0%
	5/21/2007	NM	NM	NM	NM	16	NM	0%
	5/29/2007	NM	NM	NM	NM	15	NM	0%
	6/5/2007	NM	NM	NM	NM	16	NM	0%
	6/15/2007	NM	NM	NM	NM	14	NM	0%
	6/19/2007	NM	NM	NM	NM	18	NM	0%
	6/28/2007	NM	NM	NM	NM	17	NM	0%
	7/5/2007	NM	NM	NM	NM	17	NM	0%
	7/11/2007	NM	NM	NM	NM	18	NM	0%
	7/18/2007	NM	NM	NM	NM	19	NM	0%
	7/23/2007	NM	NM	NM	NM	19	NM	0%
	8/2/2007	NM	NM	NM	NM	17	NM	0%
	8/9/2007	NM	NM	NM	NM	16	NM	0%
	8/16/2007	NM	NM	NM	NM	15	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	8/22/2007	NM	NM	NM	NM	22	NM	0%
	8/30/2007	NM	NM	NM	NM	21	NM	0%
	9/6/2007	NM	NM	NM	NM	20	NM	0%
	9/10/2007	NM	NM	NM	NM	20	NM	0%
	9/11/2007	7:20	70.4	14.8	13.4	39	0.3	100%
	9/20/2007	15:30	74.4	14.6	13.0	45	0.3	100%
	9/26/2007	15:10	78.6	14.8	13.2	45	0.2	100%
	10/4/2007	14:40	71.6	14.4	12.8	46	0.2	100%
	10/18/2007	14:23	74.5	14.2	13.3	27	0.1	75%
	10/23/2007	13:50	84.2	14.4	13.4	27	0.2	75%
	11/1/2007	14:20	82.3	14.8	13.8	27	0.0	75%
	11/7/2007	14:30	72.9	14.5	13.2	36	0.0	75%
	11/16/2007	NM	NM	NM	NM	16	NM	0%
VEW-13A	3/2/2006	11:35	67.4	16.2	14.57	41	16.1	100%
	3/10/2006	12:27	55.6	8.4	7.84	27	8.6	50%
	3/16/2006	17:08	57.0	9.2	8.59	27	9.1	50%
	3/23/2006	12:27	63.9	9.0	8.40	27	6.3	50%
	3/31/2006	9:10	59.9	13.8	12.78	30	14.7	50%
	4/5/2006	8:50	56.4	14.8	13.71	30	13.9	50%
	4/12/2006	8:35	60.9	12.8	11.86	30	10.9	50%
	4/19/2006	8:10	71.0	26.8	24.43	36	12.2	50%
	4/26/2006	9:02	61.4	27.1	24.70	36	14.7	50%
	5/3/2006	13:16	67.4	10.3	9.69	24	11.6	50%
	5/11/2006	9:32	63.4	11.0	10.19	30	11.2	50%
	5/19/2006	8:30	65.5	11.8	11.02	27	11.0	50%
	5/24/2006	8:25	67.2	11.9	11.11	27	10.9	50%
	6/1/2006	9:10	69.0	12.1	11.30	27	10.0	50%
	6/7/2006	8:37	60.6	12.0	11.15	29	9.1	50%
	6/14/2006	8:27	60.8	11.8	10.96	29	9.0	50%
	6/23/2006	7:58	61.9	12.1	11.24	29	8.6	50%
	6/28/2006	7:28	63.7	12.6	11.76	27	9.0	50%
	7/3/2006	8:28	64.6	12.7	11.86	27	8.7	50%
	7/13/2006	11:00	97.5	11.3	10.47	30	8.6	75%
	7/21/2006	17:05	82.3	11.4	10.56	30	8.7	75%
	8/16/2006	12:09	79.8	10.6	9.82	30	8.6	75%
	8/23/2006	8:08	90.7	11.8	10.93	30	6.7	75%
	8/29/2006	7:28	86.6	12.1	11.21	30	6.4	75%
	9/9/2006	11:10	84.6	12.1	11.21	30	6.3	75%
	9/13/2006	14:24	76.6	12.3	11.39	30	6.4	75%
	9/22/2006	13:28	73.9	12.6	11.67	30	6.7	75%
	9/28/2006	10:13	76.5	12.1	11.21	30	6.8	75%
	10/2/2006	7:38	78.4	14.2	13.05	33	7.2	75%
	10/9/2006	11:28	72.6	14.4	13.23	33	7.6	75%
	10/20/2006	12:28	79.8	14.2	13.05	33	7.5	75%
	10/27/2006	10:32	77.8	14.4	13.20	34	7.0	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	11/2/2006	12:28	76.6	14.5	13.32	33	7.7	75%
	11/17/2006	NM	NM	NM	NM	14	NM	0%
	11/20/2006	NM	NM	NM	NM	14	NM	0%
	11/27/2006	NM	NM	NM	NM	16	NM	0%
	12/8/2006	NM	NM	NM	NM	15	NM	0%
	12/15/2006	NM	NM	NM	NM	15	NM	0%
	12/19/2006	NM	NM	NM	NM	16	NM	0%
	12/27/2006	NM	NM	NM	NM	14	NM	0%
	1/3/2007	NM	NM	NM	NM	14	NM	0%
	1/11/2007	NM	NM	NM	NM	14	NM	0%
	1/17/2007	NM	NM	NM	NM	14	NM	0%
	1/26/2007	NM	NM	NM	NM	14	NM	0%
	1/31/2007	NM	NM	NM	NM	6	NM	0%
	2/7/2007	NM	NM	NM	NM	10	NM	0%
	2/15/2007	NM	NM	NM	NM	14	NM	0%
	2/20/2007	NM	NM	NM	NM	15	NM	0%
	3/1/2007	NM	NM	NM	NM	13	NM	0%
	3/7/2007	NM	NM	NM	NM	13	NM	0%
	3/14/2007	NM	NM	NM	NM	14	NM	0%
	3/20/2007	NM	NM	NM	NM	14	NM	0%
	3/27/2007	NM	NM	NM	NM	15	NM	0%
	4/5/2007	NM	NM	NM	NM	15	NM	0%
	4/9/2007	NM	NM	NM	NM	15	NM	0%
	4/18/2007	NM	NM	NM	NM	14	NM	0%
	4/23/2007	NM	NM	NM	NM	14	NM	0%
	5/2/2007	NM	NM	NM	NM	13	NM	0%
	5/10/2007	NM	NM	NM	NM	14	NM	0%
	5/16/2007	NM	NM	NM	NM	14	NM	0%
	5/21/2007	NM	NM	NM	NM	14	NM	0%
	5/29/2007	NM	NM	NM	NM	15	NM	0%
	6/5/2007	NM	NM	NM	NM	15	NM	0%
	6/15/2007	NM	NM	NM	NM	10	NM	0%
	6/19/2007	NM	NM	NM	NM	15	NM	0%
	6/28/2007	NM	NM	NM	NM	15	NM	0%
	7/5/2007	NM	NM	NM	NM	16	NM	0%
	7/11/2007	NM	NM	NM	NM	16	NM	0%
	7/18/2007	NM	NM	NM	NM	16	NM	0%
	7/23/2007	NM	NM	NM	NM	16	NM	0%
	8/2/2007	NM	NM	NM	NM	16	NM	0%
	8/9/2007	NM	NM	NM	NM	15	NM	0%
	8/9/2007	17:40	72.3	21.7	19.2	47	0.3	50%
	8/16/2007	9:10	85.1	21.8	19.3	47	0.8	50%
	8/22/2007	7:40	70.6	22.4	19.6	50	0.4	50%
	8/30/2007	15:30	88.5	22.1	19.4	50	0.3	50%
	9/6/2007	8:10	74.3	22.3	19.6	50	0.1	50%
	9/10/2007	14:10	76.4	22.3	19.6	50	0.0	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	9/20/2007	15:00	74.9	22.8	20.3	44	0.1	50%
	9/26/2007	14:40	78.1	22.9	20.4	44	0.2	50%
	10/4/2007	14:10	71.4	22.6	20.0	46	0.1	50%
	10/18/2007	13:48	74.4	11.7	11.0	25	0.0	75%
	10/23/2007	13:00	84.5	11.8	11.1	25	0.0	75%
	11/1/2007	13:30	82.6	11.2	10.5	25	0.0	75%
	11/7/2007	13:40	72.7	11.6	10.6	35	0.0	75%
	11/16/2007	NM	NM	NM	NM	16	NM	0%
VEW-13B	3/2/2006	11:30	65.6	18.4	16.68	38	26.1	100%
	3/10/2006	12:20	55.3	11.3	10.61	25	14.6	50%
	3/16/2006	17:01	57.7	11.6	10.89	25	15.0	50%
	3/23/2006	12:20	63.8	11.5	10.79	25	10.6	50%
	3/31/2006	9:00	60.3	14.3	13.25	30	29.6	50%
	4/5/2006	8:45	56.7	17.3	16.07	29	28.6	50%
	4/12/2006	8:25	61.2	15.2	14.08	30	25.2	50%
	4/19/2006	8:00	70.8	24.9	22.76	35	24.6	50%
	4/26/2006	8:58	61.3	24.8	22.67	35	1.4	50%
	5/3/2006	13:12	67.4	8.82	8.37	21	1.0	50%
	5/11/2006	9:24	63.3	9.31	8.67	28	0.9	50%
	5/19/2006	8:22	65.4	9.25	8.66	26	0.8	50%
	5/24/2006	8:18	67.4	9.1	8.52	26	0.7	50%
	6/1/2006	9:03	69.7	9.2	8.59	27	0.5	50%
	6/7/2006	8:30	60.0	9.0	8.38	28	0.4	50%
	6/14/2006	8:20	60.1	9.6	8.92	29	0.4	50%
	6/23/2006	7:51	61.5	8.7	8.14	26	0.4	50%
	6/28/2006	7:21	63.4	9.1	8.50	27	0.5	50%
	7/3/2006	8:21	64.4	9.0	8.43	26	0.5	50%
	7/13/2006	10:53	97.6	14.4	13.41	28	0.2	75%
	7/21/2006	17:00	82.5	14.3	13.32	28	0.2	75%
	8/16/2006	12:03	79.8	14.7	13.69	28	0.2	75%
	8/23/2006	8:01	90.3	14.0	12.97	30	0.2	75%
	8/29/2006	7:21	86.4	14.3	13.28	29	0.3	75%
	9/9/2006	11:03	84.4	14.7	13.65	29	0.2	75%
	9/13/2006	14:18	76.3	14.4	13.34	30	0.3	75%
	9/22/2006	13:21	73.2	14.8	13.71	30	0.6	75%
	9/28/2006	10:06	76.1	15.2	14.08	30	0.7	75%
	10/2/2006	7:31	78.3	16.0	14.78	31	0.8	75%
	10/9/2006	11:21	72.5	16.7	15.43	31	0.8	75%
	10/20/2006	12:21	79.8	16.8	15.52	31	0.7	75%
	10/27/2006	10:24	77.0	16.9	15.57	32	0.7	75%
	11/2/2006	12:21	76.4	16.7	15.39	32	0.7	75%
	11/17/2006	NM	NM	NM	NM	13	NM	0%
	11/20/2006	NM	NM	NM	NM	13	NM	0%
	11/27/2006	NM	NM	NM	NM	15	NM	0%
	12/8/2006	NM	NM	NM	NM	8	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/15/2006		NM	NM	NM	13	NM	0%
	12/19/2006		NM	NM	NM	13	NM	0%
	12/27/2006		NM	NM	NM	12	NM	0%
	1/3/2007		NM	NM	NM	7	NM	0%
	1/11/2007		NM	NM	NM	13	NM	0%
	1/17/2007		NM	NM	NM	12	NM	0%
	1/26/2007		NM	NM	NM	12	NM	0%
	1/31/2007		NM	NM	NM	6	NM	0%
	2/7/2007		NM	NM	NM	9	NM	0%
	2/15/2007		NM	NM	NM	12	NM	0%
	2/20/2007		NM	NM	NM	13	NM	0%
	3/1/2007		NM	NM	NM	11	NM	0%
	3/7/2007		NM	NM	NM	11	NM	0%
	3/14/2007		NM	NM	NM	11	NM	0%
	3/20/2007		NM	NM	NM	11	NM	0%
	3/27/2007		NM	NM	NM	10	NM	0%
	4/5/2007		NM	NM	NM	11	NM	0%
	4/9/2007		NM	NM	NM	11	NM	0%
	4/18/2007		NM	NM	NM	11	NM	0%
	4/23/2007		NM	NM	NM	12	NM	0%
	5/2/2007		NM	NM	NM	12	NM	0%
	5/10/2007		NM	NM	NM	12	NM	0%
	5/16/2007		NM	NM	NM	13	NM	0%
	5/21/2007		NM	NM	NM	12	NM	0%
	5/29/2007		NM	NM	NM	14	NM	0%
	6/5/2007		NM	NM	NM	13	NM	0%
	6/15/2007		NM	NM	NM	10	NM	0%
	6/19/2007		NM	NM	NM	14	NM	0%
	6/28/2007		NM	NM	NM	14	NM	0%
	7/5/2007		NM	NM	NM	14	NM	0%
	7/11/2007		NM	NM	NM	14	NM	0%
	7/18/2007		NM	NM	NM	14	NM	0%
	7/23/2007		NM	NM	NM	15	NM	0%
	8/2/2007		NM	NM	NM	15	NM	0%
	8/9/2007		NM	NM	NM	13	NM	0%
	8/9/2007	17:50	72.2	29.6	26.3	45	0.0	50%
	8/16/2007	9:20	85.3	30.3	27.0	45	0.6	50%
	8/22/2007	7:30	70.4	30.3	26.7	48	0.1	50%
	8/30/2007	15:20	88.3	30.0	26.5	48	0.2	50%
	9/6/2007	8:00	74.7	30.6	27.1	46	0.1	50%
	9/10/2007	14:00	76.8	30.5	27.1	46	0.0	50%
	9/20/2007	14:50	74.4	31.0	27.8	42	0.0	50%
	9/26/2007	14:30	78.5	31.8	28.5	42	0.0	50%
	10/4/2007	14:00	71.9	31.2	27.9	43	0.0	50%
	10/18/2007	13:41	74.0	20.7	19.4	25	0.0	50%
	10/23/2007	12:50	84.7	20.8	19.5	25	0.0	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	11/1/2007	13:20	82.4	20.8	19.5	25	0.0	50%
	11/7/2007	13:30	72.5	20.5	18.6	37	0.0	50%
	11/16/2007	16:00	70.1	51.2	43.7	60	0.0	100%
	11/28/2007	NM	NM	NM	NM	NM	NM	0%
VEW-14A	3/2/2006	11:24	64.4	19.5	17.68	38	41.6	100%
	3/10/2006	12:14	54.9	11.0	10.32	25	40.6	50%
	3/16/2006	16:54	57.6	11.2	10.51	25	44.6	50%
	3/23/2006	12:13	64.1	11.4	10.67	26	41.3	50%
	3/31/2006	8:50	60.2	12.6	11.80	26	14.0	50%
	4/5/2006	8:40	56.8	15.3	14.21	29	14.9	50%
	4/12/2006	8:15	60.5	14.6	13.52	30	12.6	50%
	4/19/2006	7:50	70.9	20.4	18.80	32	13.8	50%
	4/26/2006	8:54	61.0	21.8	20.09	32	1.7	50%
	5/3/2006	13:08	65.5	16.8	15.93	21	1.9	50%
	5/11/2006	9:16	63.8	17.6	16.48	26	1.4	50%
	5/19/2006	8:14	65.3	17.7	16.61	25	1.6	50%
	5/24/2006	8:12	67.5	17.9	16.76	26	1.4	50%
	6/1/2006	8:57	69.5	17.6	16.48	26	1.0	50%
	6/7/2006	8:14	60.4	17.4	16.29	26	0.8	50%
	6/14/2006	8:14	60.4	15.8	14.79	26	1.0	50%
	6/23/2006	7:44	61.0	17.6	16.52	25	0.7	50%
	6/28/2006	7:14	63.7	17.4	16.33	25	0.6	50%
	7/3/2006	8:14	64.5	17.3	16.24	25	0.4	50%
	7/13/2006	10:47	97.4	14.2	13.29	26	0.1	75%
	7/21/2006	16:55	82.6	14.4	13.45	27	0.1	75%
	8/16/2006	11:57	79.5	14.6	13.60	28	0.0	75%
	8/23/2006	7:54	89.6	13.1	12.20	28	0.1	75%
	8/29/2006	7:14	86.7	13.3	12.35	29	0.1	75%
	9/9/2006	10:56	84.9	13.6	12.63	29	0.1	75%
	9/13/2006	14:12	76.0	13.8	12.82	29	0.0	75%
	9/22/2006	13:14	73.3	13.1	12.17	29	0.3	75%
	9/28/2006	9:59	76.3	13.6	12.66	28	0.8	75%
	10/2/2006	7:24	78.9	13.9	12.88	30	0.9	75%
	10/9/2006	11:14	72.4	14.1	13.06	30	1.0	100%
	10/20/2006	12:14	79.1	14.4	13.34	30	0.9	100%
	10/27/2006	10:16	77.6	14.9	13.73	32	0.8	100%
	11/2/2006	12:14	76.2	15.6	14.37	32	0.7	100%
	11/17/2006	NM	NM	NM	NM	9	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/27/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	9	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	9	NM	0%
	1/3/2007	NM	NM	NM	NM	9	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/11/2007		NM	NM	NM	9	NM	0%
	1/17/2007		NM	NM	NM	9	NM	0%
	1/26/2007		NM	NM	NM	9	NM	0%
	1/31/2007		NM	NM	NM	5	NM	0%
	2/7/2007		NM	NM	NM	8	NM	0%
	2/15/2007		NM	NM	NM	9	NM	0%
	2/20/2007		NM	NM	NM	10	NM	0%
	3/1/2007		NM	NM	NM	8	NM	0%
	3/7/2007		NM	NM	NM	9	NM	0%
	3/14/2007		NM	NM	NM	8	NM	0%
	3/20/2007		NM	NM	NM	8	NM	0%
	3/27/2007		NM	NM	NM	9	NM	0%
	4/5/2007		NM	NM	NM	9	NM	0%
	4/9/2007		NM	NM	NM	10	NM	0%
	4/18/2007		NM	NM	NM	9	NM	0%
	4/23/2007		NM	NM	NM	9	NM	0%
	5/2/2007		NM	NM	NM	9	NM	0%
	5/10/2007		NM	NM	NM	9	NM	0%
	5/16/2007		NM	NM	NM	9	NM	0%
	5/21/2007		NM	NM	NM	9	NM	0%
	5/29/2007		NM	NM	NM	10	NM	0%
	6/5/2007		NM	NM	NM	9	NM	0%
	6/15/2007		NM	NM	NM	6	NM	0%
	6/19/2007		NM	NM	NM	9	NM	0%
	6/28/2007		NM	NM	NM	9	NM	0%
	7/5/2007		NM	NM	NM	9	NM	0%
	7/11/2007		NM	NM	NM	10	NM	0%
	7/18/2007		NM	NM	NM	10	NM	0%
	7/23/2007		NM	NM	NM	10	NM	0%
	8/2/2007		NM	NM	NM	10	NM	0%
	8/9/2007		NM	NM	NM	10	NM	0%
	8/9/2007	18:00	72.8	23.8	21.2	45	0.1	50%
	8/16/2007	9:30	85.4	23.9	21.2	46	0.5	50%
	8/22/2007	7:20	70.5	24.5	21.6	48	0.1	50%
	8/30/2007	15:10	88.9	24.6	21.7	48	0.1	50%
	9/6/2007	7:50	74.4	24.7	21.9	46	0.0	50%
	9/10/2007	13:30	76.8	24.5	21.8	45	0.0	50%
	9/20/2007	14:40	74.3	24.6	22.1	41	0.0	50%
	9/26/2007	14:20	78.4	24.6	22.1	42	0.0	50%
	10/4/2007	13:50	71.2	24.4	21.8	43	0.0	50%
	10/18/2007	13:34	74.7	24.3	22.9	24	0.0	75%
	10/23/2007	12:40	84.4	24.6	23.0	26	0.0	75%
	11/1/2007	13:10	82.9	24.0	22.5	26	0.0	75%
	11/7/2007	13:20	78.1	24.4	22.4	33	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
VEW-14B	3/2/2006	11:18	67.6	44.9	40.49	40	48.6	100%
	3/10/2006	12:07	55.9	24.3	22.75	26	28.6	50%
	3/16/2006	16:47	57.9	24.6	23.03	26	27.1	50%
	3/23/2006	12:07	64.2	24.4	22.84	26	23.1	50%
	3/31/2006	8:40	59.6	23.4	21.79	28	24.4	50%
	4/5/2006	8:35	56.3	37.6	34.92	29	22.6	50%
	4/12/2006	8:05	61.4	33.9	31.40	30	21.7	50%
	4/19/2006	7:40	71.4	44.7	40.86	35	19.7	50%
	4/26/2006	8:50	61.7	44.8	40.95	35	11.5	50%
	5/3/2006	13:04	65.7	29.6	28.00	22	7.3	50%
	5/11/2006	9:08	63.8	30.7	28.51	29	7.3	50%
	5/19/2006	8:07	65.7	30.6	28.50	28	7.0	50%
	5/24/2006	8:06	69.6	31.0	28.87	28	7.1	50%
	6/1/2006	8:51	69.3	29.9	27.84	28	7.0	50%
	6/7/2006	8:07	60.5	29.7	27.66	28	6.6	50%
	6/14/2006	8:06	60.6	31.1	28.89	29	6.6	50%
	6/23/2006	7:37	61.4	29.6	27.64	27	6.5	50%
	6/28/2006	7:07	63.6	29.6	27.71	26	5.1	50%
	7/3/2006	8:07	64.1	29.7	27.73	27	4.9	50%
	7/13/2006	10:41	97.0	28.1	26.10	29	4.0	75%
	7/21/2006	16:50	82.7	28.6	26.56	29	3.5	75%
	8/16/2006	11:51	79.6	26.9	24.98	29	3.1	75%
	8/23/2006	7:47	89.8	29.8	27.60	30	3.3	75%
	8/29/2006	7:07	85.9	29.1	26.96	30	3.0	75%
	9/9/2006	10:49	84.7	30.1	27.81	31	2.8	75%
	9/13/2006	14:06	76.6	29.8	27.60	30	2.6	75%
	9/22/2006	13:07	73.6	31.2	28.90	30	2.1	75%
	9/28/2006	9:52	76.4	32.6	30.20	30	2.3	75%
	10/2/2006	7:17	78.6	33.1	30.50	32	2.1	75%
	10/9/2006	11:07	72.3	33.6	30.88	33	2.3	100%
	10/20/2006	12:07	79.6	33.1	30.58	31	2.5	100%
	10/27/2006	10:08	77.9	34.1	31.34	33	2.4	100%
	11/2/2006	12:07	76.8	34.4	31.36	36	2.8	100%
	11/17/2006	NM	NM	NM	NM	10	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/27/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	9	NM	0%
	1/3/2007	NM	NM	NM	NM	9	NM	0%
	1/11/2007	NM	NM	NM	NM	9	NM	0%
	1/17/2007	NM	NM	NM	NM	9	NM	0%
	1/26/2007	NM	NM	NM	NM	9	NM	0%
	1/31/2007	NM	NM	NM	NM	5	NM	0%
	2/7/2007	NM	NM	NM	NM	8	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	2/15/2007		NM	NM	NM	9	NM	0%
	2/20/2007		NM	NM	NM	10	NM	0%
	3/1/2007		NM	NM	NM	9	NM	0%
	3/7/2007		NM	NM	NM	9	NM	0%
	3/14/2007		NM	NM	NM	8	NM	0%
	3/20/2007		NM	NM	NM	8	NM	0%
	3/27/2007		NM	NM	NM	8	NM	0%
	4/5/2007		NM	NM	NM	8	NM	0%
	4/9/2007		NM	NM	NM	9	NM	0%
	4/18/2007		NM	NM	NM	9	NM	0%
	4/23/2007		NM	NM	NM	9	NM	0%
	5/2/2007		NM	NM	NM	9	NM	0%
	5/10/2007		NM	NM	NM	9	NM	0%
	5/16/2007		NM	NM	NM	10	NM	0%
	5/21/2007		NM	NM	NM	9	NM	0%
	5/29/2007		NM	NM	NM	10	NM	0%
	6/5/2007		NM	NM	NM	10	NM	0%
	6/15/2007		NM	NM	NM	6	NM	0%
	6/19/2007		NM	NM	NM	10	NM	0%
	6/28/2007		NM	NM	NM	9	NM	0%
	7/5/2007		NM	NM	NM	9	NM	0%
	7/11/2007		NM	NM	NM	9	NM	0%
	7/18/2007		NM	NM	NM	9	NM	0%
	7/23/2007		NM	NM	NM	9	NM	0%
	8/2/2007		NM	NM	NM	10	NM	0%
	8/9/2007		NM	NM	NM	10	NM	0%
	8/9/2007	18:10	72.9	46.2	41.1	45	0.7	50%
	8/16/2007	9:40	85.6	47.6	42.3	45	0.4	50%
	8/22/2007	7:10	70.8	46.8	41.2	49	0.7	50%
	8/30/2007	15:00	88.2	46.4	40.8	49	0.6	50%
	9/6/2007	7:40	74.8	46.5	41.1	47	0.4	50%
	9/10/2007	13:50	76.0	46.5	41.1	47	0.3	50%
	9/20/2007	14:30	74.1	46.0	41.3	42	0.3	50%
	9/26/2007	14:10	78.2	45.6	40.9	42	0.2	50%
	10/4/2007	13:40	71.5	45.3	40.3	45	0.1	50%
	10/18/2007	13:27	74.5	35.5	33.3	25	0.0	75%
	10/23/2007	12:30	84.9	35.9	33.5	27	0.0	75%
	11/1/2007	13:00	82.2	35.7	33.3	27	0.0	75%
	11/7/2007	13:10	72.6	35.6	32.5	35	0.0	75%
	11/16/2007		NM	NM	NM	NM	NM	0%
VEW-15A	3/2/2006	12:46	74.6	15.9	14.14	45	48.6	100%
	3/12/2006	10:38	59.6	7.0	6.52	28	19.6	50%
	3/16/2006	18:18	56.5	7.1	6.62	28	20.1	50%
	3/24/2006	8:34	60.6	7.1	6.61	28	19.0	50%
	3/31/2006	10:00	60.6	16.3	15.02	32	38.3	50%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/5/2006	11:55	56.5	11.5	10.65	30	36.4	50%
	4/12/2006	10:05	61.2	10.8	9.98	31	35.4	50%
	4/19/2006	11:40	71.4	19.9	18.14	36	33.2	50%
	4/26/2006	14:00	61.7	20.1	18.37	35	3.6	50%
	5/3/2006	15:06	68.0	9.0	8.43	26	3.0	50%
	5/11/2006	12:37	63.5	11.1	10.28	30	2.5	50%
	5/19/2006	11:44	65.3	11.2	10.37	30	4.7	50%
	5/24/2006	11:04	68.3	11.0	10.19	30	4.6	50%
	6/1/2006	11:50	69.7	11.6	10.75	30	4.4	50%
	6/7/2006	11:27	61.3	11.8	10.93	30	4.2	50%
	6/14/2006	11:10	61.1	14.0	13.00	29	4.3	50%
	6/23/2006	10:53	62.6	11.9	11.02	30	4.0	50%
	6/28/2006	11:50	65.7	11.8	10.96	29	3.6	50%
	7/3/2006	11:55	65.3	11.8	10.96	29	3.6	50%
	7/13/2006	14:19	97.6	13.2	12.20	31	3.3	75%
	7/21/2006	19:15	82.6	13.3	12.29	31	7.8	75%
	8/16/2006	15:50	79.6	13.6	12.56	31	7.6	75%
	8/23/2006	13:05	90.7	11.7	10.81	31	3.6	75%
	8/29/2006	12:05	87.3	11.8	10.87	32	3.1	75%
	9/9/2006	8:25	85.9	11.8	10.87	32	3.4	75%
	9/13/2006	17:00	76.8	11.7	10.75	33	3.2	75%
	9/22/2006	16:35	74.5	11.1	10.20	33	3.6	75%
	9/28/2006	13:15	76.7	11.0	10.11	33	3.6	75%
	10/2/2006	11:59	79.2	11.6	10.60	35	3.9	75%
	10/9/2006	14:45	73.6	11.7	10.75	33	3.6	75%
	10/20/2006	15:45	78.7	11.9	10.91	34	3.6	75%
	10/27/2006	14:00	78.2	12.6	11.52	35	3.3	75%
	11/2/2006	15:30	76.2	12.1	11.06	35	3.6	75%
	11/17/2006	NM	NM	NM	NM	10	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/28/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	11	NM	0%
	12/15/2006	NM	NM	NM	NM	12	NM	0%
	12/19/2006	NM	NM	NM	NM	12	NM	0%
	12/27/2006	NM	NM	NM	NM	13	NM	0%
	1/4/2007	NM	NM	NM	NM	13	NM	0%
	1/12/2007	NM	NM	NM	NM	11	NM	0%
	1/20/2007	NM	NM	NM	NM	12	NM	0%
	1/27/2007	NM	NM	NM	NM	12	NM	0%
	1/31/2007	NM	NM	NM	NM	10	NM	0%
	2/7/2007	NM	NM	NM	NM	12	NM	0%
	2/16/2007	NM	NM	NM	NM	12	NM	0%
	2/20/2007	NM	NM	NM	NM	13	NM	0%
	3/1/2007	NM	NM	NM	NM	11	NM	0%
	3/7/2007	NM	NM	NM	NM	11	NM	0%
	3/14/2007	NM	NM	NM	NM	12	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/20/2007	NM	NM	NM	NM	13	NM	0%
	3/28/2007	NM	NM	NM	NM	12	NM	0%
	4/5/2007	NM	NM	NM	NM	12	NM	0%
	4/9/2007	NM	NM	NM	NM	10	NM	0%
	4/18/2007	NM	NM	NM	NM	11	NM	0%
	4/23/2007	NM	NM	NM	NM	10	NM	0%
	5/2/2007	NM	NM	NM	NM	11	NM	0%
	5/10/2007	NM	NM	NM	NM	11	NM	0%
	5/16/2007	NM	NM	NM	NM	11	NM	0%
	5/21/2007	NM	NM	NM	NM	11	NM	0%
	5/29/2007	NM	NM	NM	NM	11	NM	0%
	6/5/2007	NM	NM	NM	NM	7	NM	0%
	6/15/2007	NM	NM	NM	NM	5	NM	0%
	6/19/2007	NM	NM	NM	NM	7	NM	0%
	6/28/2007	NM	NM	NM	NM	7	NM	0%
	7/5/2007	NM	NM	NM	NM	7	NM	0%
	7/11/2007	NM	NM	NM	NM	8	NM	0%
	7/18/2007	NM	NM	NM	NM	8	NM	0%
	7/23/2007	NM	NM	NM	NM	8	NM	0%
	8/2/2007	NM	NM	NM	NM	7	NM	0%
	8/9/2007	NM	NM	NM	NM	7	NM	0%
	8/16/2007	NM	NM	NM	NM	7	NM	0%
	8/22/2007	NM	NM	NM	NM	7	NM	0%
	8/30/2007	NM	NM	NM	NM	8	NM	0%
	9/6/2007	NM	NM	NM	NM	5	NM	0%
	9/10/2007	NM	NM	NM	NM	5	NM	0%
	9/11/2007	7:30	70.1	36.7	33.09	40	0.8	100%
	9/20/2007	17:30	NM	37.8	33.62	45	0.6	100%
	9/26/2007	17:30	78.4	37.9	33.90	43	0.5	100%
	10/4/2007	16:30	71.4	37.6	33.26	47	0.4	100%
	10/18/2007	16:53	74.6	17.2	15.9	30	0.0	75%
	10/23/2007	17:20	84.0	17.1	15.8	30	0.0	75%
	11/1/2007	17:40	82.1	17.7	16.4	30	0.0	75%
	11/7/2007	17:40	72.9	17.5	15.9	37	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-15B	3/2/2006	13:06	71.6	22.2	19.80	44	16.1	100%
	3/12/2006	11:00	60.9	11.9	11.08	28	10.7	50%
	3/16/2006	18:39	57.1	12.6	11.73	28	11.2	50%
	3/24/2006	8:57	60.3	12.4	11.55	28	10.0	50%
	3/31/2006	10:30	60.6	15.7	14.54	30	18.4	50%
	4/5/2006	12:10	56.9	13.4	12.41	30	16.3	50%
	4/12/2006	10:35	61.4	12.3	11.39	30	14.3	50%
	4/19/2006	11:55	71.4	34.2	31.09	37	15.8	50%
	4/26/2006	14:15	61.9	34.8	31.81	35	30.6	50%
	5/3/2006	15:18	68.3	13.4	12.58	25	26.0	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H ₂ O)	WELLHEAD PID (ppmv)	% Open
	5/11/2006	13:00	63.8	14.9	13.80	30	24.2	50%
	5/19/2006	12:07	66.0	14.6	13.56	29	26.7	50%
	5/24/2006	11:24	68.2	14.8	13.71	30	26.5	50%
	6/1/2006	12:08	69.7	14.7	13.62	30	26.4	50%
	6/7/2006	11:46	61.2	14.8	13.71	30	26.1	50%
	6/14/2006	11:32	61.0	13.9	12.88	30	26.0	50%
	6/23/2006	11:14	62.8	14.6	13.56	29	26.5	50%
	6/28/2006	12:11	65.9	14.9	13.84	29	24.1	50%
	7/3/2006	12:36	65.3	14.6	13.56	29	23.6	50%
	7/13/2006	14:30	97.5	14.4	13.34	30	23.3	75%
	7/21/2006	19:30	82.8	14.2	13.12	31	1.3	75%
	8/16/2006	16:08	80.0	14.2	13.12	31	1.1	75%
	8/23/2006	13:26	91.3	15.7	14.50	31	10.6	75%
	8/29/2006	12:26	86.8	15.6	14.41	31	9.7	75%
	9/9/2006	8:46	85.2	15.7	14.50	31	9.2	75%
	9/13/2006	17:18	76.0	15.1	13.91	32	9.3	75%
	9/22/2006	16:56	74.7	16.2	14.89	33	9.6	75%
	9/28/2006	13:36	76.5	16.8	15.48	32	9.9	75%
	10/2/2006	12:24	78.6	16.4	15.03	34	10.6	75%
	10/9/2006	15:07	73.5	16.6	15.25	33	10.1	75%
	10/20/2006	16:06	78.4	16.4	15.07	33	10.0	75%
	10/27/2006	14:24	78.7	16.7	15.26	35	9.9	75%
	11/2/2006	15:51	76.4	16.1	14.68	36	9.6	75%
	11/17/2006	NM	NM	NM	NM	9	NM	0%
	11/20/2006	NM	NM	NM	NM	9	NM	0%
	11/28/2006	NM	NM	NM	NM	9	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	10	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%
	1/12/2007	NM	NM	NM	NM	9	NM	0%
	1/20/2007	NM	NM	NM	NM	10	NM	0%
	1/27/2007	NM	NM	NM	NM	10	NM	0%
	1/31/2007	NM	NM	NM	NM	8	NM	0%
	2/7/2007	NM	NM	NM	NM	10	NM	0%
	2/16/2007	NM	NM	NM	NM	10	NM	0%
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	11	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	10	NM	0%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
	4/9/2007	NM	NM	NM	NM	8	NM	0%
	4/18/2007	NM	NM	NM	NM	10	NM	0%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/23/2007	NM	NM	NM	NM	10	NM	0%
	5/2/2007	NM	NM	NM	NM	10	NM	0%
	5/10/2007	NM	NM	NM	NM	10	NM	0%
	5/16/2007	NM	NM	NM	NM	10	NM	0%
	5/21/2007	NM	NM	NM	NM	11	NM	0%
	5/29/2007	NM	NM	NM	NM	10	NM	0%
	6/5/2007	NM	NM	NM	NM	7	NM	0%
	6/15/2007	NM	NM	NM	NM	5	NM	0%
	6/19/2007	NM	NM	NM	NM	7	NM	0%
	6/28/2007	NM	NM	NM	NM	7	NM	0%
	7/5/2007	NM	NM	NM	NM	7	NM	0%
	7/11/2007	NM	NM	NM	NM	11	NM	0%
	7/18/2007	NM	NM	NM	NM	11	NM	0%
	7/23/2007	NM	NM	NM	NM	11	NM	0%
	8/2/2007	NM	NM	NM	NM	6	NM	0%
	8/9/2007	NM	NM	NM	NM	6	NM	0%
	8/16/2007	NM	NM	NM	NM	5	NM	0%
	8/22/2007	NM	NM	NM	NM	5	NM	0%
	8/30/2007	NM	NM	NM	NM	5	NM	0%
	9/6/2007	NM	NM	NM	NM	5	NM	0%
	9/10/2007	NM	NM	NM	NM	5	NM	0%
	9/11/2007	7:40	70.5	26.8	24.17	40	0.3	100%
	9/20/2007	17:40	74.8	27.3	24.28	45	0.2	100%
	9/26/2007	17:40	78.8	27.8	24.73	45	0.1	100%
	10/4/2007	16:40	71.8	27.6	24.41	47	0.0	100%
	10/18/2007	17:14	74.8	15.3	14.2	29	0.0	75%
	10/23/2007	17:50	84.3	15.5	14.4	29	0.0	75%
	11/1/2007	18:10	82.6	15.0	13.9	29	0.0	75%
	11/7/2007	18:10	72.7	15.5	14.1	37	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-16A	3/2/2006	12:53	71.6	28.1	26.16	28.1	71.1	100%
	3/12/2006	10:45	59.7	26.3	24.62	26	36.7	50%
	3/16/2006	18:25	56.9	26.6	24.90	26	36.0	50%
	3/24/2006	8:42	60.4	26.0	24.34	26	30.0	50%
	3/31/2006	10:10	59.9	18.2	16.86	30	26.9	50%
	4/5/2006	12:00	56.4	9.6	8.86	30	25.8	50%
	4/12/2006	10:15	60.8	10.1	9.36	30	23.6	50%
	4/19/2006	11:45	71.6	26.8	24.50	35	23.7	50%
	4/26/2006	14:05	61.5	26.7	24.47	34	14.9	50%
	5/3/2006	15:10	68.7	5.90	5.54	25	11.8	50%
	5/11/2006	12:45	63.6	7.21	6.70	29	11.9	50%
	5/19/2006	11:52	66.0	7.11	6.64	27	11.7	50%
	5/24/2006	11:11	67.7	7.2	6.74	26	11.6	50%
	6/1/2006	11:56	69.6	7.6	7.11	26	11.0	50%
	6/7/2006	11:33	60.8	7.7	7.15	29	10.8	50%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	6/14/2006	11:17	60.9	9.0	8.34	30	10.3	50%
	6/23/2006	11:00	62.7	7.5	6.98	28	10.5	50%
	6/28/2006	11:57	65.1	7.6	7.10	27	8.1	50%
	7/3/2006	12:02	65.6	7.7	7.17	28	8.2	50%
	7/13/2006	14:26	97.4	4.4	4.08	30	8.0	75%
	7/21/2006	19:20	82.1	4.2	3.88	31	3.1	75%
	8/16/2006	15:56	79.8	4.0	3.70	31	2.9	75%
	8/23/2006	13:12	91.3	2.5	2.32	30	9.6	75%
	8/29/2006	12:12	87.5	2.7	2.49	31	9.4	75%
	9/9/2006	8:32	85.4	2.8	2.59	31	9.0	75%
	9/13/2006	17:06	76.4	3.1	2.87	30	7.9	75%
	9/22/2006	16:42	74.9	3.3	3.05	31	8.2	75%
	9/28/2006	13:22	76.9	3.6	3.33	31	8.8	75%
	10/2/2006	12:09	79.4	4.0	3.68	33	8.9	75%
	10/9/2006	14:52	73.4	4.4	4.04	33	8.7	75%
	10/20/2006	15:52	76.1	4.7	4.32	33	8.9	75%
	10/27/2006	14:08	78.1	4.9	4.49	34	8.2	75%
	11/2/2006	15:37	76.5	5.2	4.77	34	8.6	75%
	11/17/2006	17:40	76.1	5.6	5.05	40	8.3	75%
	11/20/2006	20:25	70.2	5.7	5.13	41	8.0	75%
	11/28/2006	17:20	68.3	5.9	5.31	41	7.6	75%
	12/8/2006	17:25	76.4	7.1	6.32	45	7.6	75%
	12/15/2006	10:50	67.1	7.7	6.83	46	7.0	75%
	12/19/2006	18:10	76.5	7.9	7.01	46	7.0	75%
	12/27/2006	17:50	74.1	8.2	7.25	47	5.9	75%
	1/4/2007	7:50	64.0	8.9	7.85	48	1.1	75%
	1/12/2007	16:50	61.1	8.6	7.57	49	0.8	75%
	1/20/2007	16:40	69.2	8.9	7.87	47	0.7	75%
	1/27/2007	6:40	62.0	8.7	7.70	47	0.6	75%
	1/31/2007	13:10	67.6	13.0	11.60	44	9.9	75%
	2/7/2007	16:10	68.1	13.8	12.21	47	9.7	75%
	2/16/2007	6:40	67.6	13.6	12.06	46	9.4	75%
	2/20/2007	17:00	69.9	13.8	12.27	45	9.8	75%
	3/1/2007	17:30	68.1	14.6	12.77	51	9.6	75%
	3/7/2007	18:00	67.1	14.0	12.25	51	9.7	75%
	3/14/2007	19:04	74.6	14.4	12.74	47	9.9	75%
	3/20/2007	17:10	68.1	14.3	12.61	48	9.6	75%
	3/28/2007	19:05	69.7	14.6	12.84	49	9.0	75%
	4/5/2007	16:50	71.9	14.6	12.81	50	9.9	75%
	4/9/2007	19:10	74.4	14.9	13.03	51	9.6	75%
	4/18/2007	16:10	74.3	15.3	13.27	54	9.0	75%
	4/23/2007	17:10	75.6	15.5	13.41	55	8.8	75%
	5/2/2007	17:20	72.3	15.9	13.75	55	8.7	75%
	5/10/2007	17:10	76.9	15.5	13.44	54	8.0	75%
	5/16/2007	14:10	71.4	15.4	13.28	56	7.5	75%
	5/21/2007	13:10	72.0	3.0	2.59	56	2.1	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/29/2007	12:40	80.0	4.98	4.30	56	1.5	75%
	6/5/2007	17:00	72.1	5.02	4.17	69	0.9	100%
	6/15/2007	9:50	79.9	20.6	17.36	64	1.0	100%
	6/19/2007	18:30	76.4	4.90	4.12	65	1.0	100%
	6/28/2007	16:50	74.9	5.21	4.38	65	0.8	100%
	7/5/2007	15:00	77.2	6.22	5.21	66	0.7	100%
	7/11/2007	19:20	72.3	6.20	5.20	66	0.4	100%
	7/18/2007	15:20	74.8	6.26	5.25	66	0.3	100%
	7/23/2007	10:20	68.5	6.39	5.35	66	0.2	100%
	8/2/2007	19:00	69.2	6.42	5.41	64	0.3	100%
	8/9/2007	16:20	72.1	6.46	5.51	60	0.2	100%
	8/16/2007	9:50	85.7	6.50	5.73	48	0.3	100%
	8/22/2007	10:20	70.9	6.16	5.40	50	0.3	100%
	8/30/2007	17:30	88.3	6.20	5.42	51	0.2	100%
	9/6/2007	10:40	74.7	6.26	5.51	49	0.1	100%
	9/10/2007	16:20	76.0	6.51	5.73	49	0.1	100%
	9/20/2007	NM	NM	NM	NM	30	NM	0%
	9/26/2007	NM	NM	NM	NM	3	NM	0%
	10/4/2007	NM	NM	NM	NM	3	NM	0%
	10/18/2007	17:00	74.4	5.95	5.6	27	0.2	75%
	10/23/2007	17:30	84.6	6.01	5.6	27	0.3	75%
	11/1/2007	17:50	82.7	6.12	5.7	27	0.2	75%
	11/7/2007	17:50	72.4	6.26	5.7	34	0.1	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VIEW-16B	3/2/2006	13:00	71.0	28.7	25.53	45	61.6	100%
	3/12/2006	10:52	60.2	16.4	15.19	30	31.6	50%
	3/16/2006	18:32	58.1	16.3	15.10	30	31.3	50%
	3/24/2006	8:50	60.9	16.2	15.01	30	26.0	50%
	3/31/2006	10:20	60.2	22.7	20.97	31	17.7	50%
	4/5/2006	12:05	56.4	11.0	10.09	32	18.4	50%
	4/12/2006	10:25	61.7	9.7	8.94	32	17.0	50%
	4/19/2006	11:50	71.5	36.4	33.00	38	15.4	50%
	4/26/2006	14:10	61.7	36.8	33.55	36	1.7	50%
	5/3/2006	15:14	68.3	52.7	49.21	27	1.4	50%
	5/11/2006	12:53	63.9	54.3	50.17	31	1.6	50%
	5/19/2006	12:00	66.3	53.6	49.65	30	2.3	50%
	5/24/2006	11:18	67.9	53.8	49.84	30	2.2	50%
	6/1/2006	12:02	69.5	54.1	49.98	31	2.1	50%
	6/7/2006	11:39	61.3	55.1	51.04	30	1.8	50%
	6/14/2006	11:25	61.0	52.6	48.72	30	1.6	50%
	6/23/2006	11:07	62.1	54.9	50.86	30	1.7	50%
	6/28/2006	12:04	65.4	54.1	50.78	25	1.2	50%
	7/3/2006	12:09	65.7	54.3	50.97	25	1.0	50%
	7/13/2006	14:24	97.4	85.6	78.66	33	1.0	75%
	7/21/2006	19:25	82.3	85.0	78.11	33	7.8	75%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	8/16/2006	16:02	79.7	83.6	76.82	33	7.4	75%
	8/23/2006	13:19	90.1	87.3	80.01	34	5.7	75%
	8/29/2006	12:19	87.0	86.1	79.12	33	5.5	75%
	9/9/2006	8:39	85.3	87.6	80.72	32	5.3	75%
	9/13/2006	17:12	76.7	86.1	78.91	34	5.5	75%
	9/22/2006	16:49	74.3	86.9	79.43	35	5.0	75%
	9/28/2006	13:29	76.3	87.1	79.61	35	4.6	75%
	10/2/2006	12:16	79.0	88.6	80.98	35	4.4	75%
	10/9/2006	14:59	73.6	88.1	80.74	34	4.3	75%
	10/20/2006	15:59	78.9	88.8	80.95	36	4.0	75%
	10/27/2006	14:16	78.3	89.3	81.19	37	3.5	75%
	11/2/2006	15:44	76.2	88.1	79.88	38	3.8	75%
	11/17/2006	17:50	76.5	94.1	84.16	43	3.8	75%
	11/20/2006	20:35	70.3	90.1	80.59	43	3.6	75%
	11/28/2006	17:30	68.7	90.3	80.76	43	3.3	75%
	12/8/2006	17:35	76.8	92.6	81.91	47	2.9	75%
	12/15/2006	11:00	67.8	91.1	80.14	49	2.4	75%
	12/19/2006	18:20	76.1	91.2	80.00	50	2.2	75%
	12/27/2006	18:00	74.3	92.8	81.41	50	2.1	75%
	1/4/2007	8:00	64.9	91.0	79.60	51	0.8	75%
	1/12/2007	17:00	61.7	90.2	78.90	51	0.6	75%
	1/20/2007	16:50	69.7	91.1	79.91	50	0.4	75%
	1/27/2007	6:50	62.4	90.2	79.12	50	0.3	75%
	1/31/2007	13:20	67.8	54.5	48.21	47	1.0	75%
	2/7/2007	16:20	68.4	54.9	48.16	50	0.9	75%
	2/16/2007	6:50	67.4	55.6	48.91	49	0.6	75%
	2/20/2007	17:10	69.1	55.8	49.22	48	0.9	75%
	3/1/2007	17:40	68.8	56.9	49.49	53	0.9	75%
	3/7/2007	18:10	67.0	57.1	49.53	54	0.8	75%
	3/14/2007	19:11	74.8	55.8	48.95	50	0.6	75%
	3/20/2007	17:20	68.9	55.9	49.04	50	0.5	75%
	3/27/2007	19:15	69.4	56.2	49.30	50	0.4	75%
	4/5/2007	17:00	71.6	56.8	49.83	50	0.6	75%
	4/9/2007	NM	NM	NM	NM	9	NM	0%
	4/18/2007	NM	NM	NM	NM	5	NM	0%
	4/23/2007	NM	NM	NM	NM	5	NM	0%
	5/2/2007	NM	NM	NM	NM	6	NM	0%
	5/10/2007	NM	NM	NM	NM	5	NM	0%
	5/16/2007	NM	NM	NM	NM	5	NM	0%
	5/21/2007	NM	NM	NM	NM	6	NM	0%
	5/29/2007	NM	NM	NM	NM	5	NM	0%
	6/5/2007	NM	NM	NM	NM	4	NM	0%
	6/15/2007	NM	NM	NM	NM	5	NM	0%
	6/19/2007	NM	NM	NM	NM	4	NM	0%
	6/28/2007	NM	NM	NM	NM	4	NM	0%
	7/5/2007	NM	NM	NM	NM	5	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	7/11/2007	NM	NM	NM	NM	8	NM	0%
	7/18/2007	NM	NM	NM	NM	8	NM	0%
	7/23/2007	NM	NM	NM	NM	8	NM	0%
	8/2/2007	NM	NM	NM	NM	4	NM	0%
	8/9/2007	NM	NM	NM	NM	4	NM	0%
	8/16/2007	NM	NM	NM	NM	4	NM	0%
	8/22/2007	NM	NM	NM	NM	5	NM	0%
	8/30/2007	NM	NM	NM	NM	6	NM	0%
	9/6/2007	NM	NM	NM	NM	3	NM	0%
	9/10/2007	NM	NM	NM	NM	3	NM	0%
	9/20/2007	NM	NM	NM	NM	5	NM	0%
	9/26/2007	NM	NM	NM	NM	5	NM	0%
	10/4/2007	NM	NM	NM	NM	5	NM	0%
	10/18/2007	17:07	74.9	76.0	70.4	30	0.1	75%
	10/23/2007	17:40	84.2	71.6	66.1	31	0.1	75%
	11/1/2007	18:00	82.0	71.9	66.4	31	0.1	75%
	11/7/2007	18:00	72.5	71.6	64.7	39	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-17A	3/2/2006	13:25	71.6	21.6	19.21	45	10.6	100%
	3/12/2006	11:30	61.2	20.3	18.95	27	7.6	50%
	3/17/2006	6:23	59.7	21.6	20.17	27	9.6	50%
	3/24/2006	9:27	61.3	21.4	19.93	28	9.0	50%
	3/31/2006	11:10	60.4	16.4	15.15	31	29.7	50%
	4/5/2006	12:30	56.9	12.9	11.95	30	28.1	50%
	4/12/2006	11:10	61.4	11.0	10.19	30	26.2	50%
	4/19/2006	12:25	71.4	36.1	32.82	37	26.3	50%
	4/26/2006	14:45	61.5	39.6	36.29	34	2.1	50%
	5/3/2006	15:42	68.6	13.0	12.14	27	2.0	50%
	5/11/2006	13:33	64.3	15.7	14.54	30	1.9	50%
	5/19/2006	12:51	65.8	14.8	13.75	29	1.6	50%
	5/24/2006	12:05	67.4	14.5	13.43	30	1.4	50%
	6/1/2006	12:48	69.5	14.6	13.52	30	1.2	50%
	6/7/2006	12:24	60.7	14.8	13.75	29	1.4	50%
	6/14/2006	12:12	60.6	13.9	12.88	30	1.1	50%
	6/23/2006	11:56	62.8	14.5	13.47	29	1.4	50%
	6/28/2006	12:53	65.4	14.8	13.82	27	0.8	50%
	7/3/2006	13:18	65.2	14.3	13.32	28	0.7	50%
	7/13/2006	15:11	97.5	15.9	14.73	30	0.4	75%
	7/21/2006	20:00	82.8	15.8	14.60	31	0.2	75%
	8/16/2006	16:44	79.7	16.8	15.48	32	0.2	75%
	8/23/2006	14:08	91.0	17.8	16.44	31	0.2	75%
	8/29/2006	13:08	86.9	18.6	17.18	31	0.2	75%
	9/9/2006	9:28	85.6	18.1	16.72	31	0.2	75%
	9/13/2006	17:54	76.8	17.9	16.49	32	0.2	75%
	9/22/2006	17:38	74.6	18.3	16.86	32	0.1	75%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	9/25/2006	14:44	76.7	17.9	16.45	33	0.2	75%
	10/2/2006	13:10	78.6	18.6	17.05	34	1.4	75%
	10/9/2006	15:49	72.6	18.9	17.32	34	1.6	75%
	10/20/2006	16:49	78.6	18.4	16.91	33	1.0	75%
	10/27/2006	15:12	78.4	18.8	17.18	35	0.9	75%
	11/2/2006	16:35	76.0	18.4	16.82	35	0.9	75%
	11/17/2006	NM	NM	NM	NM	7	NM	0%
	11/20/2006	NM	NM	NM	NM	7	NM	0%
	11/28/2006	NM	NM	NM	NM	7	NM	0%
	12/8/2006	NM	NM	NM	NM	9	NM	0%
	12/15/2006	NM	NM	NM	NM	9	NM	0%
	12/19/2006	NM	NM	NM	NM	9	NM	0%
	12/27/2006	NM	NM	NM	NM	10	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%
	1/12/2007	NM	NM	NM	NM	9	NM	0%
	1/20/2007	NM	NM	NM	NM	9	NM	0%
	1/27/2007	NM	NM	NM	NM	9	NM	0%
	1/31/2007	NM	NM	NM	NM	7	NM	0%
	2/7/2007	NM	NM	NM	NM	9	NM	0%
	2/16/2007	NM	NM	NM	NM	9	NM	0%
	2/20/2007	NM	NM	NM	NM	9	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	10	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	10	NM	0%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
	4/9/2007	NM	NM	NM	NM	14	NM	0%
	4/18/2007	NM	NM	NM	NM	7	NM	0%
	4/23/2007	NM	NM	NM	NM	8	NM	0%
	5/2/2007	NM	NM	NM	NM	8	NM	0%
	5/10/2007	NM	NM	NM	NM	7	NM	0%
	5/16/2007	NM	NM	NM	NM	8	NM	0%
	5/21/2007	NM	NM	NM	NM	7	NM	0%
	5/29/2007	NM	NM	NM	NM	8	NM	0%
	6/5/2007	NM	NM	NM	NM	5	NM	0%
	6/15/2007	NM	NM	NM	NM	4	NM	0%
	6/19/2007	NM	NM	NM	NM	5	NM	0%
	6/28/2007	NM	NM	NM	NM	5	NM	0%
	7/5/2007	NM	NM	NM	NM	5	NM	0%
	7/11/2007	NM	NM	NM	NM	6	NM	0%
	7/18/2007	NM	NM	NM	NM	6	NM	0%
	7/23/2007	NM	NM	NM	NM	6	NM	0%
	8/2/2007	NM	NM	NM	NM	5	NM	0%
	8/9/2007	NM	NM	NM	NM	5	NM	0%
	8/16/2007	NM	NM	NM	NM	8	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	8/22/2007	NM	NM	NM	NM	5	NM	0%
	8/30/2007	NM	NM	NM	NM	5	NM	0%
	9/6/2007	NM	NM	NM	NM	4	NM	0%
	9/10/2007	NM	NM	NM	NM	4	NM	0%
	9/11/2007	7:50	70.9	19.8	17.86	40	0.0	100%
	9/20/2007	18:20	74.5	20.4	18.20	44	0.3	100%
	9/26/2007	18:20	78.3	20.8	18.55	44	0.2	100%
	10/4/2007	17:20	71.6	20.1	17.83	46	0.2	100%
	10/18/2007	17:49	74.2	38.7	35.5	34	0.0	75%
	10/23/2007	18:50	84.8	38.1	34.9	34	0.0	75%
	11/1/2007	19:10	82.9	38.2	35.0	34	0.0	75%
	11/7/2007	19:10	72.9	38.8	35.1	39	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-17B	3/2/2006	13:31	71.6	36.7	32.64	45	21.6	100%
	3/12/2006	11:22	61.2	42.7	39.55	30	16.7	50%
	3/17/2006	6:17	59.6	43.6	40.39	30	16.8	50%
	3/24/2006	9:20	60.9	43.6	40.28	31	10.9	50%
	3/31/2006	11:00	60.1	21.3	19.73	30	15.2	50%
	4/5/2006	12:25	63.1	136.7	125.29	34	14.9	50%
	4/12/2006	11:05	61.2	119.3	110.51	30	12.8	50%
	4/19/2006	12:20	71.2	43.9	39.48	41	14.1	50%
	4/26/2006	14:40	61.4	29.8	26.95	39	1.0	50%
	5/3/2006	15:38	68.0	69.2	64.10	30	1.1	50%
	5/11/2006	13:26	64.2	72.10	66.08	34	0.8	50%
	5/19/2006	12:44	66.3	70.1	64.59	32	0.9	50%
	5/24/2006	11:57	67.9	71.2	65.78	31	0.8	50%
	6/1/2006	12:41	69.3	71.8	66.33	31	0.6	50%
	6/7/2006	12:18	60.9	71.9	65.90	34	0.4	50%
	6/14/2006	12:05	60.7	70.3	64.26	35	0.6	50%
	6/23/2006	11:49	62.9	71.8	65.80	34	0.2	50%
	6/28/2006	12:46	65.4	71.8	65.98	33	0.4	50%
	7/3/2006	13:11	65.5	71.7	65.89	33	0.4	50%
	7/13/2006	15:04	97.6	48.2	44.06	35	0.3	75%
	7/21/2006	19:55	82.4	48.6	44.42	35	0.6	75%
	8/16/2006	16:38	79.9	46.9	42.98	34	0.4	75%
	8/23/2006	14:01	91.7	45.0	41.13	35	0.5	75%
	8/29/2006	13:01	87.0	43.6	39.85	35	0.4	75%
	9/9/2006	9:21	85.5	41.6	38.02	35	0.3	75%
	9/13/2006	17:48	76.3	42.1	38.38	36	0.2	75%
	9/22/2006	17:31	74.0	44.6	40.66	36	0.3	75%
	9/28/2006	14:36	76.8	44.0	40.11	36	0.6	75%
	10/2/2006	13:04	78.8	45.1	40.89	38	0.8	75%
	10/9/2006	15:42	72.9	46.1	41.80	38	1.1	75%
	10/20/2006	16:42	78.8	47.1	42.82	37	1.8	75%
	10/27/2006	15:04	78.3	48.8	44.13	39	0.8	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	11/2/2006	16:27	76.5	49.6	44.85	39	0.9	75%
	11/17/2006	NM	NM	NM	NM	11	NM	0%
	11/20/2006	NM	NM	NM	NM	11	NM	0%
	11/28/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	13	NM	0%
	12/15/2006	NM	NM	NM	NM	14	NM	0%
	12/19/2006	NM	NM	NM	NM	14	NM	0%
	12/27/2006	NM	NM	NM	NM	14	NM	0%
	1/4/2007	NM	NM	NM	NM	14	NM	0%
	1/12/2007	NM	NM	NM	NM	14	NM	0%
	1/20/2007	NM	NM	NM	NM	14	NM	0%
	1/27/2007	NM	NM	NM	NM	14	NM	0%
	1/31/2007	NM	NM	NM	NM	12	NM	0%
	2/7/2007	NM	NM	NM	NM	14	NM	0%
	2/16/2007	NM	NM	NM	NM	14	NM	0%
	2/20/2007	NM	NM	NM	NM	15	NM	0%
	3/1/2007	NM	NM	NM	NM	15	NM	0%
	3/7/2007	NM	NM	NM	NM	15	NM	0%
	3/14/2007	NM	NM	NM	NM	14	NM	0%
	3/20/2007	NM	NM	NM	NM	14	NM	0%
	3/28/2007	NM	NM	NM	NM	14	NM	0%
	4/5/2007	NM	NM	NM	NM	14	NM	0%
	4/9/2007	NM	NM	NM	NM	13	NM	0%
	4/18/2007	NM	NM	NM	NM	12	NM	0%
	4/23/2007	NM	NM	NM	NM	12	NM	0%
	5/2/2007	NM	NM	NM	NM	10	NM	0%
	5/10/2007	NM	NM	NM	NM	13	NM	0%
	5/16/2007	NM	NM	NM	NM	13	NM	0%
	5/21/2007	NM	NM	NM	NM	14	NM	0%
	5/29/2007	NM	NM	NM	NM	14	NM	0%
	6/5/2007	NM	NM	NM	NM	10	NM	0%
	6/15/2007	NM	NM	NM	NM	9	NM	0%
	6/19/2007	NM	NM	NM	NM	10	NM	0%
	6/28/2007	NM	NM	NM	NM	10	NM	0%
	7/5/2007	NM	NM	NM	NM	10	NM	0%
	7/11/2007	NM	NM	NM	NM	10	NM	0%
	7/18/2007	NM	NM	NM	NM	10	NM	0%
	7/23/2007	NM	NM	NM	NM	10	NM	0%
	8/2/2007	NM	NM	NM	NM	10	NM	0%
	8/9/2007	NM	NM	NM	NM	10	NM	0%
	8/16/2007	NM	NM	NM	NM	6	NM	0%
	8/22/2007	NM	NM	NM	NM	10	NM	0%
	8/30/2007	NM	NM	NM	NM	10	NM	0%
	9/6/2007	NM	NM	NM	NM	9	NM	0%
	9/10/2007	NM	NM	NM	NM	9	NM	0%
	9/11/2007	8:00	70.4	21.8	19.39	45	0.7	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	9/20/2007	18:10	74.6	21.8	19.18	49	0.5	100%
	9/26/2007	18:10	78.6	21.1	18.56	49	0.4	100%
	10/4/2007	17:10	71.2	21.9	19.16	51	0.2	100%
	10/18/2007	17:42	74.1	38.0	34.8	34	0.0	75%
	10/23/2007	18:40	84.6	38.6	35.4	34	0.0	75%
	11/1/2007	19:00	82.6	38.5	35.3	34	0.0	75%
	11/7/2007	19:00	72.7	38.4	34.6	40	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-18A	3/2/2006	13:52	73.6	8.3	7.33	46	79.6	100%
	3/12/2006	11:38	61.3	4.4	4.09	29	16.7	50%
	3/17/2006	6:29	59.4	4.4	4.11	30	16.8	50%
	3/24/2006	9:35	61.0	4.4	4.09	30	14.8	50%
	3/31/2006	11:20	60.6	14.7	13.54	32	24.9	50%
	4/5/2006	12:35	56.7	11.2	10.27	32	23.6	50%
	4/12/2006	11:15	61.3	10.3	9.54	30	21.4	50%
	4/19/2006	12:30	71.6	29.9	27.26	36	21.0	50%
	4/26/2006	14:50	61.6	29.6	26.98	36	2.4	50%
	5/3/2006	15:46	68.6	13.3	12.42	27	2.1	50%
	5/11/2006	13:40	64.2	15.4	14.15	33	2.0	50%
	5/19/2006	13:00	65.6	10.4	9.63	30	1.9	50%
	5/24/2006	12:12	67.8	10.7	9.91	30	1.7	50%
	6/1/2006	12:55	69.3	10.7	9.91	30	1.6	50%
	6/7/2006	12:30	61.2	10.8	9.98	31	1.7	50%
	6/14/2006	12:16	60.8	11.1	10.25	31	1.6	50%
	6/23/2006	12:03	62.9	11.1	10.28	30	1.2	50%
	6/28/2006	13:00	65.8	11.8	10.93	30	0.7	50%
	7/3/2006	13:25	65.0	11.6	10.75	30	0.6	50%
	7/13/2006	15:18	97.6	7.9	7.26	33	0.7	75%
	7/21/2006	20:05	82.3	7.6	6.98	33	0.5	75%
	8/16/2006	16:50	80.0	7.3	6.71	33	0.4	75%
	8/23/2006	14:15	90.6	9.0	8.25	34	0.5	75%
	8/29/2006	13:15	86.6	9.6	8.82	33	0.5	75%
	9/9/2006	9:35	85.2	9.6	8.82	33	0.4	75%
	9/13/2006	18:00	76.6	9.0	8.25	34	0.5	75%
	9/22/2006	17:45	74.4	9.9	9.07	34	0.9	75%
	9/28/2006	14:51	76.4	10.2	9.35	34	1.1	75%
	10/2/2006	13:18	79.2	10.6	9.69	35	1.0	75%
	10/9/2006	15:56	73.1	10.7	9.81	34	1.1	75%
	10/20/2006	16:56	78.4	11.4	10.42	35	1.0	75%
	10/27/2006	15:20	78.0	12.1	11.00	37	1.2	75%
	11/2/2006	16:42	76.4	12.8	11.64	37	1.8	75%
	11/17/2006	NM	NM	NM	NM	9	NM	0%
	11/20/2006	NM	NM	NM	NM	9	NM	0%
	11/28/2006	NM	NM	NM	NM	9	NM	0%
	12/8/2006	NM	NM	NM	NM	8	NM	0%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/15/2006	NM	NM	NM	NM	8	NM	0%
	12/19/2006	NM	NM	NM	NM	8	NM	0%
	12/27/2006	NM	NM	NM	NM	9	NM	0%
	1/4/2007	NM	NM	NM	NM	9	NM	0%
	1/12/2007	NM	NM	NM	NM	9	NM	0%
	1/20/2007	NM	NM	NM	NM	8	NM	0%
	1/27/2007	NM	NM	NM	NM	9	NM	0%
	1/31/2007	NM	NM	NM	NM	9	NM	0%
	2/7/2007	NM	NM	NM	NM	9	NM	0%
	2/16/2007	NM	NM	NM	NM	9	NM	0%
	2/20/2007	NM	NM	NM	NM	9	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	10	NM	0%
	3/14/2007	NM	NM	NM	NM	8	NM	0%
	3/20/2007	NM	NM	NM	NM	9	NM	0%
	3/28/2007	NM	NM	NM	NM	9	NM	0%
	4/5/2007	NM	NM	NM	NM	9	NM	0%
	4/9/2007	NM	NM	NM	NM	10	NM	0%
	4/18/2007	NM	NM	NM	NM	7	NM	0%
	4/23/2007	NM	NM	NM	NM	7	NM	0%
	5/2/2007	NM	NM	NM	NM	7	NM	0%
	5/10/2007	NM	NM	NM	NM	7	NM	0%
	5/16/2007	NM	NM	NM	NM	7	NM	0%
	5/21/2007	NM	NM	NM	NM	8	NM	0%
	5/29/2007	NM	NM	NM	NM	10	NM	0%
	6/5/2007	NM	NM	NM	NM	6	NM	0%
	6/15/2007	NM	NM	NM	NM	6	NM	0%
	6/19/2007	NM	NM	NM	NM	5	NM	0%
	6/28/2007	NM	NM	NM	NM	5	NM	0%
	7/5/2007	NM	NM	NM	NM	5	NM	0%
	7/11/2007	NM	NM	NM	NM	5	NM	0%
	7/18/2007	NM	NM	NM	NM	6	NM	0%
	7/23/2007	NM	NM	NM	NM	6	NM	0%
	8/2/2007	NM	NM	NM	NM	5	NM	0%
	8/9/2007	NM	NM	NM	NM	5	NM	0%
	8/16/2007	NM	NM	NM	NM	5	NM	0%
	8/22/2007	NM	NM	NM	NM	5	NM	0%
	8/30/2007	NM	NM	NM	NM	5	NM	0%
	9/6/2007	NM	NM	NM	NM	5	NM	0%
	9/10/2007	NM	NM	NM	NM	5	NM	0%
	9/11/2007	8:10	70.8	42.8	38.39	42	0.4	100%
	9/20/2007	18:40	74.3	43.4	38.50	46	0.3	100%
	9/26/2007	18:40	78.4	43.9	38.94	46	0.2	100%
	10/4/2007	17:40	71.1	43.6	38.35	49	0.1	100%
	10/18/2007	18:03	74.8	8.35	7.73	30	0.0	75%
	10/23/2007	19:10	84.1	8.41	7.77	31	0.0	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	11/1/2007	19:20	82.1	8.44	7.80	31	0.0	75%
	11/7/2007	19:30	72.4	8.46	7.65	39	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-18B	3/2/2006	13:45	70.1	4.8	4.21	46	48.6	100%
	3/12/2006	11:45	61.7	9.5	8.85	28	40.6	50%
	3/17/2006	6:36	59.0	9.6	8.89	28	41.6	50%
	3/24/2006	9:43	61.3	9.5	8.85	28	35.7	50%
	3/31/2006	11:30	60.7	18.7	17.23	32	16.4	50%
	4/5/2006	12:40	56.9	9.8	9.03	32	15.9	50%
	4/12/2006	11:20	61.5	8.8	8.15	30	12.8	50%
	4/19/2006	12:35	71.5	39.4	35.72	38	13.7	50%
	4/26/2006	14:55	61.7	39.2	35.64	37	13.6	50%
	5/3/2006	15:50	68.9	9.5	8.85	28	11.3	50%
	5/11/2006	13:48	64.0	10.9	10.04	32	11.9	50%
	5/19/2006	13:07	66.3	9.8	9.08	30	11.3	50%
	5/24/2006	12:18	68.0	9.9	9.17	30	11.0	50%
	6/1/2006	13:02	69.6	9.8	9.08	30	10.5	50%
	6/7/2006	12:36	61.0	9.6	8.89	30	9.9	50%
	6/14/2006	12:23	60.9	10.0	9.26	30	10.2	50%
	6/23/2006	12:10	62.8	9.4	8.71	30	9.6	50%
	6/28/2006	13:07	65.4	9.4	8.71	30	7.6	50%
	7/3/2006	13:32	65.7	9.6	8.87	31	7.0	50%
	7/13/2006	15:25	97.1	4.5	4.14	33	7.4	75%
	7/21/2006	20:10	82.9	4.4	4.03	34	0.8	75%
	8/16/2006	16:56	80.2	4.2	3.86	33	0.6	75%
	8/23/2006	14:22	90.4	8.5	7.81	33	0.7	75%
	8/29/2006	13:22	87.3	8.4	7.72	33	0.6	75%
	9/9/2006	9:42	85.8	8.8	8.11	32	0.7	75%
	9/13/2006	18:06	76.1	8.1	7.42	34	0.5	75%
	9/22/2006	17:52	74.1	8.7	7.95	35	0.6	75%
	9/28/2006	14:58	76.5	8.8	8.04	35	0.8	75%
	10/2/2006	13:24	79.6	9.1	8.30	36	1.6	75%
	10/9/2006	16:05	73.3	9.3	8.50	35	1.7	75%
	10/20/2006	17:03	78.7	9.6	8.80	34	1.7	75%
	10/27/2006	15:28	78.1	10.6	9.66	36	1.3	75%
	11/2/2006	16:59	76.1	10.1	9.21	36	1.6	75%
	11/17/2006	NM	NM	NM	NM	6	NM	0%
	11/20/2006	NM	NM	NM	NM	7	NM	0%
	11/28/2006	NM	NM	NM	NM	7	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	10	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%
	1/12/2007	NM	NM	NM	NM	10	NM	0%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/20/2007	NM	NM	NM	NM	10	NM	0%
	1/27/2007	NM	NM	NM	NM	10	NM	0%
	1/31/2007	NM	NM	NM	NM	6	NM	0%
	2/7/2007	NM	NM	NM	NM	10	NM	0%
	2/16/2007	NM	NM	NM	NM	10	NM	0%
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	10	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	11	NM	0%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
	4/9/2007	NM	NM	NM	NM	9	NM	0%
	4/18/2007	NM	NM	NM	NM	10	NM	0%
	4/23/2007	NM	NM	NM	NM	10	NM	0%
	5/2/2007	NM	NM	NM	NM	9	NM	0%
	5/10/2007	NM	NM	NM	NM	9	NM	0%
	5/16/2007	NM	NM	NM	NM	10	NM	0%
	5/21/2007	NM	NM	NM	NM	9	NM	0%
	5/29/2007	NM	NM	NM	NM	8	NM	0%
	6/5/2007	NM	NM	NM	NM	8	NM	0%
	6/15/2007	NM	NM	NM	NM	4	NM	0%
	6/19/2007	NM	NM	NM	NM	7	NM	0%
	6/28/2007	NM	NM	NM	NM	8	NM	0%
	7/5/2007	NM	NM	NM	NM	8	NM	0%
	7/11/2007	NM	NM	NM	NM	8	NM	0%
	7/18/2007	NM	NM	NM	NM	8	NM	0%
	7/23/2007	NM	NM	NM	NM	8	NM	0%
	8/2/2007	NM	NM	NM	NM	7	NM	0%
	8/9/2007	NM	NM	NM	NM	6	NM	0%
	8/16/2007	NM	NM	NM	NM	4	NM	0%
	8/22/2007	NM	NM	NM	NM	0	NM	0%
	8/30/2007	NM	NM	NM	NM	0	NM	0%
	9/6/2007	NM	NM	NM	NM	0	NM	0%
	9/10/2007	NM	NM	NM	NM	0	NM	0%
	9/11/2007	8:20	70.6	51.8	46.58	41	0.2	100%
	9/20/2007	18:30	74.8	52.6	46.66	46	0.1	100%
	9/26/2007	18:30	78.1	52.1	46.34	45	0.0	100%
	10/4/2007	17:30	71.4	52.6	46.27	49	0.0	100%
	10/18/2007	17:56	74.2	5.25	4.86	30	0.0	75%
	10/23/2007	19:00	84.9	5.31	4.91	31	0.0	75%
	11/1/2007	19:30	82.2	5.33	4.92	31	0.0	75%
	11/7/2007	19:20	72.5	5.38	4.92	35	0.0	75%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-19A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	0	NM	0%
	4/19/2006	8:40	71.0	19.7	19.02	14	27.5	25%
	4/26/2006	9:14	61.4	19.7	19.02	14	1.9	25%
	5/3/2006	13:28	65.1	7.15	6.80	20	1.8	25%
	5/11/2006	9:56	63.8	7.9	7.40	24	1.9	25%
	5/19/2006	8:51	65.7	2.76	2.69	10	1.7	5%
	5/24/2006	8:43	67.4	2.5	2.44	10	1.6	25%
	6/1/2006	9:30	69.4	2.1	2.05	10	1.5	25%
	6/7/2006	8:57	60.3	2.0	1.94	12	1.2	5%
	6/14/2006	8:46	60.3	2.1	2.04	12	0.8	5%
	6/23/2006	8:19	61.2	2.2	2.14	12	1.1	5%
	6/28/2006	7:49	63.4	2.1	2.03	13	1.3	5%
	7/3/2006	8:49	64.3	2.0	1.94	13	1.1	5%
	7/13/2006	11:19	97.7	4.6	4.33	24	1.0	25%
	7/21/2006	17:20	82.6	4.4	4.13	25	1.1	25%
	8/11/2006	17:05	81.9	14.8	13.89	25	0.0	25%
	8/16/2006	12:27	79.8	4.8	4.51	25	1.0	25%
	8/23/2006	8:29	90.3	4.1	3.84	26	1.6	25%
	8/29/2006	7:49	85.9	4.3	4.03	26	1.7	25%
	9/9/2006	11:31	84.1	7.6	7.10	27	1.6	25%
	9/13/2006	14:42	76.0	4.4	4.12	26	1.4	25%
	9/22/2006	13:49	73.3	7.5	7.02	26	1.8	25%
	9/28/2006	10:34	76.6	7.7	7.21	26	1.6	25%
	10/2/2006	7:59	78.8	7.9	7.38	27	1.4	25%
	10/9/2006	11:49	72.8	8.1	7.54	28	1.8	100%
	10/20/2006	12:49	79.0	8.3	7.73	28	1.9	100%
	10/27/2006	10:56	77.6	8.8	8.15	30	1.6	100%
	11/2/2006	12:49	76.7	8.1	7.50	30	1.7	100%
	11/17/2006	13:50	76.4	9.3	8.50	35	1.2	100%
	11/20/2006	16:35	70.6	9.5	8.66	36	1.1	100%
	11/27/2006	16:10	71.3	10.8	9.77	39	1.0	100%
	12/8/2006	13:35	76.7	10.8	9.74	40	0.6	100%
	12/15/2006	6:50	67.5	11.3	10.22	39	0.4	100%
	12/19/2006	13:50	73.1	10.6	9.58	39	0.3	100%
	12/27/2006	14:00	74.5	10.7	9.60	42	0.4	100%
	1/3/2007	13:50	76.9	10.1	9.03	43	0.2	100%
	1/11/2007	15:05	68.7	10.5	9.37	44	0.1	100%
	1/17/2007	15:50	67.1	10.0	8.92	44	0.0	100%
	1/26/2007	16:05	69.5	9.7	8.58	47	0.0	100%
	1/31/2007	9:20	67.3	14.3	13.04	36	0.6	100%
	2/7/2007	11:50	68.9	14.7	13.00	47	0.5	100%
	2/15/2007	15:20	71.8	14.9	13.33	43	0.7	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	2/20/2007	13:00	69.4	14.6	13.17	40	0.8	100%
	3/1/2007	7:00	63.8	73.7	65.74	44	0.6	100%
	3/7/2007	14:30	67.9	23.8	21.23	44	0.5	100%
	3/14/2007	16:37	74.2	23.1	20.66	43	0.5	100%
	3/20/2007	13:40	68.3	23.8	21.29	43	0.4	100%
	3/27/2007	17:15	70.8	23.6	21.11	43	0.3	100%
	4/5/2007	13:10	71.1	23.6	21.11	43	0.4	100%
	4/9/2007	NM	NM	NM	NM	9	NM	0%
	4/18/2007	NM	NM	NM	NM	13	NM	0%
	4/23/2007	NM	NM	NM	NM	14	NM	0%
	5/2/2007	NM	NM	NM	NM	13	NM	0%
	5/10/2007	NM	NM	NM	NM	13	NM	0%
	5/16/2007	NM	NM	NM	NM	14	NM	0%
	5/21/2007	NM	NM	NM	NM	14	NM	0%
	5/29/2007	NM	NM	NM	NM	15	NM	0%
	6/5/2007	NM	NM	NM	NM	15	NM	0%
	6/15/2007	NM	NM	NM	NM	14	NM	0%
	6/19/2007	NM	NM	NM	NM	15	NM	0%
	6/28/2007	NM	NM	NM	NM	16	NM	0%
	7/5/2007	NM	NM	NM	NM	16	NM	0%
	7/11/2007	NM	NM	NM	NM	15	NM	0%
	7/18/2007	NM	NM	NM	NM	15	NM	0%
	7/23/2007	NM	NM	NM	NM	15	NM	0%
	8/2/2007	NM	NM	NM	NM	16	NM	0%
	8/9/2007	NM	NM	NM	NM	14	NM	0%
	8/16/2007	NM	NM	NM	NM	10	NM	0%
	8/22/2007	NM	NM	NM	NM	15	NM	0%
	8/30/2007	NM	NM	NM	NM	16	NM	0%
	9/6/2007	NM	NM	NM	NM	14	NM	0%
	9/10/2007	NM	NM	NM	NM	14	NM	0%
	9/11/2007	8:30	70.7	23.8	21.87	33	0.8	100%
	9/20/2007	15:10	74.8	23.1	20.49	46	0.6	100%
	9/26/2007	14:50	78.3	23.4	20.81	45	0.5	100%
	10/4/2007	14:20	71.3	23.9	21.43	42	0.4	100%
	10/18/2007	14:09	74.4	13.8	13.02	23	0.2	25%
	10/23/2007	13:30	84.7	13.4	12.64	23	0.2	25%
	11/1/2007	14:00	82.9	13.7	12.93	23	0.2	25%
	11/7/2007	14:10	72.3	13.6	12.40	36	0.1	25%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-19B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	12	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/19/2006	8:50	71.4	42.1	38.58	34	29.4	25%
	4/26/2006	9:18	61.3	41.7	38.22	34	150.0	25%
	5/3/2006	13:32	65.4	8.8	8.32	22	110.2	25%
	5/11/2006	10:03	63.9	8.9	8.29	28	106.9	25%
	5/19/2006	8:58	65.4	8.6	8.05	26	110.8	25%
	5/24/2006	8:49	67.5	8.7	8.17	25	105.8	25%
	6/1/2006	9:36	69.6	8.8	8.26	25	103.6	25%
	6/7/2006	9:04	60.2	8.6	8.03	27	101.9	25%
	6/14/2006	8:53	60.3	8.4	7.82	28	101.1	25%
	6/23/2006	8:26	61.3	8.7	8.14	26	99.8	25%
	6/28/2006	7:56	63.5	8.5	7.96	26	98.1	25%
	7/3/2006	8:56	64.8	8.3	7.75	27	97.2	25%
	7/13/2006	11:25	97.6	9.5	8.96	23	90.6	50%
	7/21/2006	17:25	82.6	9.4	8.87	23	86.7	50%
	8/11/2006	17:10	82.9	9.9	9.17	28	8.3	100%
	8/16/2006	12:33	79.7	9.8	9.25	23	83.6	100%
	8/23/2006	8:36	90.8	7.5	6.97	29	56.9	100%
	8/29/2006	7:56	86.3	7.4	6.93	26	54.6	100%
	9/9/2006	11:38	84.3	13.6	12.70	27	53.0	100%
	9/13/2006	14:48	76.4	13.8	12.78	30	54.8	100%
	9/22/2006	13:56	73.6	13.9	12.88	30	55.8	100%
	9/28/2006	10:41	76.9	14.3	13.28	29	54.1	100%
	10/2/2006	8:06	78.5	14.9	13.77	31	55.2	100%
	10/9/2006	11:56	72.4	14.6	13.49	31	56.1	100%
	10/20/2006	12:56	79.3	14.8	13.67	31	57.6	100%
	10/27/2006	11:04	77.4	14.9	13.69	33	57.4	100%
	11/2/2006	12:56	76.5	14.5	13.32	33	57.6	100%
	11/17/2006	14:00	76.2	10.4	9.43	38	51.3	100%
	11/20/2006	16:45	70.9	10.2	9.25	38	49.2	100%
	11/27/2006	16:20	71.6	18.6	16.64	43	46.9	100%
	12/8/2006	13:45	76.5	19.6	17.48	44	44.2	100%
	12/15/2006	7:00	67.9	19.7	17.57	44	40.1	100%
	12/19/2006	14:00	73.3	20.0	17.84	44	38.0	100%
	12/27/2006	14:10	74.1	21.1	18.72	46	38.6	100%
	1/3/2007	14:00	76.4	22.6	19.99	47	18.2	100%
	1/11/2007	15:15	68.1	23.1	20.43	47	17.0	100%
	1/17/2007	16:00	67.3	23.7	20.91	48	15.9	100%
	1/26/2007	16:15	69.9	20.7	18.36	46	13.8	100%
	1/31/2007	9:30	67.4	15.2	13.71	40	1.9	100%
	2/7/2007	12:00	68.5	15.5	13.75	46	1.6	100%
	2/15/2007	15:30	71.2	15.9	14.10	46	1.3	100%
	2/20/2007	13:10	69.7	16.3	14.54	44	1.4	100%
	3/1/2007	7:10	63.7	14.9	13.18	47	1.6	100%
	3/7/2007	14:40	67.8	14.8	13.06	48	1.2	100%
	3/14/2007	16:44	74.8	15.3	13.57	46	1.1	100%
	3/20/2007	13:50	68.5	15.8	13.98	47	1.0	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/27/2007	17:25	70.6	15.6	13.80	47	0.9	100%
	4/5/2007	13:20	71.3	15.6	13.80	47	1.0	100%
	4/9/2007	NM	NM	NM	NM	8.0	NM	0%
	4/18/2007	NM	NM	NM	NM	13	NM	0%
	4/23/2007	NM	NM	NM	NM	16	NM	0%
	5/2/2007	NM	NM	NM	NM	15	NM	0%
	5/10/2007	NM	NM	NM	NM	16	NM	0%
	5/16/2007	NM	NM	NM	NM	17	NM	0%
	5/21/2007	NM	NM	NM	NM	17	NM	0%
	5/29/2007	NM	NM	NM	NM	17	NM	0%
	6/5/2007	NM	NM	NM	NM	19	NM	0%
	6/15/2007	NM	NM	NM	NM	16	NM	0%
	6/19/2007	NM	NM	NM	NM	20	NM	0%
	6/28/2007	NM	NM	NM	NM	20	NM	0%
	7/5/2007	NM	NM	NM	NM	20	NM	0%
	7/11/2007	NM	NM	NM	NM	20	NM	0%
	7/18/2007	NM	NM	NM	NM	21	NM	0%
	7/23/2007	NM	NM	NM	NM	22	NM	0%
	8/2/2007	NM	NM	NM	NM	20	NM	0%
	8/9/2007	NM	NM	NM	NM	17	NM	0%
	8/16/2007	NM	NM	NM	NM	12	NM	0%
	8/22/2007	NM	NM	NM	NM	20	NM	0%
	8/30/2007	NM	NM	NM	NM	20	NM	0%
	9/6/2007	NM	NM	NM	NM	16	NM	0%
	9/10/2007	NM	NM	NM	NM	15	NM	0%
	9/11/2007	8:40	70.6	14.8	13.46	37	0.4	100%
	9/20/2007	15:20	74.9	14.9	13.36	42	0.2	100%
	9/26/2007	15:00	78.8	15.2	13.63	42	0.3	100%
	10/4/2007	14:30	71.6	15.5	13.79	45	0.1	100%
	10/18/2007	14:16	74.5	7.85	7.37	25	0.0	50%
	10/23/2007	13:40	84.1	7.92	7.43	25	0.0	50%
	11/1/2007	14:10	82.6	7.90	7.40	26	0.0	50%
	11/7/2007	14:20	72.2	7.81	7.16	34	0.0	50%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-20A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/24/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	7	NM	0%
	4/19/2006	11:30	71.6	30.6	27.97	35	29.7	25%
	4/26/2006	13:50	61.5	30.8	28.23	34	3.0	25%
	5/3/2006	14:58	68.0	7.60	7.15	24	2.6	25%
	5/11/2006	12:23	63.4	9.01	8.37	29	2.9	25%
	5/19/2006	11:29	65.6	8.9	8.29	28	6.5	25%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/24/2006	10:52	68.1	8.8	8.19	28	6.3	25%
	6/1/2006	11:38	69.5	8.7	8.08	29	6.1	25%
	6/7/2006	11:14	61.2	8.8	8.19	28	6.0	25%
	6/14/2006	10:58	61.0	8.4	7.82	28	5.2	25%
	6/23/2006	10:39	62.8	8.6	7.99	29	5.5	25%
	6/28/2006	11:36	65.8	8.8	8.17	29	4.6	25%
	7/3/2006	11:41	65.4	8.3	7.73	28	4.4	25%
	7/13/2006	14:07	97.6	12.2	11.30	30	4.0	50%
	7/21/2006	19:05	82.1	12.0	11.15	29	1.1	25%
	8/16/2006	15:38	80.1	13.0	12.04	30	0.9	25%
	8/23/2006	12:51	90.6	14.0	12.97	30	1.6	25%
	8/29/2006	11:51	86.6	14.4	13.34	30	1.3	25%
	9/9/2006	8:11	85.6	14.6	13.52	30	1.6	25%
	9/13/2006	16:48	76.5	14.4	13.34	30	1.7	25%
	9/22/2006	16:21	74.1	15.1	13.99	30	1.9	25%
	9/28/2006	13:01	76.4	15.9	14.73	30	2.1	25%
	10/2/2006	11:45	78.8	16.2	15.01	30	2.3	25%
	10/9/2006	14:31	73.0	16.0	14.74	32	2.0	25%
	10/20/2006	15:31	78.6	16.6	15.38	30	2.1	25%
	10/27/2006	13:44	78.4	16.9	15.65	30	1.6	25%
	11/2/2006	15:16	76.4	17.3	16.03	30	1.7	25%
	11/17/2006	17:20	76.9	19.6	17.63	41	0.4	25%
	11/20/2006	20:05	70.9	20.1	18.08	41	0.3	25%
	11/28/2006	17:00	68.4	21.0	18.83	42	0.5	25%
	12/8/2006	17:05	76.1	22.1	19.93	40	0.6	25%
	12/15/2006	10:30	67.3	22.6	20.93	30	0.5	25%
	12/19/2006	17:50	76.9	22.0	20.33	31	0.4	25%
	12/27/2006	17:30	74.9	22.8	20.22	46	0.4	25%
	1/4/2007	7:30	64.9	22.1	20.47	30	0.0	25%
	1/12/2007	16:30	61.8	21.6	20.01	30	0.0	25%
	1/20/2007	16:20	69.7	22.6	20.93	30	0.0	25%
	1/27/2007	6:20	62.2	22.0	20.27	32	0.0	25%
	1/31/2007	12:50	67.0	11.5	10.62	31	1.8	25%
	2/7/2007	15:50	68.0	11.7	10.78	32	1.3	25%
	2/16/2007	6:20	67.8	11.4	10.56	30	1.0	25%
	2/20/2007	16:40	69.4	11.8	10.93	30	0.7	25%
	3/1/2007	17:20	68.2	12.6	11.52	35	0.8	25%
	3/7/2007	17:50	67.8	12.8	11.67	36	0.7	25%
	3/14/2007	18:57	74.7	12.1	11.21	30	0.8	25%
	3/20/2007	17:00	68.3	12.8	11.26	49	0.7	25%
	3/28/2007	18:55	69.9	12.8	11.26	49	0.5	25%
	4/5/2007	16:40	71.0	12.8	11.26	49	0.3	25%
	4/9/2007	NM	NM	NM	NM	10	NM	0%
	4/18/2007	NM	NM	NM	NM	10	NM	0%
	4/23/2007	NM	NM	NM	NM	12	NM	0%
	5/2/2007	NM	NM	NM	NM	11	NM	0%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/10/2007	NM	NM	NM	NM	11	NM	0%
	5/16/2007	NM	NM	NM	NM	12	NM	0%
	5/21/2007	NM	NM	NM	NM	12	NM	0%
	5/29/2007	NM	NM	NM	NM	14	NM	0%
	6/5/2007	NM	NM	NM	NM	10	NM	0%
	6/15/2007	NM	NM	NM	NM	8	NM	0%
	6/19/2007	NM	NM	NM	NM	9	NM	0%
	6/28/2007	NM	NM	NM	NM	10	NM	0%
	7/5/2007	NM	NM	NM	NM	11	NM	0%
	7/11/2007	NM	NM	NM	NM	11	NM	0%
	7/18/2007	NM	NM	NM	NM	11	NM	0%
	7/23/2007	NM	NM	NM	NM	11	NM	0%
	8/2/2007	NM	NM	NM	NM	9	NM	0%
	8/9/2007	NM	NM	NM	NM	8	NM	0%
	8/16/2007	NM	NM	NM	NM	8	NM	0%
	8/22/2007	NM	NM	NM	NM	7	NM	0%
	8/30/2007	NM	NM	NM	NM	7	NM	0%
	9/6/2007	NM	NM	NM	NM	7	NM	0%
	9/10/2007	NM	NM	NM	NM	7	NM	0%
	9/11/2007	8:50	70.8	10.8	9.77	39	0.2	100%
	9/20/2007	17:10	74.6	11.0	9.84	43	0.1	100%
	9/26/2007	17:10	78.5	11.4	10.22	42	0.1	100%
	10/4/2007	16:10	71.4	11.4	10.14	45	0.1	100%
	10/18/2007	16:39	74.0	10.8	10.03	29	0.0	50%
	10/23/2007	17:00	84.8	10.1	9.38	29	0.0	50%
	11/1/2007	17:20	82.8	10.7	9.91	30	0.0	50%
	11/7/2007	17:30	72.9	10.6	9.71	34	0.0	50%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-20B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/24/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	6	NM	0%
	4/19/2006	11:25	71.5	28.2	25.78	35	26.4	25%
	4/26/2006	13:45	61.7	28.1	25.75	34	4.0	25%
	5/3/2006	14:54	68.5	6.8	6.45	21	3.1	25%
	5/11/2006	12:15	63.7	7.91	7.33	30	3.0	25%
	5/19/2006	11:22	65.6	7.82	7.30	27	2.4	25%
	5/24/2006	10:45	67.9	7.9	7.38	27	2.2	25%
	6/1/2006	11:32	69.7	7.9	7.38	27	2.0	25%
	6/7/2006	11:07	60.9	8.1	7.58	26	1.5	25%
	6/14/2006	10:52	61.1	9.0	8.40	27	1.1	25%
	6/23/2006	10:32	62.0	8.0	7.49	26	1.2	25%
	6/28/2006	11:29	65.5	8.4	7.86	26	1.0	25%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	7/3/2006	11:34	65.7	8.3	7.75	27	1.1	25%
	7/13/2006	14:00	97.5	8.8	8.17	29	1.0	25%
	7/21/2006	19:00	82.8	8.5	7.87	30	4.8	75%
	8/16/2006	15:32	80.4	8.3	7.71	29	4.4	75%
	8/23/2006	12:44	90.9	8.8	8.22	27	4.8	75%
	8/29/2006	11:44	86.7	8.9	8.31	27	4.4	75%
	9/9/2006	8:04	85.4	8.6	8.01	28	4.2	75%
	9/13/2006	16:42	76.6	8.7	8.06	30	4.0	75%
	9/22/2006	16:14	74.8	8.9	8.24	30	4.4	75%
	9/28/2006	12:54	76.2	8.8	8.15	30	4.0	75%
	10/2/2006	11:38	78.9	8.9	8.22	31	4.2	75%
	10/9/2006	14:24	72.9	8.1	7.48	31	4.4	75%
	10/20/2006	15:24	78.1	8.4	7.76	31	4.3	75%
	10/27/2006	13:36	78.8	8.4	7.72	33	4.0	75%
	11/2/2006	15:09	76.5	8.8	8.07	34	3.6	75%
	11/17/2006	17:10	76.5	10.4	9.40	39	4.1	75%
	11/20/2006	19:55	70.5	9.9	8.95	39	4.0	75%
	11/28/2006	16:50	68.9	10.2	9.22	39	3.5	75%
	12/8/2006	16:55	76.6	12.6	11.24	44	3.0	75%
	12/15/2006	10:20	67.1	12.7	11.30	45	2.1	75%
	12/19/2006	17:40	76.4	12.8	11.39	45	2.0	75%
	12/27/2006	17:20	74.6	12.1	10.70	47	1.5	75%
	1/4/2007	7:20	64.8	12.8	11.32	47	0.2	75%
	1/12/2007	16:20	61.6	13.4	11.82	48	0.1	75%
	1/20/2007	16:10	69.1	13.6	12.06	46	0.0	75%
	1/27/2007	6:10	62.8	13.9	12.26	48	0.0	75%
	1/31/2007	12:40	67.2	8.7	7.80	42	1.6	75%
	2/7/2007	15:40	68.4	8.9	7.85	48	1.0	75%
	2/16/2007	6:10	67.6	9.2	8.18	45	1.1	75%
	2/20/2007	16:30	69.8	9.6	8.54	45	0.9	75%
	3/1/2007	17:10	68.7	10.7	9.36	51	0.8	75%
	3/7/2007	17:40	67.1	11.0	9.62	51	1.0	75%
	3/14/2007	18:50	74.3	10.8	9.58	46	1.4	75%
	3/20/2007	16:50	68.9	10.8	9.55	47	1.2	75%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
	4/9/2007	NM	NM	NM	NM	9	NM	0%
	4/18/2007	NM	NM	NM	NM	10	NM	0%
	4/23/2007	NM	NM	NM	NM	11	NM	0%
	5/2/2007	NM	NM	NM	NM	10	NM	0%
	5/10/2007	NM	NM	NM	NM	10	NM	0%
	5/16/2007	NM	NM	NM	NM	10	NM	0%
	5/21/2007	NM	NM	NM	NM	11	NM	0%
	5/29/2007	NM	NM	NM	NM	11	NM	0%
	6/5/2007	NM	NM	NM	NM	7	NM	0%
	6/15/2007	NM	NM	NM	NM	5	NM	0%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	6/19/2007	NM	NM	NM	NM	7	NM	0%
	6/28/2007	NM	NM	NM	NM	8	NM	0%
	7/5/2007	NM	NM	NM	NM	8	NM	0%
	7/11/2007	NM	NM	NM	NM	8	NM	0%
	7/18/2007	NM	NM	NM	NM	8	NM	0%
	7/23/2007	NM	NM	NM	NM	8	NM	0%
	8/2/2007	NM	NM	NM	NM	7	NM	0%
	8/9/2007	NM	NM	NM	NM	7	NM	0%
	8/16/2007	NM	NM	NM	NM	7	NM	0%
	8/22/2007	NM	NM	NM	NM	5	NM	0%
	8/30/2007	NM	NM	NM	NM	5	NM	0%
	9/6/2007	NM	NM	NM	NM	5	NM	0%
	9/10/2007	NM	NM	NM	NM	5	NM	0%
	9/11/2007	9:00	70.1	11.8	10.70	38	0.1	100%
	9/20/2007	17:00	74.9	12.0	10.73	43	0.2	100%
	9/26/2007	17:00	78.9	12.2	10.88	44	0.1	100%
	10/4/2007	16:00	71.8	12.4	11.03	45	0.0	100%
	10/18/2007	16:32	74.9	9.0	8.43	26	0.1	25%
	10/23/2007	16:50	84.1	9.11	8.53	26	0.0	25%
	11/1/2007	17:10	82.4	9.13	8.55	26	0.0	25%
	11/7/2007	17:40	72.6	9.21	8.42	35	0.0	25%
	11/16/2007	18:30	70.6	31.20	26.14	66	0.0	100%
	11/21/2007	16:15	68.1	33.30	27.74	68	0.0	100%
	11/26/2007	16:45	65.5	33.60	27.99	68	0.0	100%
	11/28/2007	NM	NM	NM	NM	NM	NM	0%
VEW-21A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	6	NM	0%
	4/19/2006	9:50	71.4	30.9	28.47	32	23.7	25%
	4/26/2006	9:42	61.7	30.8	28.38	32	20.6	25%
	5/3/2006	14:06	66.3	8.9	8.40	21	16.7	25%
	5/11/2006	10:46	62.9	9.9	9.28	26	16.9	25%
	5/19/2006	9:49	65.5	10.1	9.48	25	16.7	25%
	5/24/2006	9:25	67.5	10.9	10.23	25	16.4	25%
	6/1/2006	10:12	69.3	10.8	10.14	25	16.3	25%
	6/7/2006	9:43	60.7	9.6	8.99	26	16.0	25%
	6/14/2006	9:31	60.7	10.1	9.43	27	14.8	25%
	6/23/2006	9:08	61.8	9.4	8.82	25	14.9	25%
	6/28/2006	9:58	63.5	7.7	7.23	25	15.1	25%
	7/3/2006	9:38	64.3	7.4	6.93	26	15.0	25%
	7/13/2006	12:38	97.4	9.0	8.40	27	14.2	50%
	7/21/2006	18:00	82.1	9.2	8.59	27	14.6	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	8/16/2006	13:15	79.4	9.6	8.96	27	14.0	50%
	8/23/2006	9:25	90.0	8.5	7.92	28	18.6	50%
	8/29/2006	8:45	86.3	8.7	8.10	28	18.7	50%
	9/9/2006	12:27	84.6	8.7	8.08	29	18.8	50%
	9/13/2006	15:30	76.6	8.8	8.17	29	16.8	50%
	9/22/2006	14:45	73.8	9.3	8.64	29	17.8	50%
	9/28/2006	11:30	76.7	9.6	8.92	29	17.1	50%
	10/2/2006	10:14	78.7	10.0	9.26	30	19.6	100%
	10/9/2006	12:46	72.8	10.6	9.82	30	19.0	100%
	10/20/2006	13:45	79.3	10.6	9.85	29	19.1	100%
	10/27/2006	12:00	77.3	10.9	10.07	31	19.9	100%
	11/2/2006	13:45	76.3	11.6	10.69	32	14.7	100%
	11/17/2006	15:10	76.1	10.2	9.27	37	19.6	100%
	11/20/2006	17:55	70.2	11.0	10.00	37	19.5	100%
	11/27/2006	17:30	71.8	11.6	10.43	41	19.0	100%
	12/8/2006	14:55	76.5	11.8	10.58	42	12.6	100%
	12/15/2006	8:10	67.4	11.7	10.49	42	12.0	100%
	12/19/2006	15:10	73.1	11.8	10.50	45	10.8	100%
	12/27/2006	15:20	74.1	12.8	11.42	44	9.1	100%
	1/3/2007	15:10	76.5	12.1	10.76	45	6.0	100%
	1/11/2007	16:25	68.8	12.6	11.21	45	5.4	100%
	1/17/2007	17:10	67.5	12.1	10.76	45	5.0	100%
	1/26/2007	17:25	69.5	12.1	10.76	45	3.9	100%
	1/31/2007	10:40	67.4	11.1	10.01	40	12.6	100%
	2/7/2007	13:10	68.7	11.3	9.91	50	12.6	100%
	2/15/2007	16:40	71.8	11.9	10.61	44	12.9	100%
	2/20/2007	14:20	69.6	11.6	10.38	43	13.8	100%
	3/1/2007	15:10	68.7	12.6	11.15	47	13.6	100%
	3/7/2007	15:40	66.9	12.8	11.32	47	13.7	100%
	3/14/2007	17:26	74.7	12.9	11.51	44	13.9	100%
	3/20/2007	14:50	68.3	13.2	11.74	45	13.0	100%
	3/27/2007	18:15	70.8	13.6	12.06	46	12.5	100%
	4/5/2007	14:20	71.6	13.1	11.59	47	12.2	100%
	4/9/2007	17:00	74.6	13.3	11.63	51	12.0	100%
	4/18/2007	14:10	74.8	13.6	11.90	51	11.8	100%
	4/23/2007	15:10	75.1	13.6	11.83	53	11.6	100%
	5/2/2007	15:10	72.1	13.8	12.04	52	11.0	100%
	5/10/2007	15:10	76.3	13.7	11.95	52	11.4	100%
	5/16/2007	12:10	71.4	13.6	11.80	54	11.1	100%
	5/21/2007	11:10	71.6	16.2	14.05	54	5.0	100%
	5/29/2007	10:40	80.1	32.1	27.84	54	3.0	100%
	6/5/2007	15:10	72.9	33.1	27.98	63	2.6	100%
	6/15/2007	8:10	76.8	19.9	16.97	60	2.9	100%
	6/19/2007	16:55	76.5	33.0	27.89	63	1.9	100%
	6/28/2007	15:10	74.3	31.3	26.61	61	1.4	100%
	7/5/2007	13:10	77.8	32.6	27.64	62	1.2	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	7/11/2007	17:40	72.2	33.6	28.48	62	1.0	100%
	7/18/2007	11:40	74.6	33.8	28.65	62	0.8	100%
	7/23/2007	8:10	68.7	33.1	28.06	62	0.7	100%
	8/2/2007	17:00	69.1	33.3	28.39	60	0.6	100%
	8/9/2007	14:40	72.9	33.6	28.98	56	0.5	100%
	8/16/2007	10:00	85.3	33.9	29.90	48	0.5	100%
	8/22/2007	8:50	70.6	32.6	28.76	48	0.6	100%
	8/30/2007	16:50	88.0	32.8	28.93	48	0.5	100%
	9/6/2007	9:20	74.5	32.6	28.92	46	0.4	100%
	9/10/2007	15:20	76.0	32.1	28.47	46	0.3	100%
	9/20/2007	16:30	74.3	32.3	29.05	41	0.2	100%
	9/26/2007	16:30	78.9	33.1	29.69	42	0.2	100%
	10/4/2007	15:40	71.4	40.9	36.58	43	0.1	100%
	10/18/2007	15:05	74.7	4.55	4.27	25	0.3	50%
	10/23/2007	14:50	84.7	4.62	4.34	25	0.0	50%
	11/1/2007	15:20	82.7	4.66	4.37	25	0.0	50%
	11/7/2007	15:30	72.5	4.69	4.31	33	0.0	50%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-21B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	10:00	71.6	26.6	24.31	35	28.6	25%
	4/26/2006	9:46	61.2	24.8	22.85	32	170.0	25%
	5/3/2006	14:10	66.9	6.65	6.26	24	140.9	25%
	5/11/2006	10:54	63.3	7.67	7.12	29	151.2	25%
	5/19/2006	9:57	65.7	7.5	7.01	28	148.2	25%
	5/24/2006	9:31	67.7	8.0	7.43	29	144.8	25%
	6/1/2006	10:18	69.4	8.3	7.69	30	143.8	25%
	6/7/2006	9:49	60.6	7.8	7.24	29	141.2	25%
	6/14/2006	9:39	60.6	8.3	7.69	30	132.0	25%
	6/23/2006	9:15	61.6	7.8	7.24	29	139.8	25%
	6/28/2006	10:05	63.1	21.0	19.66	26	131.2	25%
	7/3/2006	9:45	64.2	21.8	20.41	26	129.6	25%
	7/13/2006	12:45	97.5	6.4	5.93	30	121.1	50%
	7/21/2006	18:05	82.6	6.3	5.84	30	120.8	50%
	8/16/2006	13:21	79.8	6.6	6.10	31	119.6	50%
	8/23/2006	9:32	90.7	6.1	5.64	31	336.1	50%
	8/29/2006	8:52	86.1	6.3	5.82	31	346.1	50%
	9/9/2006	12:34	84.7	6.8	6.28	31	341.6	50%
	9/13/2006	15:36	76.8	6.5	6.01	31	341.8	50%
	9/22/2006	14:52	73.4	6.8	6.28	31	362.8	50%
	9/28/2006	11:37	76.0	7.2	6.65	31	359.6	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	10/2/2006	10:21	78.6	21.4	19.67	33	386.7	100%
	10/9/2006	12:53	72.4	21.4	19.67	33	371.1	100%
	10/20/2006	13:52	79.0	21.6	19.96	31	376.6	100%
	10/27/2006	12:08	77.4	22.0	20.16	34	371.1	100%
	11/2/2006	13:52	76.8	23.1	21.17	34	320.1	100%
	11/17/2006	15:20	76.6	9.4	8.48	40	361.2	100%
	11/20/2006	18:05	70.9	9.2	8.30	40	358.2	100%
	11/27/2006	17:40	71.4	9.8	8.77	43	316.1	100%
	12/8/2006	15:05	76.4	9.6	8.56	44	301.6	100%
	12/15/2006	8:20	67.0	9.4	8.36	45	291.2	100%
	12/19/2006	15:20	73.6	9.0	8.01	45	286.1	100%
	12/27/2006	15:30	74.8	10.2	9.02	47	268.2	100%
	1/3/2007	15:20	76.4	10.8	9.55	47	92.6	100%
	1/11/2007	16:35	68.5	11.0	9.73	47	89.2	100%
	1/17/2007	17:20	67.8	11.3	9.97	48	78.6	100%
	1/26/2007	17:35	69.3	11.8	10.44	47	70.8	100%
	1/31/2007	10:50	67.2	10.1	9.06	42	310	100%
	2/7/2007	13:20	68.9	10.8	9.58	46	321	100%
	2/7/2007	16:50	71.9	10.6	9.40	46	33.1	100%
	2/7/2007	14:30	69.3	10.7	9.52	45	316.0	100%
	3/1/2007	15:20	68.8	11.4	10.00	50	321.0	100%
	3/1/2007	15:50	67.3	11.0	9.65	50	329.0	100%
	3/1/2007	17:33	74.6	14.1	12.47	47	318.0	100%
	3/7/2007	15:00	68.4	13.9	12.30	47	311.0	100%
	3/14/2007	18:25	70.6	14.7	13.00	47	306.0	100%
	4/5/2007	14:30	71.8	14.9	13.18	47	301.6	100%
	4/9/2007	17:10	74.6	15.4	13.43	52	311.6	100%
	4/13/2007	14:20	74.7	15.7	13.62	54	301.8	100%
	4/23/2007	15:20	75.8	15.5	13.44	54	291.2	100%
	5/2/2007	15:20	72.4	15.7	13.62	54	284.6	100%
	5/10/2007	15:20	76.9	15.6	13.53	54	280.1	100%
	5/16/2007	12:20	71.9	15.8	13.59	57	261.8	100%
	5/21/2007	11:20	72.0	13.5	11.64	56	80.2	100%
	5/29/2007	10:50	80.8	9.6	8.28	56	50.2	100%
	6/5/2007	15:20	72.4	10.1	8.44	67	20.2	100%
	6/15/2007	8:20	77.4	18.1	15.26	64	48.9	100%
	6/19/2007	17:00	76.9	9.55	8.03	65	10.6	100%
	6/28/2007	15:20	74.2	9.61	8.10	64	9.0	100%
	7/5/2007	13:30	77.2	9.82	8.28	64	7.1	100%
	7/11/2007	14:50	72.9	9.88	8.33	64	4.1	100%
	7/18/2007	11:50	74.8	9.90	8.34	64	2.6	100%
	7/23/2007	8:20	68.4	10.20	8.60	64	1.9	100%
	8/2/2007	17:10	69.8	10.70	9.02	64	1.6	100%
	8/9/2007	14:50	72.1	10.10	8.61	60	1.1	100%
	8/16/2007	10:10	85.5	11.00	9.73	47	1.2	100%
	8/22/2007	9:00	70.0	9.1	7.98	50	1.0	100%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	8/30/2007	17:00	88.7	9.3	8.16	50	0.8	100%
	9/6/2007	9:30	74.3	9.6	8.44	49	0.8	100%
	9/10/2007	15:30	76.5	9.9	8.71	49	0.7	100%
	9/20/2007	16:40	74.8	10.3	9.16	45	0.6	100%
	9/26/2007	16:40	78.9	10.5	9.34	45	0.5	100%
	10/4/2007	15:50	71.4	10.9	9.67	46.0	0.3	100%
	10/18/2007	15:12	74.5	4.94	4.62	26	8.7	50%
	10/23/2007	15:00	84.1	4.90	4.59	26	8.2	50%
	11/1/2007	15:30	82.3	4.92	4.61	26	7.9	50%
	11/7/2007	15:40	72.8	4.90	4.48	35	7.0	50%
	11/16/2007	17:15	70.1	16.20	13.61	65	6.4	100%
	11/21/2007	14:45	68.8	14.60	12.20	67	6.1	100%
	11/26/2007	15:15	65.7	14.70	12.28	67	5.9	100%
	12/3/2007	8:30	69.7	35.10	27.51	88	6.0	100%
	12/11/2007	16:00	67.6	35.90	28.23	87	5.9	100%
	12/19/2007	17:30	74.6	35.60	27.91	88	5.5	100%
	12/27/2007	15:30	73.2	35.90	28.32	86	5.1	100%
VIEW-22A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	11:05	71.7	40.1	36.55	36	30.7	25%
	4/26/2006	10:14	61.7	41.1	37.47	36	12.6	50%
	5/3/2006	14:38	68.5	7.1	6.66	25	10.5	25%
	5/11/2006	11:46	63.8	7.9	7.32	30	11.0	25%
	5/19/2006	10:52	65.5	7.1	6.59	29	10.4	25%
	5/24/2006	10:17	67.4	7.6	7.06	29	10.5	25%
	6/1/2006	11:02	69.7	7.3	6.78	29	10.2	25%
	6/7/2006	10:35	60.3	7.1	6.58	30	9.2	50%
	6/14/2006	10:24	60.4	7.2	6.69	29	8.7	50%
	6/23/2006	10:04	61.5	7.6	7.06	29	9.0	25%
	6/28/2006	11:01	63.3	7.8	7.24	29	9.0	25%
	7/3/2006	10:34	64.2	7.4	6.89	28	9.1	25%
	7/13/2006	13:33	97.1	5.0	4.63	30	8.1	50%
	7/21/2006	18:40	82.7	5.4	5.00	30	7.6	50%
	8/16/2006	14:03	79.6	4.9	4.54	30	7.8	50%
	8/23/2006	10:21	87.0	7.0	6.47	31	7.4	50%
	8/29/2006	9:41	86.4	7.4	6.84	31	7.3	50%
	9/9/2006	13:23	84.9	7.6	7.02	31	7.0	50%
	9/13/2006	16:18	76.5	7.7	7.11	31	7.3	50%
	9/22/2006	15:41	73.6	7.1	6.54	32	7.7	50%
	9/28/2006	12:26	76.3	8.8	8.09	33	7.1	50%
	10/2/2006	11:10	78.9	9.2	8.43	34	7.4	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	10/9/2006	13:42	72.6	9.9	9.07	34	7.3	100%
	10/20/2006	14:41	79.3	10.2	9.40	32	7.3	100%
	10/27/2006	13:04	77.7	11.0	10.08	34	7.3	100%
	11/2/2006	14:41	76.2	12.0	10.94	36	6.7	100%
	11/17/2006	16:30	76.9	44.0	39.68	40	6.6	100%
	11/20/2006	19:15	70.9	44.4	39.93	41	6.2	100%
	11/27/2006	18:50	71.6	44.8	40.07	43	6.6	100%
	12/8/2006	16:15	76.1	44.9	39.94	45	7.1	100%
	12/15/2006	9:30	67.1	45.2	40.09	46	6.9	100%
	12/19/2006	16:30	73.6	46.1	40.78	47	6.7	100%
	12/27/2006	16:40	74.1	46.8	41.40	47	6.4	100%
	1/3/2007	16:30	76.5	46.1	40.44	50	1.8	100%
	1/11/2007	17:45	68.6	46.1	40.55	49	1.4	100%
	1/17/2007	18:30	67.1	46.7	41.08	49	1.2	100%
	1/26/2007	18:45	69.8	47.8	42.28	47	1.0	100%
	1/31/2007	12:00	67.6	15.0	13.38	44	26	100%
	2/7/2007	14:30	68.1	15.5	13.71	47	26	100%
	2/15/2007	18:00	71.3	15.9	14.06	47	25.5	100%
	2/20/2007	15:40	69.4	16.2	14.45	44	22.8	100%
	3/1/2007	16:30	68.3	16.9	14.78	51	20.6	100%
	3/7/2007	17:00	67.9	16.0	14.00	51	21.6	100%
	3/14/2007	18:22	74.6	16.4	14.51	47	19.9	100%
	3/20/2007	16:10	68.9	16.6	14.64	48	19.6	100%
	3/28/2007	18:15	69.4	16.7	14.69	49	14.5	100%
	4/5/2007	15:50	71.7	16.6	14.56	50	14.8	100%
	4/9/2007	18:30	74.2	16.9	14.78	51	14.8	100%
	4/18/2007	15:30	74.5	16.8	14.53	55	14.1	100%
	4/23/2007	16:30	75.3	16.1	13.93	55	14.2	100%
	5/2/2007	16:30	72.8	16.9	14.62	55	14.4	100%
	5/10/2007	16:30	76.7	16.6	14.36	55	14.0	100%
	5/16/2007	13:30	71.9	16.0	13.72	58	13.1	100%
	5/21/2007	12:30	72.3	2.4	2.06	58	4.6	100%
	5/29/2007	12:00	80.8	5.4	4.63	58	4.0	100%
	6/5/2007	16:30	72.9	6.0	5.01	67	3.2	100%
	6/15/2007	9:20	80.4	6.05	5.10	64	4.0	100%
	6/19/2007	18:00	76.5	5.9	4.96	65	2.5	100%
	6/28/2007	16:20	74.3	5.9	4.96	65	2.0	100%
	7/5/2007	14:30	77.9	6.2	5.21	65	1.5	100%
	7/11/2007	18:50	72.8	6.6	5.55	65	1.0	100%
	7/18/2007	13:50	74.0	6.9	5.80	65	0.8	100%
	7/23/2007	9:20	68.3	7.2	6.05	65	0.7	100%
	8/2/2007	18:30	69.4	7.3	6.13	65	0.6	100%
	8/9/2007	15:50	72.5	7.5	6.39	60	0.5	100%
	8/16/2007	11:10	85.7	8.0	7.12	45	0.6	100%
	8/22/2007	9:30	70.8	7.0	6.12	51	0.4	100%
	8/30/2007	17:10	88.5	7.2	6.30	51	0.3	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	9/6/2007	10:00	74.7	7.0	6.14	50	0.1	100%
	9/10/2007	15:50	76.4	7.3	6.40	50	0.0	100%
	9/20/2007	NM	NM	NM	NM	0	NM	0%
	9/26/2007	NM	NM	NM	NM	0	NM	0%
	10/4/2007	NM	NM	NM	NM	0	NM	0%
	10/18/2007	16:01	74.4	3.85	3.59	27	0.0	50%
	10/23/2007	16:10	84.5	3.80	3.55	27	0.0	50%
	11/1/2007	16:40	82.8	10.30	9.62	27	0.0	50%
	11/7/2007	16:50	72.6	10.60	9.69	35	0.0	50%
	11/16/2007	NM	NM	NM	NM	NM	NM	0%
VEW-22B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	11:10	71.5	34.7	31.89	33	26.4	25%
	4/26/2006	10:18	61.5	34.1	31.34	33	4.0	50%
	5/3/2006	14:42	68.8	21.8	20.62	22	3.2	25%
	5/11/2006	11:54	63.4	22.9	21.33	28	2.8	25%
	5/19/2006	11:00	65.7	22.0	20.54	27	2.7	25%
	5/24/2006	10:25	67.9	22.8	21.29	27	2.6	25%
	6/1/2006	11:08	69.6	22.6	21.05	28	2.2	25%
	6/7/2006	10:41	60.5	21.0	19.61	27	2.0	50%
	6/14/2006	10:30	60.6	21.6	20.11	28	2.3	50%
	6/23/2006	10:11	61.6	21.6	20.22	26	1.8	25%
	6/28/2006	11:08	63.8	21.9	20.45	27	1.5	25%
	7/3/2006	10:41	64.7	21.7	20.21	28	1.6	25%
	7/13/2006	13:40	97.6	25.2	23.59	26	1.3	25%
	7/21/2006	18:45	82.7	25.6	23.97	26	1.2	25%
	8/16/2006	14:03	79.6	4.9	4.54	30	7.8	25%
	8/23/2006	10:28	89.7	20.1	18.82	26	5.5	25%
	8/29/2006	9:48	86.1	20.9	19.51	27	5.3	25%
	9/9/2006	13:30	84.2	21.2	19.79	27	5.1	25%
	9/13/2006	16:24	76.8	21.6	20.22	26	5.5	25%
	9/22/2006	15:48	73.7	22.1	20.63	27	8.1	25%
	9/28/2006	12:33	76.5	23.6	22.04	27	9.0	25%
	10/2/2006	11:17	78.1	24.6	22.61	33	9.1	25%
	10/9/2006	13:49	72.4	24.6	22.55	34	9.1	100%
	10/20/2006	14:48	79.3	24.9	22.94	32	9.4	100%
	10/27/2006	13:12	77.4	24.6	22.55	34	9.9	100%
	11/2/2006	14:48	76.1	24.9	22.82	34	9.0	100%
	11/17/2006	16:40	76.2	30.6	27.59	40	9.2	100%
	11/20/2006	19:25	70.1	30.8	27.70	41	8.9	100%
	11/27/2006	19:00	71.5	30.9	27.64	43	8.1	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/8/2006	16:25	76.8	31.2	27.75	45	7.8	100%
	12/15/2006	9:40	67.9	31.0	27.57	45	7.4	100%
	12/19/2006	16:40	73.8	31.9	28.37	45	7.3	100%
	12/27/2006	16:50	74.6	32.1	28.39	47	7.0	100%
	1/3/2007	16:40	76.8	32.8	29.09	46	1.0	100%
	1/11/2007	17:55	68.4	32.6	28.76	48	0.8	100%
	1/17/2007	18:40	67.3	32.5	28.67	48	0.6	100%
	1/26/2007	18:55	69.2	31.6	27.95	47	0.7	100%
	1/31/2007	12:10	67.2	43.7	39.19	42	1.8	100%
	2/7/2007	14:40	68.4	47.1	41.66	47	1.7	100%
	2/15/2007	18:10	71.6	48.2	42.76	46	1.5	100%
	2/20/2007	16:00	69.8	48.8	43.41	45	1.4	100%
	3/1/2007	16:40	68.9	53.6	47.02	50	1.2	100%
	3/7/2007	17:10	67.1	55.1	48.33	50	1.4	100%
	3/14/2007	18:29	74.9	32.9	29.18	46	1.6	100%
	3/20/2007	16:20	68.1	32.7	29.01	46	1.4	100%
	3/28/2007	18:25	69.2	32.1	28.47	46	1.9	100%
	4/5/2007	16:00	71.3	30.9	27.41	46	1.6	100%
	4/9/2007	18:40	74.7	31.3	27.46	50	1.7	100%
	4/18/2007	15:40	74.6	31.6	27.41	54	1.6	100%
	4/23/2007	16:40	75.4	31.8	27.58	54	1.0	100%
	5/2/2007	16:40	72.9	32.3	28.10	53	0.9	100%
	5/10/2007	16:40	76.4	31.6	27.41	54	0.9	100%
	5/16/2007	13:40	71.7	31.8	27.50	55	0.7	100%
	5/21/2007	12:40	72.9	52.0	44.72	57	0.0	100%
	5/29/2007	12:10	80.5	53.5	45.88	58	0.0	100%
	6/5/2007	NM	NM	NM	NM	16	NM	0%
	6/15/2007	NM	NM	NM	NM	14	NM	0%
	6/19/2007	NM	NM	NM	NM	15	NM	0%
	6/28/2007	NM	NM	NM	NM	16	NM	0%
	7/5/2007	NM	NM	NM	NM	16	NM	0%
	7/11/2007	NM	NM	NM	NM	16	NM	0%
	7/18/2007	NM	NM	NM	NM	16	NM	0%
	7/23/2007	NM	NM	NM	NM	16	NM	0%
	8/2/2007	NM	NM	NM	NM	16	NM	0%
	8/9/2007	NM	NM	NM	NM	15	NM	0%
	8/16/2007	NM	NM	NM	NM	12	NM	0%
	8/22/2007	NM	NM	NM	NM	14	NM	0%
	8/30/2007	NM	NM	NM	NM	14	NM	0%
	9/6/2007	NM	NM	NM	NM	13	NM	0%
	9/10/2007	NM	NM	NM	NM	13	NM	0%
	9/20/2007	NM	NM	NM	NM	3	NM	0%
	9/26/2007	NM	NM	NM	NM	3	NM	0%
	10/4/2007	NM	NM	NM	NM	0	NM	0%
	10/18/2007	16:08	74.8	39.5	37.17	24	0.0	25%
	10/23/2007	16:20	84.4	39.7	37.36	24	0.0	25%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	11/1/2007	16:50	82.6	39.9	37.55	24	0.0	25%
	11/7/2007	17:00	72.5	39.1	36.89	23	0.0	25%
	11/16/2007	NM	NM	NM	NM	NM	NM	100%
	11/21/2007	15:30	68.5	79.6	66.70	66	0.0	100%
	11/26/2007	16:00	65.3	79.0	66.00	67	0.0	100%
	11/28/2007	NM	NM	NM	NM	NM	NM	0%
VEW-23A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	11	NM	0%
	4/19/2006	9:40	71.5	31.6	29.12	32	28.7	25%
	4/26/2006	9:38	61.9	31.9	29.39	32	25.3	25%
	5/3/2006	14:02	66.3	21.7	20.58	21	18.6	25%
	5/11/2006	10:39	63.7	23.1	21.57	27	18.0	25%
	5/19/2006	9:42	65.6	23.7	22.19	26	18.3	25%
	5/23/2006	9:19	67.4	23.4	21.85	27	18.0	25%
	6/1/2006	10:06	69.6	23.9	22.26	28	17.5	25%
	6/7/2006	9:36	60.9	23.6	22.09	26	18.6	25%
	6/14/2006	9:25	60.7	22.8	21.34	26	15.7	25%
	6/23/2006	9:01	61.3	23.9	22.37	26	18.0	25%
	6/28/2006	9:51	63.3	9.8	9.17	26	17.8	25%
	7/3/2006	9:31	64.3	9.6	9.01	25	17.2	25%
	7/13/2006	12:31	97.0	27.6	25.63	29	16.1	50%
	7/21/2006	17:55	82.3	27.0	25.01	30	15.9	50%
	8/16/2006	13:09	79.8	27.6	25.57	30	14.6	50%
	8/23/2006	9:18	90.7	25.1	23.25	30	29.6	50%
	8/29/2006	8:38	85.7	25.5	23.56	31	26.7	50%
	9/9/2006	12:20	84.7	26.1	24.11	31	24.6	50%
	9/13/2006	15:24	76.9	26.6	24.64	30	26.7	50%
	9/22/2006	14:38	73.5	27.1	25.10	30	27.6	50%
	9/28/2006	11:23	76.8	26.9	24.92	30	28.6	50%
	10/2/2006	10:07	78.9	27.8	25.68	31	26.8	50%
	10/9/2006	12:39	72.9	28.1	25.75	34	26.1	100%
	10/20/2006	13:38	79.5	28.6	26.42	31	26.8	100%
	10/27/2006	11:52	77.7	29.4	26.95	34	27.1	100%
	11/2/2006	13:38	76.6	28.4	25.96	35	28.1	100%
	11/17/2006	15:00	76.4	32.0	28.94	39	20.2	100%
	11/20/2006	17:45	70.0	32.6	29.48	39	20.0	100%
	11/27/2006	17:20	71.6	32.9	29.43	43	19.0	100%
	12/8/2006	14:45	76.3	33.8	30.15	44	16.9	100%
	12/15/2006	8:00	67.7	33.8	30.06	45	16.4	100%
	12/19/2006	15:00	73.8	34.0	29.99	48	16.0	100%
	12/27/2006	15:10	74.3	34.4	30.60	45	14.2	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/3/2007	15:00	76.9	34.0	30.16	46	10.6	100%
	1/11/2007	16:15	68.3	35.1	31.13	46	9.1	100%
	1/17/2007	17:00	67.2	35.8	31.67	47	8.5	100%
	1/26/2007	17:15	69.9	36.7	32.55	46	7.9	100%
	1/31/2007	10:30	67.8	4.78	4.30	41	16.6	100%
	2/7/2007	13:00	68.4	4.78	4.23	47	16.0	100%
	2/15/2007	16:30	71.6	4.82	4.29	45	15.5	100%
	2/20/2007	14:10	69.8	4.80	4.28	44	15.7	100%
	3/1/2007	15:00	68.8	5.12	4.53	47	15.8	100%
	3/7/2007	15:30	67.7	5.26	4.64	48	15.0	100%
	3/14/2007	17:19	74.6	5.26	4.67	46	15.8	100%
	3/20/2007	14:40	68.7	5.51	4.89	46	15.6	100%
	3/27/2007	18:05	70.4	5.23	4.64	46	15.0	100%
	4/5/2007	14:10	71.9	6.20	5.50	46	14.5	100%
	4/9/2007	16:50	74.8	6.60	5.79	50	14.7	100%
	4/18/2007	13:50	74.9	6.80	5.91	53	14.8	100%
	4/23/2007	15:00	75.8	6.10	5.29	54	14.1	100%
	5/2/2007	15:00	72.9	6.40	5.57	53	12.1	100%
	5/10/2007	15:00	76.8	6.60	5.74	53	12.7	100%
	5/16/2007	12:00	71.8	6.70	5.80	55	12.0	100%
	5/21/2007	11:00	72.1	69.60	60.20	55	4.5	100%
	5/29/2007	10:30	80.4	76.50	66.17	55	3.1	100%
	6/5/2007	15:00	72.3	77.60	65.21	65	2.2	100%
	6/15/2007	8:00	75.1	97.00	82.47	61	2.7	100%
	6/19/2007	16:45	76.8	77.10	65.17	63	2.0	100%
	6/28/2007	15:00	74.0	77.7	65.68	63	1.5	100%
	7/5/2007	13:00	77.3	70.6	59.68	63	1.2	100%
	7/11/2007	17:30	72.7	70.8	59.85	63	0.9	100%
	7/18/2007	11:30	74.4	70.6	59.68	63	0.5	100%
	7/23/2007	8:00	68.9	70.9	59.93	63	0.3	100%
	8/2/2007	16:50	69.2	71.6	60.70	62	0.3	100%
	8/9/2007	14:30	72.5	71.8	61.57	58	0.3	100%
	8/16/2007	11:20	85.6	71.8	63.87	45	0.5	100%
	8/22/2007	8:30	70.5	70.4	61.76	50	0.4	100%
	8/30/2007	16:30	88.6	70.0	61.40	50	0.2	100%
	9/6/2007	9:10	74.2	71.0	62.63	48	0.2	100%
	9/10/2007	15:00	76.6	71.8	63.16	49	0.2	100%
	9/20/2007	16:20	74.6	71.6	64.21	42	0.1	100%
	9/26/2007	16:20	79.4	71.9	64.48	42	0.2	100%
	10/4/2007	15:30	71.4	71.1	63.42	44	0.2	100%
	10/18/2007	14:58	74.1	42.5	39.89	25	2.6	50%
	10/23/2007	14:40	84.7	42.7	40.08	25	3.0	50%
	11/1/2007	15:10	82.0	42.6	39.98	25	3.1	50%
	11/7/2007	15:20	72.3	42.3	38.56	36	2.5	50%
	11/16/2009	17:00	70.5	81.2	68.24	65	2.4	100%
	11/21/2007	14:30	68.9	16.3	13.66	66	2.0	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	11/26/2007	15:00	65.9	16.5	13.83	66	2.0	100%
	12/3/2007	8:00	69.5	30.2	23.75	87	2.2	100%
	12/11/2007	15:45	67.0	30.0	23.66	86	2.0	100%
	12/19/2007	17:15	74.1	30.6	24.06	87	1.6	100%
	12/27/2007	15:00	73.1	31.0	24.38	87	1.0	100%
VEW-23B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	12	NM	0%
	4/19/2006	9:30	71.6	33.7	30.56	38	26.8	25%
	4/26/2006	9:34	61.8	33.8	30.65	38	440.0	25%
	5/3/2006	13:55	66.9	4.42	4.14	26	349.2	25%
	5/11/2006	10:32	63.5	4.97	4.59	31	361.1	25%
	5/19/2006	9:35	65.8	5.1	4.72	30	360.2	25%
	5/24/2006	9:13	67.8	5.5	5.09	30	355.6	25%
	6/1/2006	10:00	69.5	5.3	4.91	30	361.2	25%
	6/7/2006	9:30	60.8	5.1	4.72	30	359.0	25%
	6/14/2006	9:19	60.8	5.6	5.19	30	351.0	25%
	6/23/2006	8:54	61.0	5.6	5.19	30	362.1	25%
	6/28/2006	9:44	63.5	23.9	22.14	30	341.3	25%
	7/3/2006	9:24	64.4	23.6	21.80	31	339.6	25%
	7/13/2006	12:25	97.6	3.6	3.33	31	326.9	50%
	7/21/2006	17:50	82.1	3.7	3.41	32	321.6	50%
	8/16/2006	13:03	79.8	3.6	3.32	32	319.6	50%
	8/23/2006	9:11	90.3	4.4	4.04	33	269.9	50%
	8/29/2006	8:31	85.9	4.6	4.23	33	260.7	50%
	9/9/2006	12:13	84.1	4.9	4.50	33	256.8	50%
	9/13/2006	15:18	76.2	4.7	4.33	32	269.1	50%
	9/22/2006	14:31	73.3	4.1	3.77	33	276.9	50%
	9/28/2006	11:16	76.5	4.2	3.86	33	268.1	50%
	10/2/2006	10:00	78.1	4.8	4.40	34	271.6	50%
	10/9/2006	12:32	72.9	4.6	4.20	35	270.7	100%
	10/20/2006	13:31	79.7	4.8	4.40	34	276.0	100%
	10/27/2006	11:44	77.6	5.1	4.66	35	278.1	100%
	11/2/2006	13:31	76.4	5.5	5.03	35	269.7	100%
	11/17/2006	14:50	76.8	4.4	3.95	42	261.2	100%
	11/20/2006	17:35	70.6	4.4	3.95	42	241.2	100%
	11/27/2006	17:10	71.4	4.9	4.36	45	242.1	100%
	12/8/2006	14:35	76.8	4.6	4.08	46	239.6	100%
	12/15/2006	7:50	67.3	4.8	4.23	48	229.7	100%
	12/19/2006	14:50	73.2	4.6	4.08	46	221.1	100%
	12/27/2006	15:00	74.5	5.1	4.49	49	201.3	100%
	1/3/2006	14:50	76.6	5.5	4.82	50	102.6	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/11/2007	16:05	68.4	5.0	4.39	50	99.1	100%
	1/17/2007	16:50	67.9	5.3	4.65	50	90.2	100%
	1/26/2007	17:05	69.8	5.0	4.39	50	79.3	100%
	1/31/2007	10:20	67.7	8.8	7.80	44	41.6	100%
	2/7/2007	12:50	68.1	8.88	7.79	50	44.6	100%
	2/15/2007	16:20	71	8.92	7.85	49	40.7	100%
	2/20/2007	14:00	69.1	8.99	7.97	46	41.8	100%
	3/1/2007	7:50	63.4	10.1	8.86	50	44.8	100%
	3/7/2007	15:20	67.1	10.8	9.47	50	44.0	100%
	3/14/2007	17:12	74.4	10.4	9.15	49	44.1	100%
	3/20/2007	14:30	68.9	10.8	9.50	49	44.0	100%
	3/27/2007	17:55	70.6	10.9	9.59	49	41.3	100%
	4/5/2007	14:00	71.8	11.8	10.38	49	40.1	100%
	4/9/2007	16:40	74.8	11.9	10.35	53	41.3	100%
	4/18/2007	13:30	74.8	12.3	10.61	56	39.9	100%
	4/23/2007	14:50	75.1	12.5	10.78	56	40.0	100%
	5/2/2007	14:50	72.3	12.4	10.73	55	39.0	100%
	5/10/2007	14:50	76.9	12.3	10.61	56	35.6	100%
	5/16/2007	11:50	71.5	12.6	10.81	58	33.8	100%
	5/21/2007	10:50	72	44.2	37.80	59	10.6	100%
	5/29/2007	10:20	80.3	10.9	9.35	58	9.0	100%
	6/5/2007	14:50	72.8	11.2	9.33	68	6.9	100%
	6/15/2007	7:50	74.1	20.3	17.06	65	7.5	100%
	6/19/2007	16:35	76.8	10.6	8.88	66	4.5	100%
	6/28/2007	14:50	74.6	10.6	8.91	65	4.0	100%
	7/5/2007	12:50	77.9	10.7	8.99	65	4.1	100%
	7/11/2007	17:20	72.3	10.3	8.66	65	3.5	100%
	7/18/2007	11:20	74.9	10.8	9.08	65	3.0	100%
	7/23/2007	7:50	68.3	10.6	8.91	65	2.5	100%
	8/2/2007	16:40	69.7	10.9	9.16	65	2.0	100%
	8/9/2007	14:20	72.3	10.6	9.04	60	1.5	100%
	8/16/2007	11:30	85.3	11.0	9.76	46	1.6	100%
	8/22/2007	8:20	70.7	8.9	7.74	53	1.4	100%
	8/30/2007	16:20	88.8	9.1	7.94	52	1.0	100%
	9/6/2007	9:00	74.6	9.4	8.25	50	1.0	100%
	9/10/2007	14:50	76.3	9.7	8.51	50	0.8	100%
	9/20/2007	16:10	74.7	10.0	8.87	46	0.4	100%
	9/26/2007	16:10	79.6	10.4	9.25	45	0.3	100%
	10/4/2007	15:20	71.8	10.6	9.38	47	0.4	100%
	10/18/2007	14:51	74.5	3.38	3.15	28	20.6	50%
	10/23/2007	14:30	84.6	3.91	3.64	28	21.6	50%
	11/1/2007	15:00	82.4	3.99	3.72	28	21.0	50%
	11/7/2007	15:10	72.8	4.1	3.73	37	19.6	50%
	11/16/2007	16:45	70.9	18.2	15.16	68	19.0	100%
	11/21/2007	14:15	68.2	15.9	13.24	68	19.2	100%
	11/26/2007	14:45	65.8	16.1	13.41	68	19.0	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/3/2007	7:45	69.3	28.8	22.43	90	20.2	100%
	12/11/2007	15:30	67.9	28.7	22.43	89	19.7	100%
	12/19/2007	17:00	74.8	28.1	21.96	89	19.0	100%
	12/27/2007	14:45	73.8	28.8	22.58	88	16.1	100%
VIEW-24A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	11	NM	0%
	4/19/2006	9:10	71.2	28.6	26.63	28	19.7	25%
	4/26/2006	9:26	61.3	27.1	25.24	28	3.2	25%
	5/3/2006	13:50	66.7	4.3	4.04	25	3.0	25%
	5/11/2006	10:11	63.7	5.0	4.61	32	2.5	25%
	5/19/2006	9:20	65.4	5.7	5.28	30	2.3	25%
	5/24/2006	9:01	67.3	5.5	5.08	31	2.2	25%
	6/1/2006	9:48	69.8	5.4	4.99	31	2.1	25%
	6/7/2006	9:16	60.7	5.5	5.09	30	2.0	25%
	6/14/2006	9:05	60.6	5.8	5.39	29	2.0	25%
	6/23/2006	8:40	61.3	5.3	4.91	30	1.5	25%
	6/28/2006	9:30	63.9	5.4	5.00	30	1.5	25%
	7/3/2006	9:10	64.6	5.3	4.91	30	1.2	25%
	7/13/2006	12:13	97.4	6.6	6.08	32	0.8	25%
	7/21/2006	17:40	82.3	6.5	5.99	32	0.7	25%
	8/16/2006	12:51	79.4	6.7	6.17	32	0.6	25%
	8/23/2006	8:57	90.7	4.9	4.49	34	0.6	25%
	8/29/2006	8:17	86.1	4.7	4.32	33	0.4	25%
	9/9/2006	11:59	84.8	4.8	4.40	34	0.3	25%
	9/13/2006	15:06	76.4	4.9	4.50	33	0.6	25%
	9/22/2006	14:17	73.0	5.2	4.75	35	0.5	25%
	9/28/2006	11:02	76.2	5.6	5.13	34	0.7	25%
	10/2/2006	8:28	78.9	6.0	5.48	35	0.8	25%
	10/9/2006	12:18	72.4	6.3	5.74	36	0.7	100%
	10/20/2006	13:17	79.1	6.8	6.23	34	0.7	100%
	10/27/2006	11:28	77.4	7.4	6.75	36	0.6	100%
	11/2/2006	13:17	76.1	7.7	7.02	36	0.7	100%
	11/17/2006	14:30	76.9	13.3	11.90	43	0.1	100%
	11/20/2006	17:05	70.1	13.6	12.16	43	0.2	100%
	11/27/2006	16:50	71.9	13.4	11.92	45	0.1	100%
	12/8/2006	14:15	76.4	13.0	11.47	48	0.2	100%
	12/15/2006	7:30	67.8	13.2	11.64	48	0.3	100%
	12/19/2006	14:30	73.4	13.8	12.27	45	0.4	100%
	12/27/2006	14:40	74.7	14.2	12.42	51	0.5	100%
	1/3/2007	14:30	76.3	14.3	12.54	50	0.0	100%
	1/11/2007	15:45	68.9	15.1	13.25	50	0.0	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/17/2007	16:30	67.3	15.5	13.56	51	0.0	100%
	1/26/2007	16:45	69.1	14.0	12.28	50	0.0	100%
	1/31/2007	10:00	67.7	10.9	9.72	44	0.5	100%
	2/7/2007	12:30	68.7	11.6	10.18	50	0.5	100%
	2/15/2007	16:00	71.9	11.2	9.82	50	0.4	100%
	2/20/2007	13:40	69.7	11.0	9.70	48	0.5	100%
	3/1/2007	7:30	63.2	11.8	10.29	52	0.5	100%
	3/7/2007	15:00	67.0	11.4	9.94	52	0.4	100%
	3/14/2007	16:58	74.0	11.3	9.91	50	0.7	100%
	3/20/2007	14:10	68.3	11.8	10.32	51	0.6	100%
	3/27/2007	17:35	70.8	11.7	10.21	52	0.5	100%
	4/5/2007	13:30	71.8	11.8	10.29	52	0.7	100%
	4/9/2007	NM	NM	NM	NM	12	NM	0%
	4/18/2007	NM	NM	NM	NM	21	NM	0%
	4/23/2007	NM	NM	NM	NM	25	NM	0%
	5/2/2007	NM	NM	NM	NM	36	NM	0%
	5/10/2007	NM	NM	NM	NM	35	NM	0%
	5/16/2007	NM	NM	NM	NM	38	NM	0%
	5/21/2007	NM	NM	NM	NM	36	NM	0%
	5/29/2007	NM	NM	NM	NM	43	NM	0%
	6/5/2007	NM	NM	NM	NM	50	NM	0%
	6/15/2007	NM	NM	NM	NM	49	NM	0%
	6/19/2007	NM	NM	NM	NM	52	NM	0%
	6/28/2007	NM	NM	NM	NM	53	NM	0%
	7/5/2007	NM	NM	NM	NM	50	NM	0%
	7/11/2007	NM	NM	NM	NM	49	NM	0%
	7/18/2007	NM	NM	NM	NM	49	NM	0%
	7/23/2007	NM	NM	NM	NM	49	NM	0%
	8/2/2007	NM	NM	NM	NM	55	NM	0%
	8/9/2007	NM	NM	NM	NM	50	NM	0%
	8/16/2007	NM	NM	NM	NM	41	NM	0%
	8/22/2007	NM	NM	NM	NM	45	NM	0%
	8/30/2007	NM	NM	NM	NM	44	NM	0%
	9/6/2007	NM	NM	NM	NM	41	NM	0%
	9/10/2007	NM	NM	NM	NM	41	NM	0%
	9/11/2007	9:20	70.7	11.6	10.40	42	0.3	100%
	9/20/2007	15:50	74.5	11.9	10.53	47	0.2	100%
	9/26/2007	15:50	79.4	12.2	10.79	47	0.2	100%
	10/4/2007	15:00	71.4	12.6	11.05	50	0.1	100%
	10/18/2007	14:37	74.8	8.6	7.97	30	10.4	25%
	10/23/2007	14:10	84.9	8.7	8.12	27	9.4	25%
	11/1/2007	14:40	82.2	8.7	8.12	27	9.0	25%
	11/7/2007	14:50	72.2	8.7	7.91	37	8.6	25%
	11/16/2007	16:15	70.8	16.2	13.45	69	8.7	100%
	11/21/2007	13:45	68.7	17.1	14.16	70	7.6	100%
	11/26/2007	14:15	65.4	17.7	14.66	70	7.5	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/3/2007	7:15	69.5	29.1	22.67	90	7.0	100%
	12/11/2007	15:00	67.5	30.2	23.45	91	6.8	100%
	12/19/2007	16:30	74.5	30.6	23.84	90	6.5	100%
	12/27/2007	14:15	73.5	30.5	23.91	88	6.0	100%
VEW-24B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	NM	NM	0%
	4/19/2006	9:20	71.4	25.5	23.31	35	22.6	25%
	4/26/2006	9:30	61.7	25.1	22.94	35	1203.0	25%
	5/3/2006	13:54	66.7	5.0	4.69	25	1148.0	25%
	5/11/2006	10:25	63.6	5.5	5.09	30	1167.3	25%
	5/19/2006	9:27	65.1	5.6	5.20	29	1,159.6	25%
	5/24/2006	9:07	67.7	5.8	5.39	29	1,161.2	25%
	6/1/2006	9:54	69.4	5.7	5.28	30	1,160.2	25%
	6/7/2006	9:23	60.4	5.2	4.83	29	1,159.2	25%
	6/14/2006	9:12	60.5	4.9	4.56	28	1,112.0	25%
	6/23/2006	8:47	61.5	5.0	4.64	29	1,146.2	25%
	6/28/2006	9:37	63.6	5.3	4.92	29	1,141.2	25%
	7/3/2006	9:17	64.3	5.1	4.74	29	1,136.9	25%
	7/13/2006	12:19	97.0	5.9	5.47	30	1,116.9	50%
	7/21/2006	17:45	82.4	5.8	5.37	30	1,107.6	50%
	8/11/2006	NM	NM	NM	NM	NM	NM	100%
	8/16/2006	12:57	79.3	5.8	5.37	30	1,091.6	100%
	8/23/2006	9:04	90.9	5.4	4.98	32	1,920.6	100%
	8/29/2006	8:24	86.4	5.5	5.07	32	1,910.7	100%
	9/9/2006	12:06	84.6	5.6	5.16	32	1,907.1	100%
	9/13/2006	15:12	76.3	5.5	5.08	31	1,816.1	100%
	9/22/2006	14:24	73.8	5.0	4.62	31	1,801.1	100%
	9/28/2006	11:09	76.9	5.5	5.08	31	1,812.1	100%
	10/2/2006	8:35	78.3	5.7	5.22	34	1,716.1	100%
	10/9/2006	12:25	72.6	5.7	5.22	34	1,701.1	100%
	10/20/2006	13:24	79.4	5.9	5.42	33	1,721.1	100%
	10/27/2006	11:36	77.9	6.3	5.77	34	1,701.6	100%
	11/2/2006	13:24	76.8	6.7	6.14	34	1,671.1	100%
	11/17/2006	14:40	76.5	4.8	4.33	40	1,611.0	100%
	11/20/2006	17:25	70.8	4.9	4.42	40	1,591.2	100%
	11/27/2006	17:00	71.0	4.8	4.28	44	1,510.1	100%
	12/8/2006	14:25	76.7	5.1	4.54	45	1,502.1	100%
	12/15/2006	7:40	67.9	5.5	4.88	46	1,411.6	100%
	12/19/2006	14:40	73.6	5.9	5.19	49	1,398.6	100%
	12/27/2006	14:50	74.9	6.6	5.82	48	1,316.1	100%
	1/3/2007	14:40	76.8	6.9	6.07	49	921.2	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/11/2007	15:55	68.6	7.2	6.35	48	901.2	100%
	1/17/2007	16:40	67.5	7.7	6.79	48	817.2	100%
	1/26/2007	16:55	69.6	6.9	6.10	47	767.8	100%
	1/31/2007	10:10	67.1	7.8	6.98	43	1,712	100%
	2/7/2007	12:40	68.3	7.83	6.93	47	1,698	100%
	2/15/2007	16:10	71.3	7.88	6.95	48	1,680	100%
	2/20/2007	13:50	69.2	7.81	6.95	45	1,698	100%
	3/1/2007	7:40	63.5	8.61	7.55	50	1,602	100%
	3/7/2007	15:10	67.8	8.70	7.63	50	1,581	100%
	3/14/2007	17:05	74.8	8.73	7.70	48	1,609	100%
	3/20/2007	14:20	68.1	8.91	7.86	48	1,601	100%
	3/27/2007	17:45	70.3	8.96	7.90	48	1,610	100%
	4/5/2007	13:40	71.4	9.1	8.03	48	1,601	100%
	4/9/2007	16:30	74.3	10.2	8.90	52	1,596.1	100%
	4/18/2007	13:20	74.6	11.0	9.51	55	1,590.8	100%
	4/23/2007	14:40	75.8	11.1	9.60	55	1,501.2	100%
	5/2/2007	14:40	72.4	11.4	9.89	54	1,476.1	100%
	5/10/2007	14:40	76.4	11.9	10.32	54	1,470.1	100%
	5/16/2007	11:40	71.3	11.6	10.00	56	1,460.2	100%
	5/21/2007	10:40	72.4	46.4	39.90	57	991.1	100%
	5/29/2007	10:10	80.1	24.9	21.41	57	311.1	100%
	6/5/2007	14:40	72.6	25.6	21.45	66	261.1	100%
	6/15/2007	7:40	73.3	26.2	22.08	64	290.0	100%
	6/19/2007	16:25	76.4	24.6	20.67	65	101.2	100%
	6/28/2007	14:40	74.8	24.9	20.99	64	90.1	100%
	7/5/2007	12:40	77.7	24.6	20.67	65	62.1	100%
	7/11/2007	17:10	72.6	24.8	20.78	66	42.0	100%
	7/18/2007	11:10	74.3	24.6	20.55	67	31.2	100%
	7/23/2007	7:40	68.0	24.8	20.72	67	21.0	100%
	8/2/2007	16:30	69.6	24.7	20.82	64	16.1	100%
	8/9/2007	14:10	72.0	24.9	21.29	59	15.6	100%
	8/16/2007	11:40	85.8	24.6	21.82	46	14.0	100%
	8/22/2007	8:10	70.3	24.0	21.05	50	15.0	100%
	8/30/2007	16:10	88.4	24.4	21.34	51	15.1	100%
	9/6/2007	8:40	74.9	24.6	21.64	49	13.2	100%
	9/10/2007	14:30	76.8	24.1	21.20	49	10.1	100%
	9/20/2007	16:00	74.2	11.3	10.08	44	0.1	100%
	9/26/2007	16:00	79.7	11.4	10.14	45	0.0	100%
	10/4/2007	15:10	71.5	11.7	10.38	46	0.0	100%
	10/18/2007	14:44	74.6	4.20	3.92	27	114.8	50%
	10/23/2007	14:20	84.3	4.26	4.01	24	110.8	50%
	11/1/2007	14:50	82.6	4.26	4.00	25	106.9	50%
	11/7/2007	15:00	72.4	4.31	3.93	36	100.8	50%
	11/16/2007	16:30	70.4	15.3	12.86	65	99.1	100%
	11/21/2007	14:00	68.3	15.9	13.24	68	99.0	100%
	11/26/2007	14:30	65.5	15.5	12.91	68	90.1	100%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/3/2007	7:30	69.8	121.1	94.63	89	90.0	100%
	12/11/2007	15:15	67.3	120.1	94.44	87	89.9	100%
	12/19/2007	16:45	74.2	119.9	93.99	88	89.0	100%
	12/27/2007	14:30	73.9	117.1	91.22	90	80.0	100%
VEW-25A	3/2/2006	11:50	71.6	57.5	51.85	40	10.2	100%
	3/10/2006	12:50	56.6	85.6	79.29	30	6.2	50%
	3/16/2006	17:28	57.0	86.1	79.76	30	7.6	50%
	3/23/2006	12:41	63.9	88.3	81.58	31	7.0	50%
	3/31/2006	9:30	60.2	23.7	21.84	32	16.8	50%
	4/5/2006	9:00	56.7	56.7	52.10	33	15.4	50%
	4/12/2006	8:55	61.3	53.7	49.88	29	12.9	50%
	4/19/2006	10:30	71.3	46.2	41.66	40	13.7	50%
	4/26/2006	9:58	61.3	47.6	42.92	40	4.6	50%
	5/3/2006	14:22	66.1	34.3	32.11	26	4.8	50%
	5/11/2006	11:17	63.6	36.0	33.08	33	4.2	50%
	5/19/2006	10:21	65.3	34.4	31.87	30	4.0	50%
	5/24/2006	9:49	67.5	34.6	31.97	31	3.8	50%
	6/1/2006	10:36	69.1	34.8	32.07	32	3.4	50%
	6/7/2006	10:09	60.5	33.6	30.96	32	3.2	50%
	6/14/2006	9:59	60.5	34.2	31.60	31	2.8	50%
	6/23/2006	9:36	61.5	33.8	31.23	31	3.0	50%
	6/28/2006	10:26	63.7	10.7	9.91	30	3.0	50%
	7/3/2006	10:06	64.9	10.8	10.00	30	3.2	50%
	7/13/2006	13:06	97.6	38.2	35.10	33	3.0	75%
	7/21/2006	18:20	82.7	38.2	35.10	33	3.1	75%
	8/16/2006	13:39	79.8	38.6	35.47	33	3.0	75%
	8/23/2006	9:53	90.6	31.4	28.70	35	8.6	75%
	8/29/2006	9:13	85.8	31.0	28.34	35	8.7	75%
	9/9/2006	12:55	84.8	31.1	28.50	34	8.8	75%
	9/13/2006	15:54	76.1	30.1	27.59	34	8.0	75%
	9/22/2006	15:13	73.4	32.6	29.80	35	7.5	75%
	9/28/2006	11:58	76.7	33.7	30.80	35	7.7	75%
	10/2/2006	10:42	78.5	33.3	30.36	36	7.4	75%
	10/9/2006	13:14	72.4	33.6	30.71	35	7.6	75%
	10/20/2006	14:13	79.4	38.8	35.47	35	7.8	75%
	10/27/2006	12:32	77.4	39.5	35.91	37	6.4	75%
	11/2/2006	14:13	76.2	39.0	35.46	37	7.0	75%
	11/17/2006	15:50	76.2	39.1	34.97	43	5.2	75%
	11/20/2006	18:35	70.7	39.4	35.14	44	5.1	75%
	11/27/2006	18:10	71.2	40.6	35.91	47	5.0	75%
	12/8/2006	15:35	76.5	40.7	35.90	48	4.1	75%
	12/15/2006	8:50	67.3	41.3	36.33	49	4.0	75%
	12/19/2006	15:50	73.3	41.0	36.07	49	3.6	75%
	12/27/2006	16:00	74.4	42.3	37.11	50	3.1	75%
	1/3/2007	15:50	76.8	42.8	37.44	51	1.2	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/11/2007	17:05	68.9	43.1	37.70	51	1.1	75%
	1/17/2007	17:50	67.8	43.8	38.31	51	0.9	75%
	1/26/2007	18:05	69.4	41.6	36.39	51	0.7	75%
	1/31/2007	11:20	67.9	165.0	146.36	46	5.0	75%
	2/7/2007	13:50	68.6	164.0	143.86	50	5.1	75%
	2/15/2007	17:20	71.2	160.2	140.53	50	5.3	75%
	2/20/2007	15:00	69.2	158.1	139.46	48	5.5	75%
	3/1/2007	15:50	68.9	159.3	138.57	53	5.0	75%
	3/7/2007	16:20	67.8	158.1	137.52	53	5.1	75%
	3/14/2007	17:54	74.9	158.2	138.77	50	4.8	75%
	3/20/2007	15:30	68.9	158.6	139.13	50	4.6	75%
	3/27/2007	18:55	70.5	157.1	137.81	50	4.7	75%
	4/5/2007	15:00	71.2	159.6	140.00	50	4.8	75%
	4/9/2007	17:50	74.9	160.3	140.22	51	4.6	75%
	4/18/2007	14:50	74.8	160.8	138.29	57	4.4	75%
	4/23/2007	15:50	75.4	161.1	137.36	60	4.4	75%
	5/2/2007	15:50	72.7	160.8	137.11	60	4.6	75%
	5/10/2007	15:50	76.1	160.1	136.90	59	4.4	75%
	5/16/2007	12:50	71.6	161.2	137.45	60	4.1	75%
	5/21/2007	11:50	73.0	168.1	142.92	61	1.4	75%
	5/29/2007	11:20	80.9	181.1	154.42	60	1.0	75%
	6/5/2007	16:00	72.7	181.3	150.13	70	0.5	100%
	6/15/2007	8:50	79.5	87.0	72.69	67	1.2	100%
	6/19/2007	17:30	76.6	180.2	149.67	69	0.6	100%
	6/28/2007	15:50	74.9	102.6	85.47	68	0.4	100%
	7/5/2007	14:00	77.5	90.5	75.39	68	0.3	100%
	7/11/2007	18:20	72.3	91.6	76.30	68	0.0	100%
	7/18/2007	13:20	74.5	91.8	76.47	68	0.0	100%
	7/23/2007	8:50	68.9	92.6	77.14	68	0.0	100%
	8/2/2007	17:40	69.1	92.1	76.95	67	0.0	100%
	8/9/2007	15:20	72.6	92.8	78.67	62	0.0	100%
	8/16/2007	NM	NM	NM	NM	8	NM	0%
	8/22/2007	NM	NM	NM	NM	16	NM	0%
	8/30/2007	NM	NM	NM	NM	16	NM	0%
	9/6/2007	NM	NM	NM	NM	20	NM	0%
	9/10/2007	NM	NM	NM	NM	20	NM	0%
	9/20/2007	NM	NM	NM	NM	4	NM	0%
	9/26/2007	NM	NM	NM	NM	4	NM	0%
	10/4/2007	NM	NM	NM	NM	3	NM	0%
	10/18/2007	15:33	74.8	65.5	60.67	30	0.0	75%
	10/23/2007	15:30	84.7	65.0	61.01	25	0.0	75%
	11/1/2007	16:00	82.1	65.5	61.32	26	0.0	75%
	11/7/2007	16:10	72.6	65.3	59.05	39	0.0	75%
	11/16/2007	17:45	70.3	91.2	75.52	70	0.0	100%
	11/15/2007	15:15	68.8	89.6	73.98	71	0.0	100%
	11/26/2007	15:45	65.1	88.9	73.62	70	0.0	100%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	11/28/2007	NM	NM	NM	NM	NM	NM	0%
VIEW-25B	3/2/2006	12:15	76.1	13.6	12.26	40	59.6	100%
	3/10/2006	13:13	59.0	3.9	3.65	26	14.7	50%
	3/16/2006	17:56	56.5	4.0	3.74	26	16.7	50%
	3/24/2006	8:10	60.2	4.2	3.93	26	17.6	50%
	3/31/2006	9:30	60.1	13.6	12.60	30	10.0	50%
	4/5/2006	11:40	56.5	9.2	8.52	30	11.6	50%
	4/12/2006	9:35	61.5	11.6	10.75	30	10.3	50%
	4/19/2006	11:15	71.6	26.1	23.86	35	13.7	50%
	4/26/2006	13:30	61.7	24.9	22.76	35	100.3	50%
	5/3/2006	14:46	68.9	11.5	10.82	24	90.1	50%
	5/11/2006	12:01	64.0	12.9	11.95	30	89.2	50%
	5/19/2006	11:07	65.8	12.0	11.20	27	86.2	50%
	5/24/2006	10:31	67.5	11.8	10.99	28	84.3	50%
	6/1/2006	11:20	69.3	11.9	11.05	29	83.1	50%
	6/7/2006	10:55	60.6	11.8	10.96	29	80.2	50%
	6/14/2006	10:40	60.0	11.2	10.40	29	76.1	50%
	6/23/2006	10:18	61.9	11.6	10.77	29	75.6	50%
	6/28/2006	11:15	65.1	11.9	11.11	27	70.1	50%
	7/3/2006	11:20	65.9	11.8	11.02	27	65.2	50%
	7/13/2006	13:46	97.1	6.3	5.84	30	60.2	75%
	7/21/2006	18:50	82.9	6.0	5.56	30	61.6	75%
	8/16/2006	15:20	80.2	5.6	5.19	30	60.1	75%
	8/23/2006	12:30	90.6	5.9	5.47	30	26.9	75%
	8/29/2006	11:30	86.7	5.8	5.37	30	25.1	75%
	9/9/2006	7:40	85.7	5.9	5.47	30	25.8	75%
	9/13/2006	16:30	76.1	5.4	5.00	30	24.6	75%
	9/22/2006	16:00	74.1	5.9	5.45	31	24.3	75%
	9/28/2006	12:40	76.7	6.2	5.74	30	25.6	75%
	10/2/2006	11:24	79.0	7.2	6.62	33	26.1	75%
	10/9/2006	14:10	72.9	7.4	6.80	33	26.6	100%
	10/20/2006	15:10	78.1	7.6	6.97	34	24.7	100%
	10/27/2006	13:20	78.4	7.7	7.06	34	25.0	100%
	11/2/2006	14:55	76.9	7.9	7.24	34	24.2	100%
	11/17/2006	16:50	76.9	6.5	5.86	40	23.2	100%
	11/20/2006	19:35	70.6	6.6	5.95	40	20.6	100%
	11/28/2006	16:30	68.2	6.7	6.03	41	20.0	100%
	12/8/2006	16:35	76.9	7.2	6.42	44	19.0	100%
	12/15/2006	10:00	67.9	7.4	6.58	45	18.1	100%
	12/19/2006	17:20	73.1	7.6	6.74	46	17.1	100%
	12/27/2006	17:00	74.1	8.1	7.17	47	15.2	100%
	1/4/2007	7:00	64.2	8.8	7.81	46	9.1	100%
	1/12/2007	16:05	61.1	10.0	8.82	48	8.1	100%
	1/20/2007	15:50	69.2	9.8	8.69	46	6.1	100%
	1/27/2007	5:50	62.0	10.1	8.91	48	5.7	100%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/31/2007	12:20	67.1	10.3	9.24	42	15.5	100%
	2/7/2007	15:20	68.1	10.6	9.35	48	15.0	100%
	2/16/2007	5:50	67.0	11.0	9.78	45	14.5	100%
	2/20/2007	16:10	69.7	11.7	10.44	44	14.0	100%
	3/1/2007	16:50	68.4	12.0	10.61	47	14.6	100%
	3/7/2007	17:20	67.3	12.6	11.15	47	14.3	100%
	3/14/2007	18:36	74.0	12.8	11.35	46	14.5	100%
	3/20/2007	16:30	68.7	12.1	10.70	47	14.0	100%
	3/28/2007	18:35	69.5	12.9	11.41	47	14.5	100%
	4/5/2007	16:20	71.8	12.6	11.15	47	14.6	100%
	4/9/2007	18:50	74.2	12.9	11.28	51	14.6	100%
	4/18/2007	15:50	74.4	13.1	11.39	53	14.8	100%
	4/23/2007	16:50	75.9	13.2	11.45	54	14.9	100%
	5/2/2007	16:50	72.3	13.4	11.66	53	14.1	100%
	5/10/2007	16:50	76.0	13.6	11.83	53	14.0	100%
	5/16/2007	13:50	71.6	13.7	11.85	55	13.2	100%
	5/21/2007	12:50	72.6	20.7	17.85	56	1.1	100%
	5/29/2007	12:20	80.7	5.7	4.90	57	0.5	100%
	6/5/2007	16:40	72.6	6.0	5.04	65	0.4	100%
	6/15/2007	9:30	81.7	25.6	21.64	63	0.2	100%
	6/19/2007	18:10	76.7	5.8	4.89	64	0.0	100%
	6/28/2007	16:30	74.6	4.1	3.47	63	0.0	100%
	7/5/2007	14:40	77.4	4.6	3.89	63	0.0	100%
	7/11/2007	19:00	72.4	4.8	4.05	64	0.0	100%
	7/18/2007	15:00	74.6	4.9	4.13	64	0.0	100%
	7/23/2007	10:00	68.7	5.2	4.38	64	0.0	100%
	8/2/2007	18:40	69.8	5.5	4.65	63	0.0	100%
	8/9/2007	16:00	72.3	5.3	4.53	59	0.0	100%
	8/16/2007	NM	NM	NM	NM	7	NM	0%
	8/22/2007	NM	NM	NM	NM	11	NM	0%
	8/30/2007	NM	NM	NM	NM	11	NM	0%
	9/6/2007	NM	NM	NM	NM	11	NM	0%
	9/10/2007	NM	NM	NM	NM	12	NM	0%
	9/20/2007	NM	NM	NM	NM	0	NM	0%
	9/26/2007	NM	NM	NM	NM	0	NM	0%
	10/4/2007	NM	NM	NM	NM	0	NM	0%
	10/18/2007	16:18	74.3	5.95	5.57	26	0.0	75%
	10/23/2007	16:30	84.6	5.61	5.25	26	0.0	75%
	11/1/2007	17:00	82.1	5.62	5.25	27	0.0	75%
	11/7/2007	17:10	72.2	5.63	5.16	34	0.0	75%
	11/16/2007	18:00	70.8	11.2	9.41	65	0.0	100%
	11/21/2007	15:45	68.0	11.0	9.24	65	0.0	100%
	11/26/2007	16:15	65.0	11.5	9.66	65	0.0	100%
	12/3/2007	8:15	69.2	33.6	26.34	88	0.0	100%
	12/11/2007	16:15	67.8	34.0	26.65	88	0.0	100%
	12/19/2007	17:45	74.9	34.4	27.13	86	0.0	100%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/27/2007	15:45	73.3	34.0	26.82	86	0.0	100%
VEW-26A	3/2/2006	11:56	70.7	17.0	15.33	40	9.8	100%
	3/10/2006	12:58	57.0	10.9	10.18	27	46.2	50%
	3/16/2006	17:35	57.6	11.2	10.46	27	48.2	50%
	3/23/2006	12:48	63.1	11.4	10.64	27	7.0	50%
	3/31/2006	12:20	59.8	13.6	12.60	30	28.9	50%
	4/5/2006	9:05	56.9	12.6	11.67	30	27.3	50%
	4/12/2006	9:05	60.6	10.8	10.00	30	25.2	50%
	4/19/2006	10:40	71.4	33.9	30.99	35	24.6	50%
	4/26/2006	10:02	61.4	33.8	30.89	35	7.6	50%
	5/3/2006	14:26	67.0	9.9	9.29	25	4.4	50%
	5/11/2006	11:24	63.7	10.6	9.82	30	4.0	50%
	5/19/2006	10:28	65.9	10.3	9.57	29	3.7	50%
	5/24/2006	9:55	67.9	10.8	10.03	29	3.5	50%
	6/1/2006	10:43	69.4	10.9	10.12	29	3.2	50%
	6/7/2006	10:15	60.7	10.1	9.38	29	3.0	50%
	6/14/2006	10:05	60.7	11.6	10.75	30	2.6	50%
	6/23/2006	9:43	61.4	10.8	10.03	29	2.5	50%
	6/28/2006	10:33	63.8	23.8	22.16	28	2.5	50%
	7/3/2006	10:13	64.7	23.6	22.04	27	2.4	50%
	7/13/2006	13:14	97.5	13.2	12.23	30	2.1	75%
	7/21/2006	18:25	82.5	15.4	14.27	30	2.0	75%
	8/16/2006	13:45	79.6	15.7	14.54	30	1.8	75%
	8/23/2006	10:00	89.5	10.4	9.58	32	4.1	75%
	8/29/2006	9:20	85.6	10.8	9.95	32	4.2	75%
	9/9/2006	13:02	84.7	10.7	9.86	32	4.6	75%
	9/13/2006	16:00	76.7	10.9	10.07	31	4.7	75%
	9/22/2006	15:20	73.8	11.6	10.66	33	6.7	75%
	9/28/2006	12:05	76.2	11.7	10.78	32	6.0	75%
	10/2/2006	10:49	78.0	11.9	10.91	34	6.7	75%
	10/9/2006	13:21	72.6	12.6	11.55	34	6.6	75%
	10/20/2006	14:20	79.6	12.6	11.58	33	6.8	75%
	10/27/2006	12:40	77.9	13.4	12.25	35	9.1	100%
	11/2/2006	14:20	76.7	13.6	12.40	36	6.0	75%
	11/17/2006	16:00	76.8	14.0	12.62	40	8.2	75%
	11/20/2006	18:45	70.3	14.2	12.81	40	7.6	75%
	11/27/2006	18:20	71.8	14.4	12.84	44	7.9	75%
	12/8/2006	15:45	76.2	14.8	13.16	45	7.6	75%
	12/15/2006	9:00	67.6	14.7	13.00	47	7.2	75%
	12/19/2006	16:00	73.4	15.2	13.45	47	7.0	75%
	12/27/2006	16:10	74.6	16.1	14.20	48	6.5	75%
	1/3/2007	16:00	76.9	16.6	14.60	49	5.1	75%
	1/11/2007	17:15	68.1	16.0	14.11	48	4.6	75%
	1/17/2007	18:00	67.3	16.4	14.47	48	4.0	75%
	1/26/2007	18:15	69.7	17.8	15.66	49	2.5	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/31/2007	11:30	67.7	15.1	13.47	44	3.5	75%
	2/7/2007	14:00	68.2	15.3	13.50	48	3.8	75%
	2/15/2007	17:30	71.8	15.9	14.03	48	3.9	75%
	2/20/2007	15:10	69.0	14.1	12.54	45	3.6	75%
	3/1/2007	16:00	68.7	14.8	12.95	51	3.9	75%
	3/7/2007	16:30	67.4	14.9	13.00	52	3.6	75%
	3/14/2007	18:01	74.2	14.1	12.44	48	3.6	75%
	3/20/2007	15:40	68.7	14.8	13.09	47	3.1	75%
	3/28/2007	17:45	69.2	14.6	12.91	47	3.0	75%
	4/5/2007	15:20	71.3	14.8	13.09	47	3.5	75%
	4/9/2007	18:00	74.8	14.9	13.00	52	3.6	75%
	4/18/2007	15:00	74.7	15.0	12.94	56	3.1	75%
	4/23/2007	16:00	75.7	15.4	13.28	56	3.0	75%
	5/2/2007	16:00	72.3	15.6	13.49	55	3.3	75%
	5/10/2007	16:00	76.5	15.5	13.41	55	3.0	75%
	5/16/2007	13:00	71.5	15.4	13.24	57	2.6	75%
	5/21/2007	12:00	72.9	171.1	146.31	59	1.0	75%
	5/29/2007	11:30	80.3	176.1	151.45	57	0.5	75%
	6/5/2007	16:10	72.4	177.6	147.94	68	0.0	100%
	6/15/2007	9:00	80.2	35.6	29.92	65	0.2	100%
	6/19/2007	17:40	76.3	171.1	143.37	66	0.0	100%
	6/28/2007	16:00	74.6	119.2	99.88	66	0.0	100%
	7/5/2007	14:10	77.3	110.2	92.34	66	0.0	100%
	7/11/2007	18:30	72.5	109.3	91.58	66	0.0	100%
	7/18/2007	13:30	74.3	101.6	84.88	67	0.0	100%
	7/23/2007	9:00	68.6	100.8	83.97	68	0.0	100%
	8/2/2007	18:10	69.7	100.1	84.12	65	0.0	100%
	8/9/2007	15:30	72.9	99.6	84.92	60	0.0	100%
	8/16/2007	NM	NM	NM	NM	6	NM	0%
	8/22/2007	NM	NM	NM	NM	19	NM	0%
	8/30/2007	NM	NM	NM	NM	19	NM	0%
	9/6/2007	NM	NM	NM	NM	18	NM	0%
	9/10/2007	NM	NM	NM	NM	18	NM	0%
	9/20/2007	NM	NM	NM	NM	12	NM	0%
	9/26/2007	NM	NM	NM	NM	12	NM	0%
	10/4/2007	NM	NM	NM	NM	13	NM	0%
	10/18/2007	15:39	74.1	22.1	20.63	27	0.0	75%
	10/23/2007	15:40	84.5	22.2	20.73	27	0.0	75%
	11/1/2007	16:10	82.6	22.3	20.82	27	0.0	75%
	11/7/2007	16:20	72.4	22.8	20.73	37	0.0	75%
	11/16/2007	NM	NM	NM	NM	0	NM	0%
VEW-26B	3/2/2006	12:02	71.6	38.1	34.17	42	14.9	100%
	3/10/2006	13:07	56.7	23.4	21.79	28	14.6	50%
	3/16/2006	17:42	57.4	23.6	21.98	28	14.9	50%
	3/23/2006	12:54	63.5	23.7	22.07	28	40.1	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/31/2006	12:30	60.6	19.5	18.02	31	10.2	50%
	4/5/2006	9:10	56.5	25.5	23.56	31	11.6	50%
	4/12/2006	9:15	60.8	21.2	19.59	31	10.8	50%
	4/19/2006	10:50	71.6	31.8	28.91	37	12.7	50%
	4/26/2006	10:06	61.6	31.7	28.82	37	17.6	50%
	5/3/2006	14:30	68.3	23.2	21.78	25	15.8	50%
	5/11/2006	11:31	63.0	24.9	23.00	31	14.7	50%
	5/19/2006	10:36	65.0	23.6	21.92	29	15.6	50%
	5/24/2006	10:01	67.6	23.8	22.05	30	16.5	50%
	6/1/2006	10:50	69.7	24.0	22.23	30	16.5	50%
	6/7/2006	10:21	60.3	23.1	21.45	29	15.5	50%
	6/14/2006	10:11	60.4	23.4	21.73	29	13.8	50%
	6/23/2006	9:50	61.2	24.1	22.32	30	15.0	50%
	6/28/2006	10:40	63.9	21.3	19.78	29	14.1	50%
	7/3/2006	10:20	64.5	21.6	20.06	29	14.2	50%
	7/13/2006	13:20	97.3	25.8	23.90	30	13.1	75%
	7/21/2006	18:30	82.6	25.0	23.10	31	14.0	75%
	8/16/2006	13:51	79.9	26.7	24.73	30	13.6	75%
	8/23/2006	10:07	89.6	22.3	20.55	32	9.7	75%
	8/29/2006	9:27	85.4	23.1	21.23	33	9.6	75%
	9/9/2006	13:09	84.5	23.6	21.69	33	9.0	75%
	9/13/2006	16:06	76.8	23.5	21.77	30	8.0	75%
	9/22/2006	15:27	73.6	24.3	22.51	30	9.7	75%
	9/28/2006	12:12	76.9	25.6	23.71	30	9.5	75%
	10/2/2006	10:56	78.8	25.9	23.80	33	9.2	75%
	10/9/2006	13:28	72.8	25.8	23.71	33	9.0	75%
	10/20/2006	14:27	79.4	25.1	23.13	32	9.3	75%
	10/27/2006	12:48	77.5	25.9	23.74	34	6.6	75%
	11/2/2006	14:27	76.6	25.7	23.55	34	9.3	75%
	11/17/2006	16:10	76.1	32.6	29.40	40	6.2	75%
	11/20/2006	18:55	70.6	32.8	29.58	40	6.0	75%
	11/27/2006	18:30	71.3	32.8	29.26	44	5.9	75%
	12/8/2006	15:55	76.6	33.2	29.53	45	4.9	75%
	12/15/2006	9:10	67.5	33.7	29.89	46	4.4	75%
	12/19/2006	16:10	73.7	34.1	30.25	46	4.1	75%
	12/27/2006	16:20	74.8	34.8	30.70	48	4.0	75%
	1/3/2007	16:10	76.7	34.1	30.08	48	2.0	75%
	1/11/2007	17:25	68.1	34.4	30.26	49	1.7	75%
	1/17/2007	18:10	67.8	34.4	30.35	48	1.5	75%
	1/26/2007	18:25	69.2	34.2	30.17	48	1.0	75%
	1/31/2007	11:40	67.6	36.5	32.56	44	4.0	75%
	2/7/2007	14:10	68.5	37.0	32.37	51	4.1	75%
	2/15/2007	17:40	71.3	36.5	32.20	48	4.0	75%
	2/20/2007	15:20	69.5	36.8	32.64	46	4.4	75%
	3/1/2007	16:10	68.1	37.8	33.07	51	4.7	75%
	3/7/2007	16:40	62.7	37.8	33.07	51	4.8	75%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/14/2007	18:07	74.4	37.6	33.17	48	4.8	75%
	3/20/2007	15:50	68.5	37.1	32.45	51	4.7	75%
	3/28/2007	17:55	69.1	37.7	32.89	52	4.6	75%
	4/5/2007	15:30	71.8	38.1	33.23	52	4.4	75%
	4/9/2007	18:10	74.3	38.7	33.95	50	4.6	75%
	4/18/2007	15:10	74.1	38.9	33.65	55	4.8	75%
	4/23/2007	16:10	75.4	38.1	32.95	55	4.1	75%
	5/2/2007	16:10	72.5	38.4	33.21	55	3.8	75%
	5/10/2007	16:10	76.2	38.0	32.87	55	3.7	75%
	5/16/2007	13:10	71.4	38.3	32.94	57	3.1	75%
	5/21/2007	12:10	72.3	46.1	39.53	58	1.1	75%
	5/29/2007	11:40	80.5	42.4	36.15	60	1.0	75%
	6/5/2007	16:20	72.8	43.2	36.09	67	0.6	100%
	6/15/2007	9:10	80.8	66.0	55.63	64	0.8	100%
	6/19/2007	17:50	76.8	44.1	36.95	66	0.6	100%
	6/28/2007	16:10	74.1	44.4	37.20	66	0.7	100%
	7/5/2007	14:20	77.6	42.6	35.49	68	0.7	100%
	7/11/2007	18:40	72.0	41.6	34.65	68	0.2	100%
	7/18/2007	13:40	74.9	44.0	36.65	68	0.1	100%
	7/23/2007	9:10	68.3	43.6	36.43	67	0.0	100%
	8/2/2007	18:20	69.3	43.1	36.22	65	0.0	100%
	8/9/2007	15:40	72.4	43.9	37.43	60	0.0	100%
	8/16/2007	NM	NM	NM	NM	5	NM	0%
	8/22/2007	NM	NM	NM	NM	19	NM	0%
	8/30/2007	NM	NM	NM	NM	19	NM	0%
	9/6/2007	NM	NM	NM	NM	18	NM	0%
	9/10/2007	NM	NM	NM	NM	18	NM	0%
	9/20/2007	NM	NM	NM	NM	12	NM	0%
	9/26/2007	NM	NM	NM	NM	12	NM	0%
	10/4/2007	NM	NM	NM	NM	13	NM	0%
	10/18/2007	15:47	74.9	29.9	27.99	26	0.0	75%
	10/23/2007	15:50	84.1	29.1	27.24	26	0.0	75%
	11/1/2007	16:20	82.2	29.3	27.43	26	0.0	75%
	11/7/2007	16:30	72.9	29.6	27.06	35	0.0	75%
	11/16/2007	NM	NM	NM	NM	0	NM	0%
VIEW-27	3/2/2006	12:25	71.9	32.9	29.59	41	100.6	100%
	3/10/2006	13:20	59.6	22.2	20.73	27	34.7	50%
	3/16/2006	18:04	55.9	22.6	21.10	27	34.9	50%
	3/24/2006	8:18	61.0	23.7	22.13	27	33.6	50%
	3/31/2006	9:40	60.4	23.6	21.80	31	14.4	50%
	4/5/2006	11:45	56.1	19.9	18.43	30	14.9	50%
	4/12/2006	9:45	61.0	18.7	17.23	32	12.6	50%
	4/19/2006	11:20	71.4	33.7	30.72	36	15.2	50%
	4/26/2006	13:40	61.4	33.8	30.81	36	10.6	50%
	5/3/2006	14:50	68.7	18.5	17.36	25	8.8	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/11/2006	12:08	63.8	19.9	18.43	30	8.7	50%
	5/19/2006	11:15	65.9	19.6	18.20	29	7.9	50%
	5/24/2006	10:38	67.6	19.5	18.11	29	7.0	50%
	6/1/2006	11:26	69.8	19.7	18.35	28	6.5	50%
	6/7/2006	11:01	60.8	19.7	18.30	29	6.2	50%
	6/14/2006	10:45	60.8	21.2	19.64	30	6.0	50%
	6/23/2006	10:25	61.8	19.8	18.39	29	6.0	50%
	6/28/2006	11:22	65.4	19.4	18.11	27	5.4	50%
	7/3/2006	11:27	65.6	19.6	18.35	26	5.6	50%
	7/13/2006	13:53	97.6	21.6	20.01	30	5.1	75%
	7/21/2006	18:55	82.6	21.5	19.92	30	58.2	75%
	8/16/2006	15:26	80.3	21.6	20.01	30	57.6	75%
	8/23/2006	12:37	90.1	19.0	17.55	31	21.6	75%
	8/29/2006	11:37	86.9	19.7	18.15	32	22.6	75%
	9/9/2006	7:50	85.1	19.6	18.20	29	22.1	75%
	9/13/2006	16:36	76.9	19.1	17.69	30	22.0	75%
	9/22/2006	16:07	74.6	19.9	18.34	32	23.1	75%
	9/28/2006	12:47	76.8	20.3	18.70	32	23.7	75%
	10/2/2006	11:31	79.2	19.9	18.29	33	22.6	75%
	10/9/2006	14:17	73.6	20.1	18.42	34	22.7	100%
	10/20/2006	15:17	78.3	20.9	19.21	33	22.1	100%
	10/27/2006	13:28	78.6	21.2	19.38	35	20.4	100%
	11/2/2006	15:02	76.1	21.4	19.56	35	19.6	100%
	11/17/2006	17:00	76.1	24.4	22.00	40	21.6	100%
	11/20/2006	19:45	70.4	24.6	22.24	39	21.0	100%
	11/28/2006	16:40	68.3	24.0	21.64	40	21.2	100%
	12/8/2006	16:45	76.3	26.1	23.22	45	22.6	100%
	12/15/2006	10:10	67.7	26.6	23.60	46	20.1	100%
	12/19/2006	17:30	73.6	26.9	23.80	47	19.2	100%
	12/27/2006	17:10	74.4	27.3	24.15	47	17.1	100%
	1/4/2007	7:10	64.4	27.1	23.97	47	8.7	100%
	1/12/2007	16:10	61.3	27.6	24.28	49	7.2	100%
	1/20/2007	16:00	69.8	28.7	25.32	48	4.8	100%
	1/27/2007	6:00	62.9	28.8	25.33	49	4.2	100%
	1/31/2007	12:30	67.5	9.9	8.83	44	21.5	100%
	2/7/2007	15:30	68.6	9.6	8.44	49	21.6	100%
	2/16/2007	6:00	67.9	9.0	7.98	46	21.4	100%
	2/20/2007	16:20	69.1	9.4	8.36	45	21.8	100%
	3/1/2007	17:00	68.5	9.9	8.68	50	21.0	100%
	3/7/2007	17:30	67.6	9.0	7.89	50	19.9	100%
	3/14/2007	18:43	74.8	9.8	8.67	47	21.8	100%
	3/20/2007	16:40	68.3	9.1	8.07	46	21.0	100%
	3/28/2007	18:45	69.1	8.9	7.89	46	20.6	100%
	4/5/2007	16:30	71.2	8.8	7.81	46	20.8	100%
	4/9/2007	19:00	74.6	9.3	8.11	52	20.6	100%
	4/18/2007	16:00	74.1	9.3	8.04	55	20.1	100%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/23/2007	17:00	75.6	9.7	8.39	55	20.0	100%
	5/2/2007	17:00	72.6	10.0	8.65	55	19.8	100%
	5/10/2007	17:00	76.7	10.6	9.17	55	19.6	100%
	5/16/2007	14:00	71.8	10.9	9.40	56	18.1	100%
	5/21/2007	13:00	72.6	3.52	3.03	57	2.6	100%
	5/29/2007	12:30	80.9	7.0	6.04	56	2.0	100%
	6/5/2007	16:50	72.0	7.2	6.03	66	1.5	100%
	6/15/2007	9:40	80.4	29.6	25.02	63	1.8	100%
	6/19/2007	18:20	76.3	7.7	6.47	65	1.0	100%
	6/28/2007	16:40	74.4	3.2	2.69	65	0.6	100%
	7/5/2007	14:50	77.7	4.0	3.37	64	0.4	100%
	7/11/2007	19:10	72.6	4.2	3.54	64	0.2	100%
	7/18/2007	15:10	74.5	4.0	3.37	64	0.1	100%
	7/23/2007	10:10	68.3	4.0	3.37	64	0.1	100%
	8/2/2007	18:50	69.5	4.4	3.71	64	0.2	100%
	8/9/2007	16:10	72.8	4.9	4.18	60	0.1	100%
	8/16/2007	11:50	85.9	4.5	3.99	46	0.2	100%
	8/22/2007	9:50	70.4	4.5	3.95	50	0.1	100%
	8/30/2007	17:40	88.9	4.5	3.95	50	0.3	100%
	9/6/2007	10:10	74.4	4.6	4.06	48	0.3	100%
	9/10/2007	16:00	76.8	4.9	4.32	48	0.2	100%
	9/20/2007	NM	NM	NM	NM	0	NM	0%
	9/26/2007	NM	NM	NM	NM	0	NM	0%
	10/4/2007	NM	NM	NM	NM	0	NM	0%
	10/18/2007	16:25	74.0	4.13	3.84	29	0.3	75%
	10/23/2007	16:40	84.4	4.21	3.91	29	0.3	75%
	11/1/2007	17:10	82.8	4.4	4.09	29	0.2	75%
	11/7/2007	17:20	72.5	4.4	4.05	36	0.1	75%
	11/16/2007	18:15	70.2	19.1	15.96	67	0.2	100%
	11/21/2007	16:00	68.8	18.6	15.45	69	0.2	100%
	11/26/2007	16:30	65.6	18.8	15.61	69	0.3	100%
	12/3/2007	8:45	69.8	31.6	25.00	85	0.8	100%
	12/11/2007	16:30	67.2	31.7	25.08	85	0.9	100%
	12/19/2007	18:00	74.0	31.6	25.00	85	0.5	100%
	12/27/2007	16:00	73.6	31.2	24.61	86	0.3	100%
VEW-28	3/2/2006	12:10	71.9	32.3	29.05	41	29.0	100%
	3/10/2006	13:04	57.9	26.9	25.18	26	17.6	50%
	3/16/2006	17:49	57.2	26.4	24.71	26	8.6	50%
	3/23/2006	13:00	63.8	26.5	24.81	26	13.1	50%
	3/31/2006	12:40	60.4	17.4	16.12	30	37.6	50%
	4/5/2006	9:15	56.7	21.0	19.45	30	35.2	50%
	4/12/2006	9:25	60.9	19.1	17.69	30	33.7	50%
	4/19/2006	11:00	71.6	26.6	24.31	35	31.6	50%
	4/26/2006	10:10	61.9	26.8	24.50	35	3.9	50%
	5/3/2006	14:34	68.4	20.5	19.29	24	3.6	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/11/2006	11:39	63.7	22.1	20.47	30	3.9	50%
	5/19/2006	10:44	65.3	21.5	20.02	28	4.1	50%
	5/24/2006	10:08	67.5	21.8	20.30	28	4.3	50%
	6/1/2006	10:56	69.5	21.6	20.11	28	4.1	50%
	6/7/2006	10:28	60.9	21.0	19.50	29	3.6	50%
	6/14/2006	10:18	60.9	21.8	20.25	29	3.1	50%
	6/23/2006	9:57	61.8	21.8	20.25	29	3.3	50%
	6/28/2006	10:47	63.5	21.4	19.98	27	3.3	50%
	7/3/2006	10:27	64.1	21.6	20.11	28	3.2	50%
	7/13/2006	13:26	97.6	24.1	22.32	30	2.6	75%
	7/21/2006	18:35	82.8	24.4	22.60	30	2.2	75%
	8/16/2006	13:57	79.1	23.9	22.14	30	2.2	75%
	8/23/2006	10:14	89.9	18.7	17.28	31	7.1	75%
	8/29/2006	9:34	86.2	18.1	16.72	31	6.9	75%
	9/9/2006	13:16	84.3	18.7	17.23	32	6.1	75%
	9/13/2006	16:02	76.4	18.6	17.23	30	6.6	75%
	9/22/2006	15:34	73.4	17.9	16.54	31	6.1	75%
	9/28/2006	12:19	76.6	18.6	17.14	32	6.2	75%
	10/2/2006	11:03	78.3	19.8	18.15	34	6.0	75%
	10/9/2006	13:35	72.8	19.8	18.15	34	6.6	75%
	10/20/2006	14:34	79.8	19.9	18.29	33	6.0	75%
	10/27/2006	12:56	77.9	20.6	18.83	35	7.1	75%
	11/2/2006	14:34	76.8	20.1	18.37	35	6.2	75%
	11/17/2006	16:20	76.3	24.5	22.09	40	6.4	75%
	11/20/2006	19:05	70.5	24.2	21.82	40	6.3	75%
	11/27/2006	18:40	71.4	24.9	22.21	44	5.0	75%
	12/8/2006	16:05	76.9	25.1	22.26	46	5.6	75%
	12/15/2006	9:20	67.8	25.5	22.62	46	5.5	75%
	12/19/2006	16:20	73.1	25.1	22.26	46	5.0	75%
	12/27/2006	16:30	74.0	25.8	22.76	48	4.5	75%
	1/3/2007	16:20	76.8	25.1	22.08	49	2.0	75%
	1/11/2007	17:35	68.5	25.9	22.72	50	1.8	75%
	1/17/2007	18:20	67.8	25.1	22.02	50	1.6	75%
	1/26/2007	18:35	69.3	26.9	23.73	48	1.2	75%
	1/31/2007	11:50	67.7	27.6	24.62	44	2.3	75%
	2/7/2007	14:20	68.7	27.8	24.52	48	2.1	75%
	2/15/2007	17:50	71.0	30.2	26.64	48	2.3	75%
	2/20/2007	15:30	69.7	30.9	27.49	45	2.8	75%
	3/1/2007	16:20	68.4	32.1	28.16	50	3.0	75%
	3/7/2007	16:50	67.3	33.2	29.12	50	2.8	75%
	3/14/2007	18:15	74.3	33.9	29.90	48	3.3	75%
	3/20/2007	16:00	68.4	34.6	30.44	49	3.1	75%
	3/28/2007	18:05	69.7	34.3	30.17	49	2.9	75%
	4/5/2007	15:40	71.4	34.9	30.61	50	2.6	75%
	4/9/2007	18:20	74.8	35.5	30.88	53	2.0	75%
	4/18/2007	15:20	74.8	36.0	31.14	55	1.5	75%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/23/2007	16:20	75.3	36.6	31.66	55	1.1	75%
	5/2/2007	16:20	72.1	36.9	31.92	55	1.0	75%
	5/10/2007	16:20	76.5	36.6	31.66	55	0.9	75%
	5/16/2007	13:20	71.0	36.4	31.30	57	0.8	75%
	5/21/2007	12:20	72.4	35.1	30.19	57	0.0	75%
	5/29/2007	11:50	80.4	36.0	30.87	58	0.0	75%
	6/5/2007	NM	NM	NM	NM	13	NM	0%
	6/15/2007	NM	NM	NM	NM	10	NM	0%
	6/19/2007	NM	NM	NM	NM	13	NM	0%
	6/28/2007	NM	NM	NM	NM	14	NM	0%
	7/5/2007	NM	NM	NM	NM	14	NM	0%
	7/11/2007	NM	NM	NM	NM	15	NM	0%
	7/18/2007	NM	NM	NM	NM	15	NM	0%
	7/23/2007	NM	NM	NM	NM	15	NM	0%
	8/2/2007	NM	NM	NM	NM	15	NM	0%
	8/9/2007	NM	NM	NM	NM	13	NM	0%
	8/9/2007	18:20	72.7	31.2	27.6	47	0.1	50%
	8/16/2007	12:00	85.3	49.1	43.4	47	0.6	50%
	8/22/2007	9:20	70.3	31.6	27.6	51	0.2	50%
	8/30/2007	17:20	88.6	31.8	27.9	50	0.1	50%
	9/6/2007	9:50	74.0	31.9	28.0	50	0.1	50%
	9/10/2007	15:40	76.9	31.5	27.6	50	0.1	50%
	9/20/2007	NM	NM	NM	NM	9	NM	0%
	9/26/2007	NM	NM	NM	NM	10	NM	0%
	10/4/2007	NM	NM	NM	NM	9	NM	0%
	10/18/2007	15:54	74.6	25.0	23.28	28	0.0	75%
	10/23/2007	16:00	84.6	25.6	23.84	28	0.0	75%
	11/1/2007	16:30	82.6	25.9	24.06	29	0.0	75%
	11/7/2007	16:40	72.6	25.6	23.34	36	0.0	75%
	11/16/2007	NM	NM	NM	NM	0	NM	0%
VIEW-29	3/2/2006	11:10	68.2	40.5	36.52	40	31.6	100%
	3/10/2006	12:00	55.6	23.9	22.37	26	36.7	50%
	3/16/2006	16:40	58.6	26.0	24.40	25	31.0	50%
	3/23/2006	12:00	64.0	25.9	24.25	26	25.1	50%
	3/31/2006	8:30	59.3	19.7	18.20	31	19.6	50%
	4/5/2006	8:30	56.1	21.6	20.06	29	18.7	50%
	4/12/2006	7:55	60.2	19.6	18.16	30	15.4	50%
	4/19/2006	7:30	70.2	28.6	26.14	35	15.2	50%
	4/26/2006	8:45	61.8	29.0	26.51	35	12.6	50%
	5/3/2006	13:00	66.0	23.5	22.17	23	10.1	50%
	5/11/2006	9:00	63.1	24.1	22.38	29	9.6	50%
	5/19/2006	8:00	65.1	23.9	22.32	27	9.4	50%
	5/24/2006	8:00	67.1	23.6	21.98	28	9.0	50%
	6/1/2006	8:45	69.2	23.6	21.92	29	8.5	50%
	6/7/2006	8:00	60.2	23.4	21.73	29	8.3	50%

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	6/14/2006	8:00	60.4	25.0	23.28	28	7.9	50%
	6/23/2006	7:30	61.3	24.2	22.60	27	8.0	50%
	6/28/2006	7:00	63.1	23.6	22.04	27	8.0	50%
	7/3/2006	8:00	64.2	23.1	21.57	27	7.5	50%
	7/13/2006	10:35	97.4	28.7	26.66	29	6.5	75%
	7/21/2006	16:45	82.1	28.5	26.47	29	6.3	75%
	8/16/2006	11:45	79.2	26.7	24.73	30	6.2	75%
	8/23/2006	7:40	89.4	22.5	20.84	30	4.4	75%
	8/29/2006	7:00	85.6	22.3	20.66	30	4.3	75%
	9/9/2006	10:42	84.1	22.6	20.93	30	4.2	75%
	9/13/2006	14:00	76.9	22.7	21.03	30	4.0	75%
	9/22/2006	13:00	73.2	22.9	21.16	31	4.4	75%
	9/28/2006	9:45	76.2	30.2	27.90	31	4.6	75%
	10/2/2006	7:10	78.1	31.6	29.04	33	4.4	75%
	10/9/2006	11:00	72.1	31.7	29.13	33	4.6	75%
	10/20/2006	12:00	79.6	31.8	29.38	31	4.4	75%
	10/27/2006	10:00	77.6	32.8	30.06	34	4.0	75%
	11/2/2006	12:00	76.9	32.1	29.42	34	4.4	75%
	11/17/2006	NM	NM	NM	NM	8	NM	0%
	11/20/2006	NM	NM	NM	NM	8	NM	0%
	11/27/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	7	NM	0%
	12/15/2006	NM	NM	NM	NM	9	NM	0%
	12/19/2006	NM	NM	NM	NM	9	NM	0%
	12/27/2006	NM	NM	NM	NM	7	NM	0%
	1/3/2007	NM	NM	NM	NM	7	NM	0%
	1/11/2007	NM	NM	NM	NM	9	NM	0%
	1/17/2007	NM	NM	NM	NM	9	NM	0%
	1/26/2007	NM	NM	NM	NM	8	NM	0%
	1/31/2007	NM	NM	NM	NM	6	NM	0%
	2/7/2007	NM	NM	NM	NM	9	NM	0%
	2/15/2007	NM	NM	NM	NM	7	NM	0%
	2/20/2007	NM	NM	NM	NM	9	NM	0%
	3/1/2007	NM	NM	NM	NM	7	NM	0%
	3/7/2007	NM	NM	NM	NM	8	NM	0%
	3/14/2007	NM	NM	NM	NM	7	NM	0%
	3/20/2007	NM	NM	NM	NM	7	NM	0%
	3/27/2007	NM	NM	NM	NM	7	NM	0%
	4/5/2007	NM	NM	NM	NM	8	NM	0%
	4/9/2007	NM	NM	NM	NM	9	NM	0%
	4/18/2007	NM	NM	NM	NM	8	NM	0%
	4/23/2007	NM	NM	NM	NM	9	NM	0%
	5/2/2007	NM	NM	NM	NM	9	NM	0%
	5/10/2007	NM	NM	NM	NM	9	NM	0%
	5/16/2007	NM	NM	NM	NM	9	NM	0%
	5/21/2007	NM	NM	NM	NM	9	NM	0%

TABLE 3 - WELLHEAD FIELD DATA**Site Name:** BRC Former C-6 Facility**Location:** Los Angeles, California**System:** Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/29/2007	NM	NM	NM	NM	9	NM	0%
	6/5/2007	NM	NM	NM	NM	10	NM	0%
	6/15/2007	NM	NM	NM	NM	5	NM	0%
	6/19/2007	NM	NM	NM	NM	9	NM	0%
	6/28/2007	NM	NM	NM	NM	9	NM	0%
	7/5/2007	NM	NM	NM	NM	9	NM	0%
	7/11/2007	NM	NM	NM	NM	9	NM	0%
	7/18/2007	NM	NM	NM	NM	9	NM	0%
	7/23/2007	NM	NM	NM	NM	9	NM	0%
	8/2/2007	NM	NM	NM	NM	10	NM	0%
	8/9/2007	NM	NM	NM	NM	10	NM	0%
	8/9/2007	18:30	72.5	49.8	44.2	46	0.0	50%
	8/16/2007	12:10	85.6	48.2	42.6	47	0.8	50%
	8/22/2007	7:00	70.8	50.2	44.0	50	0.1	50%
	8/30/2007	14:50	88.3	50.5	44.3	50	0.1	50%
	9/6/2007	7:30	74.5	50.1	44.2	48	0.0	50%
	9/10/2007	13:40	76.5	50.8	44.8	48	0.0	50%
	9/20/2007	NM	NM	NM	NM	12	NM	0%
	9/26/2007	NM	NM	NM	NM	12	NM	0%
	10/4/2007	NM	NM	NM	NM	10	NM	0%
	10/18/2007	13:20	74.4	42.5	39.89	25	0.0	75%
	10/23/2007	12:20	84.7	42.7	40.08	25	0.0	75%
	11/1/2007	12:50	82.3	42.1	39.52	25	0.0	75%
	11/7/2007	13:00	72.6	42.8	39.12	35	0.0	75%
	11/16/2007	NM	NM	NM	NM	0	NM	0%
VMW-0106	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	0	NM	0%
	4/19/2006	NM	NM	NM	NM	0	NM	0%
	4/26/2006	NM	NM	NM	NM	0	NM	0%
	5/3/2006	NM	NM	NM	NM	0	NM	0%
	5/11/2006	NM	NM	NM	NM	0	NM	0%
	5/19/2006	NM	NM	NM	NM	0	NM	0%
	5/24/2006	NM	NM	NM	NM	0	NM	0%
	6/1/2006	NM	NM	NM	NM	0	NM	0%
	6/7/2006	NM	NM	NM	NM	0	NM	0%
	6/14/2006	NM	NM	NM	NM	0	NM	0%
	6/23/2006	NM	NM	NM	NM	0	NM	0%
	6/28/2006	10:54	NM	NM	NM	0	NM	0%
	7/3/2006	NM	NM	NM	NM	0	NM	0%

Notes:

TABLE 3 - WELLHEAD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1-36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acf m) (scfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
---------	------	------	--------------------------	--------------------------------	------------------------	------------------------------	---------------------------	-----------

ppmv: parts per million by volume

acf m: actual cubic foot per minute (measured values in the field)

scfm: standard cubic foot per minute (acf m corrected for vacuum and temperature)

NM: not measured

*: wells with detected MEK concentration

Note: Information above provided by Tait Environmental Management. Haley & Aldrich has not verified accuracy


TABLE 4 - SYSTEM LABORATORY ANALYTICAL DATA
 Site Name: BRC Former C-6 Facility
 Location: Los Angeles, California
 System: Building 1/36 SVE System

SAMPLE DATE	LAB ID	SAMPLE LOCATION	COMPOUND																										
			trans-1,3-Dichloropropene	1,1,2-Trichloroethane (1,1,2 TCA)	Tetrachloroethene (PCE)	2-Hexanone	Dibromochloromethane	Dibromoethane (EDB)	Chlorobenzene	Ethylbenzene	Xylenes (total)	m-Xylene & p-Xylene	o-Xylenes	Styrene	Bromoform	Tetrachloroethane	1,1,2,2-Tetrachloroethane	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	1,2,4-Trichlorobenzene	CO2	Oxygen	Methane			
			(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(%)	(%)	(%)		
03/09/06	GAC0001X AV030906_0001	Effluent	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
03/09/06	GAC0001B AV030906_0001	Breakthru	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
03/09/06	GAC0001U AV030906_0001	Influent	ND	ND	63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
03/24/06	GAC0001X AV032406_0001	Effluent	ND	ND	1.1J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
03/24/06	GAC0001B AV032406_0001	Breakthru	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
03/24/06	GAC0001U AV032406_0001	Influent	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
04/19/06	GAC0001X AV041906_0001	Effluent	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
04/19/06	GAC0001B AV041906_0001	Breakthru	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
04/19/06	GAC0001U AV041906_0001	Influent	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
05/03/06	GAC0001X AV050306_0001	Effluent	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
05/03/06	GAC0001B AV050306_0001	Breakthru	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
05/03/06	GAC0001U AV050306_0001	Influent	ND	ND	28J	56J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
06/07/06	GAC0001X AV060706_0001	Effluent	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
06/07/06	GAC0001B AV060706_0001	Breakthru	ND	ND	16J	50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
07/13/06	GAC0001X AV071306_0001	Effluent	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
07/13/06	GAC0001B AV071306_0001	Breakthru	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
07/13/06	GAC0001U AV071306_0001	Influent	ND	ND	27J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
07/20/06	GAC0001U AV072006_0001	Effluent	ND	ND	15J	35J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
08/03/06	GAC0001X AV080306_0001	Effluent	ND<21	350	ND<28	ND<18	ND<23	ND<6.8	ND<6.1	46J	46J	ND<11	ND<14	ND<17	ND<12	ND<12	ND<9	ND<15	ND<8.5	7.7J	ND<18	ND<46	7,000	200,000	ND<10	ND	ND		
08/03/06	GAC0001B AV080306_0001	Breakthru	ND<8.3	240	ND<11	ND<7	ND<9.0	ND<2.6	22J	104J	69	35J	ND<5.4	ND<6.8	ND<5.0	ND<4.7	ND<4.8	16J	ND<5.9	ND<3.4	ND<2.6	ND<7.1	ND<18	6,800	180,000	ND<10	ND	ND	
08/03/06	GAC0001U AV080306_0001	Influent	ND<1	86	ND<9.3	ND<5.9	ND<7.5	ND<2.2	67	390	280	110	ND<5.5	ND<4.1	14J	ND<4	20J	ND<2.8	ND<5.9	ND<15	7,000	ND<10	ND	ND	ND	ND	ND	ND	ND
08/03/06	GAC0001X AV080306_0001	Effluent	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	NA	NA	NA	
08/03/06	GAC0001B AV080306_0001	Breakthru	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	NA	NA	NA	
08/03/06	GAC0001U AV080306_0001	Influent	ND<50	ND<50	29J	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	NA	NA	NA	
08/03/06	GAC0001X AV080306_0002	Effluent	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	NA	NA	NA	
08/03/06	GAC0001B AV080306_0002	Breakthru	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	NA	NA	NA	
08/03/06	GAC0001U AV080306_0002	Influent	ND<100</td																										

TABLE 5 - WELL FIELD LABORATORY ANALYTICAL DATA
 Site Name: BRC Former C-6 Facility
 Location: Los Angeles, California
 System: Building 1/36 SVE System


SAMPLE DATE	LAB ID	SAMPLE LOCATION	COMPOUND																								
			1,1,2-Trichloroethane (1,1,2 TCA)	Tetrachloroethene (PCE)	2-Hexanone	Dibromoethane	Dibromochloromethane (EDB)	Chlorobenzene	Ethylbenzene	Xylenes (total)	m-Xylene & p-Xylene	o-Xylenes	Styrene	Bromoform	1,1,2,2-Tetrachloroethane	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Benzyl chloride	1,2-Dichlorobenzene	1,2,4-Trichlorobenzene	CO ₂	Oxygen	Methane		
(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(ppbv)	(%)	(%)	(%)		
10/18/07	VEW05 AV101807 0001	VEW-05	ND<2.0	2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<3.0	ND<2.0	ND<6.0	ND<25	ND<2.0	ND<5.0	NA	NA	NA		
10/18/07	VEW06 AV101807 0001	VEW-06	ND<2.0	1.9J	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<3.0	ND<2.0	ND<6.0	ND<25	ND<2.0	ND<5.0	NA	NA	NA	
04/19/06	VEW 9 AV041906 0001	VEW-9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
10/18/07	VEW09 AV101807 0001	VEW-9	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<3.0	ND<2.0	ND<6.0	ND<25	ND<2.0	ND<5.0	NA	NA	NA	
04/19/06	VEW 10B AV041906 0001	VEW-10B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	
10/18/07	VEW14B AV101807 0001	VEW-14B	ND<2.0	61	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<3.0	ND<2.0	ND<6.0	ND<25	ND<2.0	ND<5.0	NA	NA	NA	
10/18/07	VEW15A AV101807 0001	VEW-15A	ND<2.0	3.6	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<3.0	ND<2.0	ND<6.0	ND<25	ND<2.0	ND<5.0	NA	NA	NA	
10/18/07	VEW17B AV101807 0001	VEW-17B	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<3.0	ND<2.0	ND<6.0	ND<25	ND<2.0	ND<5.0	NA	NA	NA	
10/18/07	VEW18A AV101807 0001	VEW-18A	1.5J	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<3.0	ND<2.0	ND<6.0	ND<25	ND<2.0	ND<5.0	NA	NA	NA	
04/19/06	VEW 19A AV041906 0001	VEW-19A	ND	67	ND	ND	ND	ND	ND	79	62	18 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA
10/18/07	VEW19A AV101807 0001	VEW-19A	ND<2.0	1.5J	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<3.0	ND<2.0	ND<6.0	ND<25	ND<2.0	ND<5.0	NA	NA	NA	
04/19/06	VEW 19B AV041906 0001	VEW-19B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA
10/02/06	VEW 19B AV100206 0001	VEW-19B	19	35	ND<92	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<92	ND<18	ND<46	NA	NA	NA	
10/18/07	VEW19B AV101807 0001	VEW-19B	ND<20	ND<20	ND<100	ND<20	ND<20	ND<20	ND<20	ND<40	ND<40	ND<20	ND<20	ND<20	ND<20	ND<20	ND<30	ND<30	ND<20	ND<60	ND<250	ND<20	ND<50	NA	NA	NA	
04/19/06	VEW 21A AV041906 0001	VEW-21A	ND	1.8J	ND	ND	ND	ND	ND	2.6J	23	16	6.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA
10/18/07	VEW21A AV101807 0001	VEW-21A	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<3.0	ND<2.0	ND<6.0	ND<25	ND<2.0	ND<5.0	NA	NA	NA	
04/19/06	VEW 21B AV041906 0001	VEW-21B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA
10/18/07	VEW21B AV101807 0001	VEW-21B	ND<17	ND<17	ND<83	ND<17	ND<17	ND<17	ND<17	ND<33	ND<33	ND<17	ND<17	ND<17	ND<17	ND<17	ND<25	ND<25	ND<17	ND<50	ND<210	ND<17	ND<42	NA	NA	NA	
04/19/06	VEW 23B AV041906 0001	VEW-23B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA
10/02/06	VEW 23B AV100206 0001	VEW-23B	160	ND<75	ND<370	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<75	ND<370	ND<75	ND<190	NA	NA	NA	
10/18/07	VEW23B AV101807 0001	VEW-23B	ND<200	ND<200	ND<1,000	ND<200	ND<200	ND<200	ND<200	ND<400	ND<400	ND<200	ND<200	ND<200	ND<200	ND<200	ND<300	ND<300	ND<200	ND<600	ND<2,500	ND<200	ND<500	NA	NA	NA	
10/02/06	VEW 24B AV100206 0001	VEW-24B	1,700J	ND<3,800	ND<19,000	ND<3,800	ND<3,800	ND<3,800	ND<3,800	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<3,800	ND<3,800	ND<3,800	ND<19,000	ND<3,800	ND<9,500	NA	NA	NA		
10/18/07	VEW24B AV101807 0001	VEW-24B	ND<500	ND<500	ND<2,500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<1,200	ND<500	ND<1,500	ND<6,200	ND<500	NA

ppbv = parts per billion by volume
 ND = Not Detected at the laboratory reporting limit
 MDL = Less than MDL (method detection limit)
 NA = Not Analyzed
 J = Estimated result. Result is less than reporting limit (RL)
<b



G:\B882\B882 C-6626CIS\MapProjects\20882-623-0001-SiteLocationMap.mxd

SITE COORDINATES : 118° 18' 08.8" W 33° 51' 10.9" N



**HALEY &
ALDRICH**


BOEING CORPORATE REAL ESTATE
FORMER C-6 FACILITY
19503 S. NORMANDIE AVE.
LOS ANGELES, CALIFORNIA


SITE LOCATION MAP


SCALE: 1:24,000
JANUARY 2008


FIGURE 1


BOE-C6-0187971

















Information provided by TEM. Haley & Aldrich has not verified accuracy.

Haley & Aldrich, Inc.
9040 Friars Road
Suite 220
San Diego, CA 92108-5860

Tel: 619.280.9210
Fax: 619.280.9415
HaleyAldrich.com



Letter of Transmittal

Date 29 January 2008

File Number 28882-626

From Patrick Keddington

To Boeing Corporate Real Estate
4501 Conant, Building 1
Long Beach, CA 90808

Attention Mario Stavale

CC

Subject Boeing Corporate Real Estate, SVE Quarterly Report for the Former C-6 Site

Copies Date Description

1 29 January 2008 Quarterly Report No. 24, Fourth Quarter 2007 Full-Scale
SVE System, Boeing Corporate Real Estate, Former C-6
Facility, Building 1/36 Area, Los Angeles, California

Transmitted via First class mail Overnight express Hand delivery Other

Remarks

Included is one copy of the above referenced report for your files. One copy was submitted on your behalf to Mrs. Ana Townsend of the Los Angeles Regional Water Quality Control Board.

